

| 廠牌與車型<br>Marca e Modello | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |            |
|--------------------------|------------|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|------------|
|                          |            |                                                                                                |                                                                                                   |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti |

UPDATED April 08 st 2013

## Aprilia

|      |                                 |       |       |        |     |       |        |        |          |                      |               |
|------|---------------------------------|-------|-------|--------|-----|-------|--------|--------|----------|----------------------|---------------|
| 50   | AF - 1                          | 1987  |       | 415H   | 122 | 12 40 | 588    | 11-15  | 143 C    | 38,42,44             |               |
| 50   | AF - 1 Europa - Futura          | 90-91 |       | 415H   | 126 | 11 43 | 588    | 11-15  | 8        | 40,43,44             |               |
| 50   | AF - 1 Europa - Futura          | 1992  |       | 415H   | 126 | 11 43 | 589    | 11-15  | 8        | 40,43,44             |               |
| 50   | AF - 1 P.108 Replica            | 88-91 |       | 415H   | 122 | 12 40 | 588    | 11-15  | 8        | 40,43,44             |               |
| 50   | AF - 1 Replica                  | 92-93 |       | 415H   | 122 | 12 40 | 589    | 11-15  | 8        | 40,43,44             |               |
| 50   | ETX Tuareg                      | 1987  |       | 415H   | 122 | 12 44 | 588    | 11-15  | 143 C    | 38,42,44             |               |
| 50   | MX                              | 04-   | 9030  | 420M   | 126 | 12 51 | 4038   | 10-15  | 2056     | 51                   |               |
| 50   | Pegaso AE                       | 92-96 |       | 415H   | 122 | 13 45 | 589    | 11-15  | 2011     | 40,42,45,51          |               |
| 50   | Red Rose                        | 87-91 | 7755  | 415H   | 118 | 12 42 | 588    | 11-15  | 143 C    | 38,42,44             |               |
| 50   | Red Rose Classic                | 92-95 | 7756  | 415H   | 130 | 12 46 | 589    | 11-15  | 2010     | 46                   |               |
| 50   | Red Rose Classic                | 96-04 | 9031  | 415H   | 130 | 12 46 | 4020   | 12, 13 | 2010     | 46                   |               |
| 50   | RS Extrema 3V                   | 92-94 |       | 415H   | 122 | 12 43 | 589    | 11-15  | 8        | 40,43,44             |               |
| 50   | RS Extrema 6V                   | 95-98 | 7758  | 415H   | 120 | 12 44 | 4020   | 12, 13 | 8        | 40,43,44             |               |
| 50   | RS                              | 99-05 | 7757  | 420M   | 122 | 12 47 | 4038   | 10-15  | 2055     | 47                   |               |
| 50   | RS                              | 06-11 | 9786  | 420M   | 132 | 12 53 | 4051   | 11-14  | 2123     | 50, 53               |               |
| 2013 | 50 RS4                          | 11-13 | 9787  | 420M   | 132 | 12 53 | 4051   | 11-14  | 2123     | 50, 53               |               |
| 50   | RX Rally                        | 89-90 |       | 415H   | 122 | 12 44 | 588    | 11-15  | 143 C    | 38,42,44             |               |
| 50   | RX Six Days                     | 1991  |       | 415H   | 122 | 13 44 | 589    | 11-15  | 240      | 44, 46               |               |
| 50   | RX - R AE 3V                    | 92-94 |       | 415H   | 122 | 13 45 | 589    | 11-15  | 2011     | 40,42,45,51          |               |
| 50   | RX 6V                           | 95-98 | 9203  | 415H   | 126 | 12 51 | 4020   | 12, 13 | 2011     | 40,42,45,51          |               |
| 50   | RX                              | 98-05 | 9030  | 420M   | 126 | 12 51 | 4038   | 10-15  | 2056     | 51                   |               |
| 50   | RX                              | 06-12 | 9623  | 420M   | 132 | 11 53 | 4051   | 11-14  | 2123     | 50, 53               |               |
|      |                                 |       | 9622  | 420M   | 132 | 14 53 | 4051   | 11-14  | 2123     | 50, 53               |               |
| 2013 | 50 SX                           | 06-13 | 9788  | 420M   | 132 | 11 53 | 4051   | 11-14  | 2075 C   | 45,48,50,52,53       |               |
| 50   | Tuono                           | 03-04 | 9032  | 420M   | 122 | 11 47 | 4038   | 10-15  | 2055     | 47                   |               |
| 50   | Wind                            | 88-90 |       | 415H   | 122 | 12 44 | 588    | 11-15  | 143 C    | 38,42,44             |               |
| 125  | AF - 1 Replica                  | 87-88 |       | 520    | 104 | 16 36 | 402 K  | 15, 16 | 19 C     | 38                   |               |
| 125  | AF - 1 Sintesi, Sport           | 88-90 |       | 520    | 106 | 16 37 | 394    | 13-17  | 19 C     | 38                   |               |
| 125  | AF - 1 Europa / Futura          | 90-93 |       | 520    | 106 | 16 38 | 394    | 13-17  | 19 C     | 38                   |               |
| 125  | MX                              | 04-06 | 9676  | 520H   | 112 | 15 45 | 394    | 13-17  | 22 C     | 42,45,49             |               |
| 125  | Pegaso                          | 90-96 | 9033B | 520    | 112 | 14 40 | 394    | 13-17  | 701 C    | 38-43                |               |
| 125  | Rally-RX                        | 1989  |       | 520    | 112 | 14 48 | 394    | 13-17  | 245 C    | 39-41,43-45,47,48,51 |               |
| 125  | Red Rose                        | 89-98 | 9208  | 520    | 110 | 14 41 | 394    | 13-17  | 20 C     | 41                   |               |
| 125  | RS Extrema                      | 93-99 | 7501  | 520H   | 106 | 16 39 | 394    | 13-17  | 701 C    | 38-43                |               |
|      |                                 |       | 7501B | 520    | 106 |       |        |        |          |                      |               |
| 125  | RS Replica                      | 93-05 | 7759  | 520H   | 108 | 14 39 | 394    | 13-17  | 701 C    | 38-43                |               |
|      |                                 |       | 7759B | 520    | 108 |       |        |        |          |                      |               |
| 125  | RS                              | 06-12 | 9498  | 520H   | 110 | 17 40 | 394    | 13-17  | 2117 C   | 40, 44               |               |
|      |                                 |       | 9498B | 520    | 110 |       |        |        | 2117 EC  | 46-48                |               |
|      |                                 |       |       |        |     |       |        |        | 2058 EMD | 38-45                | Hard Anodized |
| 2013 | 125 RS4                         | 12-13 |       | 420M   |     | 13 60 |        |        | 2123 C   | 50, 53               |               |
| 125  | RX-R                            | 90-92 |       | 520H   | 112 | 14 49 | 394    | 13-17  | 22 C     | 42,45,49             |               |
| 125  | RX                              | 93-94 | 7502  | 520H   | 114 | 17 49 | 394    | 13-17  | 22 C     | 42,45,49             |               |
|      |                                 |       | 7502B | 520    | 114 |       |        |        |          |                      |               |
| 125  | RX                              | 95-02 |       | 520H   | 112 | 17 42 | 394    | 13-17  | 22 C     | 42,45,49             |               |
| 125  | RX                              | 08-12 |       | 520H   |     | 15 49 | 394    | 13-17  | 22 C     | 42,45,49             |               |
| 125  | SX                              | 08-12 | 9736  | 520H   | 112 | 15 45 | 394    | 13-17  | 22 C     | 42,45,49             |               |
| 125  | Tuareg                          | 86-87 |       | 520H   | 102 | 15 41 | 402 K  | 15, 16 | 16 C     | 44                   |               |
| 125  | Tuareg ( Disc brake )           | 1987  |       | 520H   | 110 | 15 45 | 402 K  | 15, 16 | 18 C     | 38,39,43,45,46       |               |
| 125  | Tuareg Rally                    | 90-94 | 7503  | 520H   | 112 | 15 49 | 394    | 13-17  | 22 C     | 42,45,49             |               |
|      |                                 |       | 7503B | 520    | 112 |       |        |        |          |                      |               |
| 125  | Tuono                           | 03-07 | 9033  | 520H   | 104 | 14 40 | 394    | 13-17  | 701 C    | 38-43                |               |
|      |                                 |       | 9033B | 520    | 104 |       |        |        |          |                      |               |
| 125  | Wind                            | 1988  |       | 520H   | 102 | 14 41 | 394    | 13-17  | 16 C     | 44                   |               |
| 125  | Wind AE                         | 89-90 | 9033  | 520H   | 104 | 14 40 | 394    | 13-17  | 701 C    | 38-43                |               |
|      |                                 |       | 9033B | 520    | 104 |       |        |        |          |                      |               |
| 250  | RS                              | 95-04 | 7504  | 520SO  | 110 | 14 42 | 565 K  | 11-16  | 2026 C   | 42                   |               |
|      |                                 |       | 7504B | 520H   | 110 |       |        |        |          |                      |               |
| 350  | ETX Tuareg                      | 85-87 | 7505  | 520SO  | 104 | 15 46 | 402 K  | 15, 16 | 18 C     | 38,39,43,45,46       |               |
| 350  | ETX Tuareg Wind                 | 88-89 |       | 520SO  | 104 | 16 45 | 1513 K | 15, 16 | 5 C      | 43-45,47,49          |               |
| 450  | MXV                             | 08-10 | 9677  | 520MXU | 118 | 14 49 | 4071 K | 12-16  | 2110 EC  | 48-51                |               |
|      |                                 |       |       |        |     |       |        |        | 2110 ESM | 45-47                |               |
| 450  | RXV                             | 06-11 | 9210  | 520XSO | 118 | 15 48 | 4071 K | 12-16  | 2110 EC  | 48-51                |               |
|      |                                 |       |       |        |     |       |        |        | 2110 ESM | 45-47                |               |
| 450  | SXV                             | 06-11 | 9211  | 520XSO | 118 | 15 46 | 4071 K | 12-16  | 2110 ESM | 45-47                |               |
|      |                                 |       |       |        |     |       |        |        | 2110 EC  | 48-51                |               |
| 550  | RXV                             | 06-11 | 9210  | 520XSO | 118 | 15 48 | 4071 K | 12-16  | 2110 EC  | 48-51                |               |
|      |                                 |       |       |        |     |       |        |        | 2110 ESM | 45-47                |               |
| 550  | SXV                             | 06-11 | 9213  | 520XSO | 120 | 16 46 | 4071 K | 12-16  | 2110 ESM | 45-47                |               |
|      |                                 |       |       |        |     |       |        |        | 2110 EC  | 48-51                |               |
| 600  | ETX Tuareg                      | 85-87 |       | 520SO  | 104 | 15 46 | 1513 K | 15, 16 | 18 C     | 38,39,43,45,46       |               |
| 600  | Pegaso                          | 90-92 |       | 520SO  | 106 | 16 43 | 1513 K | 15, 16 | 5 C      | 43-45,47,49          |               |
| 600  | Tuareg Wind                     | 88-89 |       | 520SO  | 106 | 16 43 | 1513 K | 15, 16 | 5 C      | 43-45,47,49          |               |
| 650  | Motò                            | 95-02 | 9214  | 520SO  | 108 | 16 49 | 4015 K | 16     | 5 C      | 43-45,47,49          |               |
| 650  | Pegaso                          | 92-96 | 9215  | 520SO  | 110 | 16 47 | 4015 K | 16     | 5 C      | 43-45,47,49          |               |
| 650  | Pegaso                          | 97-02 | 7506  | 520SO  | 110 | 16 47 | 402 K  | 15, 16 | 5 C      | 43-45,47,49          |               |
| 650  | Pegaso i.e.                     | 03-04 | 7506  | 520SO  | 110 | 16 47 | 402 K  | 15, 16 | 5 C      | 43-45,47,49          |               |
| 650  | Pegaso Strada, Fun, Factory     | 05-08 | 9500  | 520SO  | 112 | 15 44 | 308 K  | 14, 15 | 2117 C   | 40, 44               |               |
|      |                                 |       |       |        |     |       |        |        | 2117 EC  | 46-48                |               |
|      |                                 |       |       |        |     |       |        |        | 2058 EMD | 38-45                | Hard Anodized |
| 650  | Pegaso-Trail                    | 07-10 | 9802  | 520SO  | 112 | 15 44 | 308 K  | 14, 15 | 5 C      | 43-45,47,49          |               |
| 2013 | 750 Dorsoduro 750, Factory, SMV | 08-13 | 9789  | 525GXW | 112 | 16 46 | 4089 K | 16, 17 | 2058 THF | 40-47                | Long Lasting  |

| 廠牌與車型<br>Marca e Modello |                                             | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                              |
|--------------------------|---------------------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|------------------------------|
|                          |                                             |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                   |
| 2013                     | 750 Dorsoduro 750, Factory, <b>SMV</b> #520 | 08-13      |                                                                                               | 520GXW 112                                                                                       | 16 46                                | 4089 KM                                                                                            | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          | 750 SL 750 Shiver, <b>GT</b>                | 07-13      | 9624                                                                                          | 525GXW 108                                                                                       | 16 44                                | 4089 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          | 750 SL 750 Shiver, <b>GT</b> #520           | 07-13      | 9624B                                                                                         | 525XSO 108                                                                                       |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
| 2013                     | 850 Mana 850, <b>GT</b>                     | 08-13      |                                                                                               | 520GXW 108                                                                                       | 16 44                                | 4089 KM                                                                                            | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          |                                             |            |                                                                                               | 525GXW 100                                                                                       | 18 40                                |                                                                                                    |            | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
| 2013                     | 850 SRV 850                                 | 12-13      |                                                                                               | 525GXW 116                                                                                       | 22 47                                |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 ETV 1000 Caponord - ABS                | 01-08      | 7760                                                                                          | 525GXW 112                                                                                       | 17 45                                | 4040 K                                                                                             | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          | 1000 RST 1000 Futura                        | 01-04      | 7761                                                                                          | 525GXW 108                                                                                       | 16 43                                | 4040 K                                                                                             | 16, 17     | 2129 ED                                                                                            | 46-49<br>Hard Anodized       |
|                          | 1000 RSV 1000, SP, R                        | 98-02      | 7507                                                                                          | 525GXW 108                                                                                       | 17 42                                | 4040 K                                                                                             | 16, 17     | 2083 THF                                                                                           | 45<br><b>Long Lasting</b>    |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2077 C                                                                                             | 43                           |
|                          | 1000 RSV 1000, SP, R #520                   | 98-02      |                                                                                               | 520GXW 108                                                                                       | 17 42                                | 4040 KM                                                                                            | 15-17      | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 RSV 1000 R                             | 2003       |                                                                                               | 525GXW 102                                                                                       | 17 40                                | 4040 K                                                                                             | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          | 1000 RSV 1000 R #520                        | 2003       |                                                                                               | 520GXW 102                                                                                       | 17 40                                | 4040 KM                                                                                            | 15-17      | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 RSV 1000 R, Factory, Dream             | 04-09      |                                                                                               | 525GXW 106                                                                                       | 16 40                                | 4040 K                                                                                             | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 RSV 1000 R, Factory #520               | 04-09      |                                                                                               | 520GXW 106                                                                                       | 16 40                                | 4040 KM                                                                                            | 15-17      | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
| 2013                     | 1000 RSV4 1000, Factory, <b>RSV4 R</b>      | 09-13      |                                                                                               | 525GXW 108                                                                                       | 16 40                                | 4040 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 RSV4 1000 Factory, <b>RSV4 R</b> #520  | 09-13      |                                                                                               | 520GXW 106                                                                                       | 16 40                                | 4040 KM                                                                                            | 15-17      | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          | 1000 SL 1000 Falco                          | 00-06      | 7508                                                                                          | 525GXW 106                                                                                       | 16 41                                | 4040 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 SL 1000 Falco #520                     | 00-06      |                                                                                               | 520GXW 106                                                                                       | 16 41                                | 4040 KM                                                                                            | 15-17      | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          | 1000 Tuono 1000, Racing                     | 02-05      | 7507                                                                                          | 525GXW 108                                                                                       | 17 42                                | 4040 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 Tuono 1000, Racing #520                | 03-05      |                                                                                               | 520GXW 108                                                                                       | 17 42                                | 4040 KM                                                                                            | 15-17      | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
| 2013                     | 1000 Tuono 1000 R, Factory, <b>V4R</b>      | 06-13      | 9503                                                                                          | 525GXW 108                                                                                       | 16 40                                | 4040 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1000 Tuono 1000 R, Factory, <b>V4R</b> #520 | 06-13      |                                                                                               | 520GXW 108                                                                                       | 16 40                                | 4040 KM                                                                                            | 15-17      | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
| 2013                     | 1200 Caponord 1200                          | 11-13      |                                                                                               | 525GXW                                                                                           |                                      | 4089 K                                                                                             | 16, 17     | 2058 EMD                                                                                           | 38-45<br>Hard Anodized       |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
| 2013                     | 1200 Dorsoduro 1200, <b>V4R</b>             | 11-13      | 9737                                                                                          | 525GXW 110                                                                                       | 16 40                                | 4089 K                                                                                             | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |
|                          |                                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2058 THF                                                                                           | 40-47<br><b>Long Lasting</b> |
|                          | 1200 Dorsoduro 1200, <b>V4R</b> #520        | 11-13      |                                                                                               | 520GXW 110                                                                                       | 16 40                                | 4089 KM                                                                                            | 16, 17     | 2058 ED                                                                                            | 43,46,47<br>Hard Anodized    |

Benelli

|      |                               |       |  |            |       |         |        |          |          |              |
|------|-------------------------------|-------|--|------------|-------|---------|--------|----------|----------|--------------|
| 900  | TNT 890, Café Racer, Titanium | 05-11 |  | 525GXW 110 | 16 36 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 900  | Tornado, Tornado RS           | 02-08 |  | 525GXW 112 | 15 41 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 1000 | Tornado RS                    | 04-05 |  | 525GXW 112 | 16 36 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 1130 | Century Racer                 | 11-12 |  | 525GXW 112 | 16 41 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 1130 | TNT                           | 04-11 |  | 525GXW 110 | 16 36 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 1130 | Tornado                       | 07-08 |  | 525GXW 112 | 16 36 | 4060 KA | 15, 16 | 2096 THF | 36, 41   | Long Lasting |
| 1130 | Tre K Amazonas                | 07-12 |  | 525GXW 110 | 16 37 | 4060 KA | 15, 16 | 2041 THF | 35,37-43 | Long Lasting |

Betamotor

|     |                        |       |      |             |       |                   |                |                                          |                               |                                             |
|-----|------------------------|-------|------|-------------|-------|-------------------|----------------|------------------------------------------|-------------------------------|---------------------------------------------|
| 50  | RK6                    | 94-98 |      | 428 130     | 12 56 | 1492 K            | 10-12          | 2019 E                                   | 56                            |                                             |
| 50  | RR                     | 98-99 |      | 428 126     | 12 56 | 1492 K            | 10-12          | 2092 E                                   | 50,52,56                      |                                             |
| 50  | RR Enduro              | 02-04 | 9626 | 420M 124    | 11 51 | 4038              | 10-15          | 2103 E                                   | 50-53,58-60                   |                                             |
| 50  | RR Supermotard         | 02-05 | 9627 | 420M 126    | 12 50 | 4038              | 10-15          | 2103 E                                   | 50-53,58-60                   |                                             |
| 50  | RR                     | 06-09 | 9628 | 420M 126    | 11 51 | 4038              | 10-15          | 2112 E                                   | 49-53                         |                                             |
| 50  | ST, ALP                | 98-99 |      | 428 122     | 10 56 | 1492 K            | 10-12          | 2092 E                                   | 50,52,56                      |                                             |
| 125 | Alp                    | 98-00 |      | 428 126     | 11 55 | 1492 K            | 10-12          | 2019 E                                   | 56                            |                                             |
| 125 | Trial TR 33/34/35      | 85-90 |      | 428 136     | 12 56 | 1492 K            | 10-12          | 1507 E                                   | 52,54,56                      |                                             |
| 125 | Zero                   | 91-93 |      | 428 136     | 12 56 | 1492 K            | 10-12          | 2019 E                                   | 56                            |                                             |
| 125 | RR 125 Motard 4 Stroke | 08-09 |      | 428 130     | 14 46 | 263               | 14-16          | 2066 E                                   | 47-53                         |                                             |
| 240 | Alp                    | 89-95 |      | 520MXZ4 100 | 10 42 | 4008 K            | 10,12,13       | 1511 E                                   | 39,40,42                      |                                             |
| 240 | Techno                 | 1997  |      | 520MXZ4 100 | 11 42 | 4008 K            | 10,12,13       | 1494 E                                   | 40                            |                                             |
| 240 | Techno                 | 98-99 |      | 520MXZ4 100 | 11 43 | 4008 K            | 10,12,13       | 1494 E                                   | 40                            |                                             |
| 240 | Trial TR 33/35         | 85-91 |      | 520MXZ4 100 | 10 42 | 1493              | 10             | 1511 E                                   | 39,40,42                      |                                             |
| 240 | Zero Sup. TR           | 92-94 |      | 520MXZ4 100 | 10 40 | 4008 K            | 10,12,13       | 1494 E                                   | 40                            |                                             |
| 250 | RR 250                 | 05-12 |      | 520XMO 118  | 14 52 | 1248 K<br>1248 KC | 12-15<br>12-14 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro- <del>at</del> tema |
| 260 | Zero/TR 35             | 90-91 |      | 520MXZ4 100 | 10 43 | 4008 K            | 10,12,13       | 1494 E                                   | 40                            |                                             |
| 260 | Zero-Synt              | 92-94 |      | 520MXZ4 100 | 10 40 | 4008 K            | 10,12,13       | 1494 E                                   | 40                            |                                             |
| 300 | RR 350                 | 2012  |      | 520XSO      |       | 1248 K<br>1248 KC | 12-15<br>12-14 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro- <del>at</del> tema |
| 350 | Jonathan               | 01-04 |      | 520XMO 120  | 15 44 | 432 K<br>432 KC   | 11-15<br>13-15 | 5 C                                      | 43-45,47,49                   |                                             |
| 350 | RR 350                 | 2012  | 9724 | 520XSO 114  | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro- <del>at</del> tema |
| 400 | RR 400                 | 06-12 | 9724 | 520XSO 114  | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro- <del>at</del> tema |
| 450 | RR 450, <b>RR498</b>   | 06-12 |      | 520XSO 112  | 13 48 | 1248 K<br>1248 KC | 12-15<br>12-14 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro- <del>at</del> tema |

| 廠牌與車型<br>Marca e Modello |        | 年份<br>anno |  KIT<br>料號 |  鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali |  前齒<br>pignone |                |  後齒<br>corona |                                      |
|--------------------------|--------|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------|--------------------------------------|
|                          |        |            |                                                                                            |                                                                                               |                                      | 料號                                                                                             | 齒數 - denti     | 料號                                                                                             | 齒數 - denti                           |
| 525                      | RR 525 | 05-09      |                                                                                            | 520XSO 118                                                                                    | 14 50                                | 1248 K<br>1248 KC                                                                              | 12-15<br>12-14 | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                | 47-53<br><b>48-52</b><br>38-46<br>50 |

Bimota

|      |                               |       |  |            |       |        |    |         |    |               |
|------|-------------------------------|-------|--|------------|-------|--------|----|---------|----|---------------|
| 1100 | DB5 1100 R,S - Tesi 3D        | 08-12 |  | 520GXW 100 | 15 38 | 4091 K | 15 | 2126 ED | 38 | Hard Anodized |
| 1100 | DB6 1100 Delirio S, Delirio R | 07-12 |  | 520GXW 100 | 15 40 | 4091 K | 15 | 2126 ED | 38 | Hard Anodized |
| 1100 | DB7                           | 06-12 |  | 520GXW 102 | 15 40 | 4091 K | 15 | 2126 ED | 38 | Hard Anodized |

BMW

|      |      |                    |             |             |                   |              |                |              |                               |                      |                      |
|------|------|--------------------|-------------|-------------|-------------------|--------------|----------------|--------------|-------------------------------|----------------------|----------------------|
|      | 450  | G450X              | 07-10       |             | 520SO 114         | 14 48        |                |              | 2130 EC                       | 45-51                |                      |
|      | 450  | G450X Street Legal | 09-12       |             | 520SO             | 14 51        |                |              | 2130 EC                       | 45-51                |                      |
|      | 650  | F650               | 94-00       | 7506        | 520SO 110         | 16 47        | 402 K          | 15, 16       | 5 C                           | 43-45,47,49          |                      |
|      | 650  | F650GS             | 99-06       | 7510        | 520SO 112         | 16 47        | 402 K          | 15, 16       | 5 C                           | 43-45,47,49          |                      |
|      | 650  | G650X Challenge    | 07-08       | 9629        | 520SO 112         | 15 47        | 402 K          | 15, 16       | 2125 EC                       | 47                   |                      |
|      | 650  | G650X Country      | 07-08       | 9675        | 520SO 112         | 16 47        | 402 K          | 15, 16       | 2125 EC                       | 47                   |                      |
|      | 650  | G650X Moto         | 07-08       | 9630        | 520SO 112         | 16 47        | 402 K          | 15, 16       | 2117 EC<br>2117 C<br>2058 EMD | 46-48<br>40<br>38-45 | Hard Anodized        |
|      | 650  | F650GS             | 06-08       | 9631        | 525XSO 116        | 17 41        | 4040 K         | 16, 17       | 2132 C                        | 40-43                |                      |
|      | 650  | F650GS             | 09-12       |             | 525XSO 116        | 17 41        | 4040 K         | 16, 17       | 2136 C                        | 40-43                |                      |
| 2013 | 700  | <b>F700GS</b>      | <b>2013</b> |             |                   |              |                |              |                               |                      |                      |
|      | 800  | F800GS             | 2008        |             | 525XSO 116        | 16 42        | 4040 K         | 16, 17       | 2132 C                        | 40-43                |                      |
| 2013 | 800  | F800GS             | 09-13       | 9632        | 525XSO 116        | 16 42        | 4040 K         | 16, 17       | 2136 C                        | 40-43                |                      |
|      | 800  | F800R              | 09-12       | <b>9738</b> | 525XSO 120        | 20 47        | 4099 K         | 20           | 2132 C                        | 40-43,47             |                      |
| 2013 | 1000 | <b>HP4</b>         | <b>2013</b> | <b>9739</b> | <b>525GXW 118</b> | <b>17 44</b> | <b>4098 K</b>  | <b>16-18</b> | <b>2145 THF</b>               | <b>44-46</b>         | <b>Long Lasting</b>  |
|      | 1000 | <b>HP4 #520</b>    | <b>2013</b> |             | <b>520GXW 118</b> | <b>17 44</b> | <b>4098 KM</b> | <b>14-18</b> | <b>2145 EMD</b>               | <b>42-46</b>         | <b>Hard Anodized</b> |
|      | 1000 | S1000RR            | 09-11       | <b>9740</b> | 525GXW 118        | 17 44        | 4098 K         | 16-18        | 2135 THF                      | 42-46                | <b>Long Lasting</b>  |
|      | 1000 | S1000RR #520       | 09-11       |             | 520GXW 118        | 17 44        | 4098 KM        | 14-18        | 2135 EMD                      | 40-46                | Hard Anodized        |
| 2013 | 1000 | S1000RR            | 12-13       | <b>9741</b> | 525GXW 118        | 17 45        | 4098 K         | 16-18        | 2135 THF                      | 42-46                | <b>Long Lasting</b>  |
|      | 1000 | S1000RR #520       | 12-13       |             | 520GXW 118        | 17 45        | 4098 KM        | 14-18        | 2135 EMD                      | 40-46                | Hard Anodized        |

BST wheels

|                          |  |  |     |  |  |  |  |                                 |                         |                                   |
|--------------------------|--|--|-----|--|--|--|--|---------------------------------|-------------------------|-----------------------------------|
| 76 x 100 x 5 x 10,5 #520 |  |  | 520 |  |  |  |  | 2067 E<br>2067 ED<br>2067 EDU-L | 36-47<br>35-50<br>38-44 | Hard Anodized<br><b>Ultralite</b> |
| 76 x 100 x 5 x 10,5 #525 |  |  | 525 |  |  |  |  | 2094 ED                         | 35-47                   | Hard Anodized                     |
| 76 x 100 x 5 x 10,5 #530 |  |  | 530 |  |  |  |  | 2105 ED                         | 39-47                   | Hard Anodized                     |

Cagiva

|     |                 |       |                      |                            |       |       |        |                   |             |                                      |
|-----|-----------------|-------|----------------------|----------------------------|-------|-------|--------|-------------------|-------------|--------------------------------------|
| 50  | Cocis           | 88-89 |                      | 415H 124                   | 13 50 | 209   | 11-16  | 695               | 50          |                                      |
| 50  | Cocis K3        | 90-93 |                      | 428H 124                   | 14 50 | 708   | 13-15  | 696               | 50          |                                      |
| 50  | Prima 3V, 6V    | 92-96 |                      | 428H 122                   | 13 49 | 708   | 13-15  | 696               | 50          |                                      |
| 50  | Super City, W4  | 92-96 | 9217<br><b>9217B</b> | 428H 122<br><b>428 122</b> | 13 49 | 708   | 13-15  | 696               | 50          |                                      |
| 75  | Cocis           | 90-91 | 9218<br><b>9218B</b> | 428H 126<br><b>428 126</b> | 14 50 | 708   | 13-15  | 696               | 50          |                                      |
| 75  | W4              | 92-93 | 9219<br><b>9219B</b> | 428H 124<br><b>428 124</b> | 15 49 | 708   | 13-15  | 696               | 50          |                                      |
| 125 | Aletta Rossa    | 83-87 |                      | 428H 122                   | 16 45 | 710   | 15, 16 | 1172              | 45          |                                      |
| 125 | Aletta Oro      | 85-87 |                      | 520 104                    | 12 41 | 711 K | 12-14  | 13 C              | 39          |                                      |
| 125 | Blues           | 87-95 | 7763                 | 520 112                    | 14 39 | 711 K | 12-14  | 13 C              | 39          |                                      |
| 125 | Elefant 1/2/3   | 84-88 |                      | 428H 122                   | 16 45 | 710   | 15, 16 | 1172              | 45          |                                      |
| 125 | Freccia C9, C10 | 88-89 | 7763                 | 520 112                    | 14 39 | 711 K | 12-14  | 13 C              | 39          |                                      |
| 125 | Freccia C12-R   | 89-92 |                      | 520H 114                   | 14 41 | 711 K | 12-14  | 13 C              | 39          |                                      |
| 125 | K-7             | 89-92 | 9222<br><b>9222B</b> | 520H 114<br><b>520 114</b> | 13 44 | 711 K | 12-14  | 698 C             | 39,42,44,46 |                                      |
| 125 | Mito            | 90-92 | 7765<br><b>7765B</b> | 520H 116<br><b>520 116</b> | 14 43 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | Mito EV         | 93-99 | 7511<br><b>7511B</b> | 520H 114<br><b>520 114</b> | 14 41 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | Mito EV         | 00-04 | 9634<br><b>9634B</b> | 520H 114<br><b>520 114</b> | 14 38 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | Mito Euro 2     | 04-08 | 7765<br><b>7765B</b> | 520H 116<br><b>520 116</b> | 14 43 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | Mito SP         | 2009  | 7765<br><b>7765B</b> | 520H 116<br><b>520 116</b> | 14 43 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | N1              | 97-98 |                      | 520H 116                   | 14 43 | 711 K | 12-14  | 2042 C            | 43          |                                      |
| 125 | Planet          | 98-00 | 7765<br><b>7765B</b> | 520H 116<br><b>520 116</b> | 14 43 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | Raptor          | 03-09 | 9035<br><b>9035B</b> | 520H 114<br><b>520 114</b> | 14 43 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | SST             | 84-87 |                      | 428 136                    | 16 45 | 710   | 15, 16 | 1172              | 45          |                                      |
| 125 | Super City      | 91-99 | 9223<br><b>9223B</b> | 520H 108<br><b>520 108</b> | 13 42 | 711 K | 12-14  | 701 C             | 38-43       |                                      |
| 125 | W8              | 92-96 | 9224<br><b>9224B</b> | 520H 108<br><b>520 108</b> | 13 44 | 711 K | 12-14  | 698 C             | 39,42,44,46 |                                      |
| 125 | WMX             | 89-92 |                      | 520MX24 114                | 12 49 | 718 K | 12, 13 | 1509 EC<br>1509 C | 47-53<br>50 | Red, Black 48-52<br><b>pro-@t@me</b> |
| 250 | WMX             | 89-92 |                      | 520MX24 116                | 14 48 | 507 K | 14, 15 | 1509 EC<br>1509 C | 47-53<br>50 | Red, Black 48-52<br><b>pro-@t@me</b> |
| 350 | Ala Azzurra     | 85-88 |                      | 530SO 108                  | 15 47 | 725 K | 15     | 1022 C            | 38,40,47    |                                      |
| 350 | T4 E, R         | 87-91 | 9225                 | 520SO 110                  | 16 42 | 728 K | 15, 16 | 828 C             | 42,47,48    |                                      |
| 350 | W 12            | 93-96 | 9226                 | 520SO 110                  | 16 46 | 728 K | 15, 16 | 698 C             | 39,42,44,46 |                                      |

| 廠牌與車型<br>Marca e Modello |                                | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |            |
|--------------------------|--------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|------------|
|                          |                                |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti |
| 500                      | Canyon                         | 98-00      | 9227                                                                                          | 520SO                                                                                            | 116                                  | 15 46                                                                                              | 507 K      | 14, 15                                                                                             | 2049 C     |
| 500                      | T4 E-R                         | 87-90      | 7513                                                                                          | 520SO                                                                                            | 110                                  | 15 42                                                                                              | 728 K      | 15, 16                                                                                             | 828 C      |
| 600                      | Canyon                         | 96-99      | 7514                                                                                          | 520XSO                                                                                           | 112                                  | 15 45                                                                                              | 728 K      | 15, 16                                                                                             | 2049 C     |
| 600                      | River                          | 95-99      | 9228                                                                                          | 520XSO                                                                                           | 116                                  | 15 43                                                                                              | 728 K      | 15, 16                                                                                             | 701 C      |
| 600                      | W 16                           | 1995       |                                                                                               | 520XSO                                                                                           | 112                                  | 16 44                                                                                              | 728 K      | 15, 16                                                                                             | 698 C      |
| 600                      | W 16 ( from 2G100001)          | 95-98      | 9229                                                                                          | 520XSO                                                                                           | 112                                  | 15 44                                                                                              | 728 K      | 15, 16                                                                                             | 698 C      |
| 650                      | Elefant                        | 86-87      |                                                                                               | 530SO                                                                                            | 106                                  | 15 44                                                                                              | 725 K      | 15                                                                                                 | 718 C      |
| 650                      | Raptor, V-Raptor IE            | 01-07      | 7516                                                                                          | 525XSO                                                                                           | 108                                  | 15 45                                                                                              | 520 K      | 14-17                                                                                              | 2087 THF   |
| 750                      | Elefant Bifaro, Lucky Explorer | 87-89      | 7518                                                                                          | 530XSO                                                                                           | 106                                  | 14 46                                                                                              | 726 K      | 14                                                                                                 | 718 C      |
|                          |                                |            | 7518B                                                                                         | 530SO                                                                                            | 106                                  |                                                                                                    |            |                                                                                                    |            |
| 750                      | Elefant                        | 93-97      | 7517                                                                                          | 530XSO                                                                                           | 108                                  | 15 46                                                                                              | 4012 K     | 15                                                                                                 | 729 C      |
|                          |                                |            | 7517B                                                                                         | 530SO                                                                                            | 108                                  |                                                                                                    |            |                                                                                                    |            |
| 900                      | Canyon                         | 98-00      | 7519                                                                                          | 525GXW                                                                                           | 108                                  | 15 45                                                                                              | 4039 K     | 15                                                                                                 | 2054 C     |
| 900                      | Elefant Lucky Explorer         | 1990       | 7521                                                                                          | 530SO                                                                                            | 108                                  | 15 46                                                                                              | 4002 K     | 15                                                                                                 | 729 C      |
| 900                      | Elefant IE, AC, GT             | 91-97      | 7520                                                                                          | 530SO                                                                                            | 108                                  | 15 46                                                                                              | 4013 K     | 15                                                                                                 | 729 C      |
| 1000                     | Navigator                      | 01-05      | 9230                                                                                          | 525GXW                                                                                           | 108                                  | 16 41                                                                                              | 520 K      | 14-17                                                                                              | 2054 C     |
| 1000                     | Raptor, V-Raptor               | 00-06      | 9036                                                                                          | 530GXW                                                                                           | 106                                  | 16 40                                                                                              | 566 K      | 14-18                                                                                              | 2069 THF   |

## Daelim

|     |           |       |       |      |     |       |       |       |     |                   |
|-----|-----------|-------|-------|------|-----|-------|-------|-------|-----|-------------------|
| 125 | VC - S    | 95-99 | 9231  | 428H | 126 | 14 43 | 259 K | 14-16 | 269 | 34-35,39-43,47-49 |
|     |           |       | 9231B | 428  | 126 |       |       |       |     |                   |
| 125 | VL        | 00-03 | 9232  | 428H | 146 | 14 42 | 259 K | 14-16 | 269 | 34-35,39-43,47-49 |
|     |           |       | 9232B | 428  | 146 |       |       |       |     |                   |
| 125 | Roadwin R | 07-08 | 9232  | 428H | 146 | 14 42 | 259 K | 14-16 | 269 | 34-35,39-43,47-49 |
|     |           |       | 9232B | 428  | 146 |       |       |       |     |                   |
| 125 | VS - VT   | 98-02 | 9233  | 428H | 126 | 14 42 | 259 K | 14-16 | 269 | 34-35,39-43,47-49 |
|     |           |       | 9233B | 428  | 126 |       |       |       |     |                   |

## Derbi

|     |                             |       |       |        |     |       |        |        |        |                         |
|-----|-----------------------------|-------|-------|--------|-----|-------|--------|--------|--------|-------------------------|
| 50  | Classic                     | 2001  |       | 420M   | 134 | 12 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | GPR R                       | 98-99 |       | 420M   | 134 | 13 52 | 4032   | 12-14  | 2059   | 52                      |
| 50  | GPR R                       | 00-02 | 9635  | 420M   | 134 | 12 52 | 4051   | 11-14  | 2059   | 52                      |
| 50  | GPR R / Nude                | 04-08 | 9636  | 420M   | 134 | 12 53 | 4051   | 11-14  | 2123 C | 51                      |
| 50  | GP1                         | 05-08 | 9636  | 420M   | 134 | 12 53 | 4051   | 11-14  | 2123 C | 51                      |
| 50  | Senda SM, DRD               | 00-05 | 7766  | 420M   | 130 | 14 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda SM Racing             | 01-02 |       | 420M   | 134 | 13 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda R DRD, X-treme        | 02-05 | 9133  | 420M   | 140 | 14 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda R, X-Race             | 04-05 |       | 420M   | 140 | 13 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda R, X-Race             | 06-08 |       | 420M   | 130 | 11 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda R DRD PRO, DRD Racing | 06-08 |       | 420M   | 132 | 13 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | Senda SM DRD, SM DRD Racing | 06-08 |       | 420M   | 132 | 11 53 | 4032   | 12-14  | 2035   | 48,50,53                |
| 50  | X-treme Enduro              | 05-06 |       | 420M   | 134 | 13 53 | 4051   | 11-14  | 2075 C | 45,48,50,52,53          |
| 125 | Terra                       | 07-08 |       | 428H   | 130 |       |        |        | 2106 E | 48,50-52,54,56,58,60,62 |
| 125 | Cross City                  | 07-08 |       | 428H   | 134 | 15 50 | 259 K  | 14-16  | 2106 E | 48,50-52,54,56,58,60,62 |
| 125 | GPR                         | 04-08 |       | 428H   | 130 | 16 nd | 558    | 13-18  | nd     |                         |
| 125 | Mulhacen                    | 07-08 |       | 428H   | 130 |       |        |        | 2106 E | 48,50-52,54,56,58,60,62 |
| 125 | Senda R                     | 05-07 |       | 428H   | 136 | 17 54 | 264    | 14-16  | 2106 E | 48,50-52,54,56,58,60,62 |
| 125 | Senda SM                    | 05-   |       | 428H   | 136 | 14 50 | 264    | 14-16  | 2106 E | 48,50-52,54,56,58,60,62 |
| 125 | Senda Baja SM               | 06-08 | 9638  | 428H   | 140 | 17 52 | 4036 K | 15, 17 | 2106 E | 48,50-52,54,56,58,60,62 |
|     |                             |       | 9638B | 428    | 140 |       |        |        |        |                         |
| 125 | Senda Baja R Enduro         | 06-08 | 9639  | 428H   | 142 | 17 54 | 4036 K | 15, 17 | 2106 E | 48,50-52,54,56,58,60,62 |
|     |                             |       | 9639B | 428    | 142 |       |        |        |        |                         |
| 660 | Mulhacen                    | 06-08 |       | 520XSO | 106 | 15 46 | 308 K  | 14, 15 | 817 C  | 46                      |

## Ducati

|     |               |       |       |        |     |       |        |        |                           |                         |
|-----|---------------|-------|-------|--------|-----|-------|--------|--------|---------------------------|-------------------------|
| 350 | F3            | 87-88 |       | 530SO  | 104 | 15 47 | 725 K  | 15     | 1022 C                    | 38,40,47                |
| 350 | Indiana       | 87-88 |       | 530SO  | 104 | 15 46 | 725 K  | 15     | 718 C                     | 46                      |
| 350 | Sport-SS      | 92-94 |       | 520XSO | 100 | 14 45 | 4003 K | 14     | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 400 | Monster       | 03-05 |       | 520GXW | 102 | 14 46 | 736 K  | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 400 | Monster DK IE | 2005  |       | 520GXW | 106 | 15 48 | 4019 K | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 400 | SS            | 92-95 | 9234  | 520XSO | 98  | 14 43 | 4003 K | 14     | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
|     |               |       | 9234B | 520SO  | 98  |       |        |        |                           |                         |
| 500 | Pantah        | 1982  |       | 530SO  | 94  | 15 38 | 492 K  | 15     | 1022 C                    | 38,40,47                |
| 600 | Monster       | 1994  | 7522  | 520SO  | 98  | 15 38 | 736 K  | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 600 | Monster       | 95-97 | 7523  | 520SO  | 102 | 15 43 | 736 K  | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 600 | Monster Dark  | 98-02 | 7524  | 520XSO | 102 | 15 46 | 736 K  | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 600 | Pantah        | 1982  |       | 530SO  | 94  | 15 38 | 492 K  | 15     | 1022 C                    | 38,40,47                |
| 600 | SS            | 1994  | 7525  | 520SO  | 96  | 15 36 | 736 K  | 14, 15 | 735 THF<br>735 C<br>735 E | 36-48<br>36-48<br>39-49 |
| 600 | SS            | 95-98 | 7526  | 520XSO | 98  | 15 41 | 736 K  | 14, 15 | 735 THF<br>735 C          | 36-48<br>36-48          |

| 廠牌與車型<br>Marca e Modello |                                  | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                                                  |
|--------------------------|----------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
|                          |                                  |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                                                       |
| 620                      | Monster i.e                      | 00-03      | 7527                                                                                          | 520XSO 106                                                                                       | 15 46                                | 736 K                                                                                              | 14, 15     | 735 E<br>735 THF<br>735 C<br>735 E                                                                 | 39-49<br><i>Long Lasting</i>                                     |
| 620                      | Monster-Monster Dark Single Disc | 2004       | 9039                                                                                          | 520XSO 110                                                                                       | 15 48                                | 4019 K                                                                                             | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 620                      | Monster-Monster Dark Single Disc | 05-06      | 9235                                                                                          | 520XSO 110                                                                                       | 15 48                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 620                      | Multistrada                      | 05-07      |                                                                                               | 520XSO 108                                                                                       | 15 48                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 695                      | Monster 695                      | 07>08      | 9504                                                                                          | 520XSO 102                                                                                       | 15 42                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 696                      | Monster 696, ABS                 | 08-12      | 9640                                                                                          | 520XSO 108                                                                                       | 15 45                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 748                      | SP                               | 95-98      | 7529<br>7529B                                                                                 | 520GXW 94<br>520XSO 94                                                                           | 14 37                                | 4019 K                                                                                             | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37,38,41<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 748                      | Biposto                          | 96-02      | 7528<br>7528B                                                                                 | 520GXW 94<br>520XSO 94                                                                           | 14 38                                | 4019 K                                                                                             | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37,38,41<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 748                      | 748 S                            | 00-02      | 7528<br>7528B                                                                                 | 520GXW 94<br>520XSO 94                                                                           | 14 38                                | 4019 K                                                                                             | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37,38,41<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 749                      | 749, 749 S                       | 03-07      | 9027<br>9027B                                                                                 | 525GXW 96<br>525XSO 96                                                                           | 14 39                                | 4054 K                                                                                             | 14, 15     | 2091 THF<br>2091 C<br>2091 ED                                                                      | 35-42<br>35-42<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i> |
| 749                      | 749, 749 S #520                  | 03-07      |                                                                                               | 520GXW 96                                                                                        | 14 39                                | 4054 KM                                                                                            | 14-16      | 2091 EMD                                                                                           | 36-42<br><i>Hard Anodized</i>                                    |
| 749                      | 749 Dark                         | 04-07      | 9641<br>9641B                                                                                 | 525GXW 98<br>525XSO 98                                                                           | 15 39                                | 4054 K                                                                                             | 14, 15     | 2091 THF<br>2091 C<br>2091 ED                                                                      | 35-42<br>35-42<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i> |
| 749                      | 749 Dark #520                    | 04-07      |                                                                                               | 520GXW 96                                                                                        | 15 39                                | 4054 KM                                                                                            | 14-16      | 2091 EMD                                                                                           | 36-42<br><i>Hard Anodized</i>                                    |
| 749                      | 749 R, 749 R Europa              | 04-07      | 9236<br>9236B                                                                                 | 525GXW 96<br>525XSO 96                                                                           | 15 35                                | 4054 K                                                                                             | 14, 15     | 2091 THF<br>2091 C<br>2091 ED                                                                      | 35-42<br>35-42<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i> |
| 749                      | 749 R #520                       | 04-07      |                                                                                               | 520GXW 96                                                                                        | 15 35                                | 4054 KM                                                                                            | 14-16      | 2091 EMD                                                                                           | 36-42<br><i>Hard Anodized</i>                                    |
| 749                      | 749 S Europa                     | 05-07      | 9642<br>9642B                                                                                 | 525GXW 96<br>525XSO 96                                                                           | 15 38                                | 4054 K                                                                                             | 14, 15     | 2091 THF<br>2091 C<br>2091 ED                                                                      | 35-42<br>35-42<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i> |
| 749                      | 749 S Europa #520                | 05-07      |                                                                                               | 520GXW 96                                                                                        | 15 38                                | 4054 KM                                                                                            | 14-16      | 2091 EMD                                                                                           | 36-42<br><i>Hard Anodized</i>                                    |
| 750                      | 750 Sport/Supersport i.e.        | 01-02      | 7531                                                                                          | 520XSO 98                                                                                        | 15 40                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 750                      | F1                               | 1984       |                                                                                               | 530SO 98                                                                                         | 15 38                                | 725 K                                                                                              | 15         | 1022 C                                                                                             | 38,40,47                                                         |
| 750                      | F1                               | 85-87      |                                                                                               | 530SO 98                                                                                         | 15 38                                | 497                                                                                                | 14, 15     | 1022 C                                                                                             | 38,40,47                                                         |
| 750                      | F1                               | 1988       |                                                                                               | 530SO 98                                                                                         | 15 40                                | 497                                                                                                | 14, 15     | 1022 C                                                                                             | 38,40,47                                                         |
| 750                      | Indiana                          | 87-90      |                                                                                               | 530SO 104                                                                                        | 14 46                                | 726 K                                                                                              | 14         | 718 C                                                                                              | 46                                                               |
| 750                      | Monster                          | 96-98      | 7532                                                                                          | 520XSO 98                                                                                        | 15 38                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 750                      | Monster i.e                      | 99-02      | 7533<br>7533B                                                                                 | 520GXW 100<br>520XSO 100                                                                         | 15 41                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 750                      | Montjuich                        | 1987       |                                                                                               | 520XSO 98                                                                                        | 14 40                                | 494 K                                                                                              | 14, 15     | 491 C                                                                                              | 40                                                               |
| 750                      | Paso                             | 87-90      |                                                                                               | 520XSO 110                                                                                       | 15 38                                | 495 K                                                                                              | 15         | 491 C                                                                                              | 40                                                               |
| 750                      | Santa Monica                     | 1988       |                                                                                               | 520XSO 110                                                                                       | 15 38                                | 494 K                                                                                              | 14, 15     | 491 C                                                                                              | 40                                                               |
| 750                      | SS                               | 1979       |                                                                                               | 530XSO 104                                                                                       | 15 36                                | 493 K                                                                                              | 15, 16     | 1022 C                                                                                             | 38,40,47                                                         |
| 750                      | SS / Desmo 2                     | 91-97      | 9238                                                                                          | 520XSO 96                                                                                        | 15 37                                | 736 K                                                                                              | 14, 15     | 735 C<br>735 THF<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 796                      | Hypermotard 796                  | 10-12      | 9742                                                                                          | 525GXW 104                                                                                       | 15 42                                | 4014 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 796                      | Hypermotard 796 #520             | 10-12      |                                                                                               | 520GXW 104                                                                                       | 15 42                                |                                                                                                    |            |                                                                                                    |                                                                  |
| 796                      | Monster 796, ABS                 | 10-12      | 9743                                                                                          | 525GXW 104                                                                                       | 15 39                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-40<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 796                      | Monster 796 #520                 | 10-12      |                                                                                               | 520GXW 104                                                                                       | 15 39                                |                                                                                                    |            |                                                                                                    |                                                                  |
| 800                      | Monster S. i.e.<br>Monster Dark  | 03-04      | 7534                                                                                          | 520GXW 102                                                                                       | 15 42                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 800                      | SS                               | 03-05      | 7535                                                                                          | 520XSO 98                                                                                        | 15 39                                | 4019 K                                                                                             | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 800                      | Monster i.e.                     | 2004       | 7535                                                                                          | 520XSO 98                                                                                        | 15 39                                | 4019 K                                                                                             | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 800                      | Sport                            | 2003       | 7535                                                                                          | 520XSO 98                                                                                        | 15 39                                | 4019 K                                                                                             | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49<br><i>Long Lasting</i>                   |
| 800                      | Monster S2R - Monster S2R Dark   | 04-08      |                                                                                               | 520XSO 104                                                                                       | 15 41                                | 736 K                                                                                              | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37,38,41<br>36-42<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 848                      | 848, Evo, Evo Dark               | 08-12      | 9744                                                                                          | 525GXW 98                                                                                        | 15 39                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 848                      | 848, Evo, Evo Dark #520          | 08-12      |                                                                                               | 520GXW 98                                                                                        | 15 39                                | 4054 KM                                                                                            | 14-16      |                                                                                                    |                                                                  |
| 848                      | 848 Streetfighter                | 2012       | 9745                                                                                          | 525GXW 98                                                                                        | 15 42                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43<br><i>Long Lasting<br/>Hard Anodized</i>       |
| 848                      | 848 Streetfighter #520           | 2012       |                                                                                               | 520GXW 98                                                                                        | 15 42                                | 4054 KM                                                                                            | 14-16      |                                                                                                    |                                                                  |

| 廠牌與車型<br>Marca e Modello |                                 | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                         |
|--------------------------|---------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|-------------------------|
|                          |                                 |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti              |
| 851                      | S.P.                            | 88-89      |                                                                                               | 520XSO 98                                                                                        | 15 38                                | 736 K                                                                                              | 14, 15     | 491 C                                                                                              | 40                      |
| 851                      | S.P.                            | 1990       | 7536                                                                                          | 520XSO 98                                                                                        | 15 39                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 851                      | S.P.                            | 1991       | 9240                                                                                          | 520GXW 96                                                                                        | 15 37                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 851                      | Strada                          | 90-91      | 7536                                                                                          | 520XSO 98                                                                                        | 15 39                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 888                      | S.P. - S.P. - S                 | 92-93      | 9241                                                                                          | 520GXW 96                                                                                        | 15 36                                | 736 K                                                                                              | 14, 15     | 735 C<br>735 THF<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 900                      | Monster                         | 93-99      | 7536                                                                                          | 520XSO 98                                                                                        | 15 39                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 900                      | Monster i.e                     | 00-02      | 7537                                                                                          | 520XSO 98                                                                                        | 15 38                                | 4041 K                                                                                             | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 900                      | SD Darmah                       | 1979       |                                                                                               | 530SO 106                                                                                        | 16 36                                | 493 K                                                                                              | 15, 16     | 1022 C                                                                                             | 38,40,47                |
| 900                      | Sport/Supersport i.e.           | 99-02      | 7538                                                                                          | 520GXW 96                                                                                        | 15 40                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 900                      | SS                              | 79-88      |                                                                                               | 530SO 104                                                                                        | 15 36                                | 493 K                                                                                              | 15, 16     | 1022 C                                                                                             | 38,40,47                |
| 900                      | SS                              | 89-90      |                                                                                               | 520GXW 98                                                                                        | 15 39                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 900                      | SS, Superlight                  | 91-98      | 9240                                                                                          | 520GXW 96                                                                                        | 15 37                                | 736 K                                                                                              | 14, 15     | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 906                      | Paso                            | 1989       |                                                                                               | 520GXW 108                                                                                       | 15 40                                | 736 K                                                                                              | 14, 15     | 491 C                                                                                              | 40                      |
| 906                      | Paso                            | 1990       |                                                                                               | 520GXW 106                                                                                       | 15 38                                | 736 K                                                                                              | 14, 15     | 491 C                                                                                              | 40                      |
| 916                      | S.P. - Mono - Biposto           | 94-98      | 7539                                                                                          | 525GXW 94                                                                                        | 15 36                                | 4014 K                                                                                             | 14, 15     | 2027 THF<br>2027 ED                                                                                | 36-38,42<br>36-40,43    |
| 916                      | S.P. - Mono - Biposto #520      | 94-98      | 7539B                                                                                         | 525XSO 94                                                                                        | 15 36                                | 4019 K                                                                                             | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37<br>36-42             |
| 944                      | ST 2                            | 99-03      | 7540                                                                                          | 525GXW 102                                                                                       | 15 42                                | 4014 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43       |
| 944                      | ST 4                            | 98-03      | 7541                                                                                          | 525GXW 102                                                                                       | 15 43                                | 4014 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43       |
| 944                      | ST 4 S - ABS                    | 04-06      | 9044                                                                                          | 525GXW 100                                                                                       | 15 38                                | 4014 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43       |
| 996                      | Monster S4R Europa              | 03-06      |                                                                                               | 525GXW 104                                                                                       | 15 42                                | 4014 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43       |
| 996                      | 996 R-RII-S                     | 01-02      | 7542                                                                                          | 525GXW 94                                                                                        | 15 36                                | 4054 K                                                                                             | 14, 15     | 2027 THF<br>2027 ED                                                                                | 36-38,42<br>36-40,43    |
| 996                      | 996 R-RII-S #520                | 01-02      |                                                                                               | 520GXW 94                                                                                        | 15 36                                | 4054 KM                                                                                            | 14-16      | 2028 THF<br>2028 ED                                                                                | 37<br>36-42             |
| 996                      | Strada                          | 99-01      |                                                                                               | 525GXW 94                                                                                        | 15 36                                | 4014 K                                                                                             | 14, 15     | 2027 THF<br>2027 ED                                                                                | 36-43<br>36-40,43       |
| 996                      | Strada #520                     | 99-01      |                                                                                               | 520GXW 94                                                                                        | 15 36                                | 4019 K                                                                                             | 14, 15     | 2028 THF<br>2028 ED                                                                                | 37<br>36-42             |
| 998                      | 998, Matrix                     | 02-04      | 7542                                                                                          | 525GXW 94                                                                                        | 15 36                                | 4054 K                                                                                             | 14, 15     | 2027 THF<br>2027 ED                                                                                | 36-43<br>36-40,43       |
| 998                      | 998, Matrix #520                | 02-04      |                                                                                               | 520GXW 94                                                                                        | 15 36                                | 4054 KM                                                                                            | 14-16      | 2028 THF<br>2028 ED                                                                                | 37<br>36-42             |
| 998                      | Monster S4RS                    | 06-08      | 9643                                                                                          | 525GXW 104                                                                                       | 15 43                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-42       |
| 998                      | Monster S4R Testastretta        | 2008       | 9644                                                                                          | 525GXW 104                                                                                       | 15 43                                | 4054 K                                                                                             | 14, 15     | 2027 ED<br>2027 THF                                                                                | 36-40,43<br>36-43       |
| 998                      | Monster S4R Testastretta #520   | 2008       |                                                                                               | 520GXW 104                                                                                       | 15 43                                | 4054 KM                                                                                            | 14-16      | 2028 THF<br>2028 ED                                                                                | 37<br>36-42             |
| 999                      | 999, R, S, Xerox                | 03-07      | 7543                                                                                          | 525GXW 96                                                                                        | 15 36                                | 4054 K                                                                                             | 14, 15     | 2091 THF<br>2091 C<br>2091 ED                                                                      | 35-42<br>35-42<br>36-42 |
| 999                      | 999, R, S, Xerox #520           | 03-07      |                                                                                               | 520GXW 96                                                                                        | 15 36                                | 4054 KM                                                                                            | 14-16      | 2091 EMD                                                                                           | 36-42                   |
| 1000                     | Desmosedici RR                  | 2008       |                                                                                               | 525GXW 110                                                                                       | 16 44                                | 4088 K                                                                                             | 16         | 2122 THF                                                                                           | 44                      |
| 1000                     | Desmosedici RR #520             | 2008       |                                                                                               | 520GXW 110                                                                                       | 16 44                                | 4088 KM                                                                                            | 16         | 2122 EMD                                                                                           | 44                      |
| 1000                     | DS Multistrada                  | 03-06      | 9506                                                                                          | 525GXW 104                                                                                       | 15 42                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43       |
| 1000                     | Multistrada S                   | 2006       | 9507                                                                                          | 525GXW 102                                                                                       | 15 42                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43       |
| 1000                     | Monster, Monster 1000S          | 03-06      | 7544                                                                                          | 525GXW 100                                                                                       | 15 39                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43       |
| 1000                     | Monster, S #520                 | 03-06      |                                                                                               | 520GXW 100                                                                                       | 15 39                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 1000                     | Monster S2R                     | 06-08      |                                                                                               | 525GXW 104                                                                                       | 15 41                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43       |
| 1000                     | Monster S4R                     | 03-        | 9245                                                                                          | 525GXW 104                                                                                       | 15 42                                | 4014 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43       |
| 1000                     | Paul Smart Limited Edition      | 2006       | 9246                                                                                          | 525GXW 100                                                                                       | 15 38                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43       |
| 1000                     | Paul Smart Limited Edition #520 | 2006       |                                                                                               | 520GXW 100                                                                                       | 15 38                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49 |
| 1000                     | GT 1000, Touring                | 07-10      | 9790                                                                                          | 525GXW 100                                                                                       | 15 39                                | 4054 K                                                                                             | 14, 15     | 2041 THF                                                                                           | 35,37-43                |

| 廠牌與車型<br>Marca e Modello |                                        |  | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                  |                                      |
|--------------------------|----------------------------------------|--|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------------------------|--------------------------------------|
|                          |                                        |  |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                       |                                      |
| 1000                     | GT 1000 #520                           |  | 07-10      |                                                                                               | 520GXW 100                                                                                       | 15 39                                | 4054 KM                                                                                            | 14-16      | 2041 ED<br>735 THF<br>735 C<br>735 E                                                               | 37-43<br>36-48<br>36-48<br>39-49 | Hard Anodized<br><b>Long Lasting</b> |
| 1000                     | Sport 1000                             |  | 07-08      | 9246                                                                                          | 525GXW 100                                                                                       | 15 38                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | Sport 1000 #520                        |  | 07-08      |                                                                                               | 520GXW 100                                                                                       | 15 38                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49          | <b>Long Lasting</b>                  |
| 1000                     | Sport 1000 Biposto / Sport 1000 S      |  | 06-09      | 7544                                                                                          | 525GXW 100                                                                                       | 15 39                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | Sport 1000 Biposto / Sport 1000 S #520 |  | 06-09      |                                                                                               | 520GXW 100                                                                                       | 15 39                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49          | <b>Long Lasting</b>                  |
| 1000                     | SS Europa                              |  | 03-06      | 7545                                                                                          | 525GXW 96                                                                                        | 15 38                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | SS Europa #520                         |  | 03-06      |                                                                                               | 520GXW 96                                                                                        | 15 38                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49          | <b>Long Lasting</b>                  |
| 1000                     | ST3 Europa                             |  | 04-07      | 9048                                                                                          | 525GXW 102                                                                                       | 15 42                                | 4054 K                                                                                             | 14, 15     | 2041 THF<br>2041 ED                                                                                | 35,37-43<br>37-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | ST3 Europa #520                        |  | 04-07      |                                                                                               | 520GXW 102                                                                                       | 15 42                                | 4054 KM                                                                                            | 14-16      | 735 THF<br>735 C<br>735 E                                                                          | 36-48<br>36-48<br>39-49          | <b>Long Lasting</b>                  |
| 1098                     | 1098, 1098 R, 1098 S                   |  | 07-08      |                                                                                               | 525GXW 98                                                                                        | 15 38                                | 4054 K                                                                                             | 14, 15     | 2115 THF<br>2115 ED                                                                                | 38-40,43<br>38-40,43             | <b>Long Lasting</b><br>Hard Anodized |
| 1098                     | 1098, 1098 R, 1098 S #520              |  | 07-08      |                                                                                               | 520GXW 98                                                                                        | 15 38                                | 4054 KM                                                                                            | 14-16      | 2115 EMD                                                                                           | 34-44                            | Hard Anodized                        |
| 1099                     | Streetfighter, Streetfighter S         |  | 09-12      | 9746                                                                                          | 525GXW 110                                                                                       | 15 38                                | 4054 K                                                                                             | 14, 15     | 2115 THF<br>2115 ED                                                                                | 38-40,43<br>38-40,43             | <b>Long Lasting</b><br>Hard Anodized |
| 1099                     | Streetfighter, Streetfighter S #520    |  | 09-12      |                                                                                               | 520GXW 110                                                                                       | 15 38                                | 4054 KM                                                                                            | 14-16      | 2115 EMD                                                                                           | 34-44                            | Hard Anodized                        |
| 1100                     | Hypermotard 1100, S                    |  | 07-09      | 9747                                                                                          | 525GXW 110                                                                                       | 15 42                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1100                     | Hypermotard 1100 Evo, 1100SP           |  | 10-12      | 9748                                                                                          | 525GXW 104                                                                                       | 15 41                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1100                     | Monster 1100, 1100 S, 1100 Evo         |  | 09-12      | 9749                                                                                          | 525GXW 104                                                                                       | 15 39                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1100                     | Multistrada 1100, S                    |  | 07-09      | 9750                                                                                          | 525GXW 104                                                                                       | 15 42                                | 4054 K                                                                                             | 14, 15     | 2099 THF<br>2099 ED                                                                                | 39,41-43<br>39-43                | <b>Long Lasting</b><br>Hard Anodized |
| 1198                     | 1198, 1198 SP, 1198 R                  |  | 09-12      | 9751                                                                                          | 525GXW 98                                                                                        | 15 38                                | 4054 K                                                                                             | 14, 15     | 2115 THF<br>2115 ED                                                                                | 38-40,43<br>38-40,43             | <b>Long Lasting</b><br>Hard Anodized |
| 1198                     | 1198, 1198 SP, 1198 R #520             |  | 09-12      |                                                                                               | 520GXW 98                                                                                        | 15 38                                | 4054 KM                                                                                            | 14-16      | 2115 EMD                                                                                           | 34-44                            | Hard Anodized                        |
| 1198                     | Diavel, Carbon, ABS, AMG               |  | 11-12      | 9752                                                                                          | 525GXW 118                                                                                       | 15 43                                | 4054 K                                                                                             | 14, 15     | 2115 THF<br>2115 ED                                                                                | 38-40,43<br>38-40,43             | <b>Long Lasting</b><br>Hard Anodized |
| 1199                     | Panigale, Panigale S                   |  | 12-13      |                                                                                               | 525GXW 110                                                                                       | 15 39                                |                                                                                                    |            |                                                                                                    |                                  |                                      |
| 1200                     | Multistrada 1200, ABS, S, T            |  | 10-12      |                                                                                               | 530GXW 110                                                                                       | 15 40                                | 4103 K                                                                                             | 14, 15     |                                                                                                    |                                  |                                      |
| 1200                     | Multistrada 1200, ABS, S, T #525       |  | 10-12      |                                                                                               | 525GXW 110                                                                                       | 15 40                                | 4054 K                                                                                             | 14, 15     | 2115 THF<br>2115 ED                                                                                | 38-40,43<br>38-40,43             | <b>Long Lasting</b><br>Hard Anodized |

## Dymag wheels

|                           |  |  |     |  |  |  |         |             |               |
|---------------------------|--|--|-----|--|--|--|---------|-------------|---------------|
| 120 x 140 x 6 x 10,5 #520 |  |  | 520 |  |  |  | 499 EMD | 40-47       | Hard Anodized |
| 120 x 140 x 6 x 10,5 #525 |  |  | 525 |  |  |  | 498 ED  | 44-46       | Hard Anodized |
| 120 x 140 x 6 x 10,5 #530 |  |  | 530 |  |  |  | 499 ED  | 38,39,43,44 | Hard Anodized |

## Fantic Motor

|     |                                   |       |  |            |       |        |        |                                          |                               |                                                                                                                |
|-----|-----------------------------------|-------|--|------------|-------|--------|--------|------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------|
| 50  | Caballero Motard                  | 05-12 |  | 420MXZ 132 | 11 50 | 4038   | 10-15  | 2103 E                                   | 50-53,58-60                   |                                                                                                                |
| 50  | Caballero Regolarità              | 05-12 |  | 420MXZ 136 | 11 58 | 4038   | 10-15  | 2103 E                                   | 50-53,58-60                   |                                                                                                                |
| 50  | Caballero Regolarità Competizione | 05-12 |  | 428MXZ 138 | 11 58 | 4035   | 11-15  | 2137 E                                   | 54,56,58,60                   |                                                                                                                |
| 125 | Caballero Motard                  | 08-11 |  | 428MXZ 140 | 14 54 | 4095   | 14, 15 | 2137 E                                   | 54,56,58,60                   |                                                                                                                |
| 125 | Caballero Regolarità              | 08-12 |  | 428MXZ 132 | 14 50 | 263    | 14-16  | 2092 E                                   | 50,52,56                      |                                                                                                                |
| 125 | Caballero Regolarità Competizione | 08-12 |  | 428MXZ 136 | 14 60 | 263    | 14-16  | 2092 E                                   | 50,52,56                      |                                                                                                                |
| 250 | Caballero Regolarità Scuderia     | 2012  |  | 520XMO 114 | 13 50 | 4048 K | 12, 13 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro-  |

## Gas Gas

|     |             |       |  |             |       |        |        |                                          |                               |                                                                                                                |
|-----|-------------|-------|--|-------------|-------|--------|--------|------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------------------------------|
| 50  | 50 Rookie   | 00-05 |  | 420MXZ 126  | 12 52 | 4032   | 12-14  | 2035                                     | 48,50,53                      |                                                                                                                |
| 125 | 125 EC      | 03-11 |  | 520MXZ4 112 | 13 48 | 4048 K | 12, 13 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro-  |
| 125 | 125 Enduro  | 00-02 |  | 520MXZ4 118 | 13 52 | 4048 K | 12, 13 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro-  |
| 125 | 125 Pampera | 00-02 |  | 520MXZ4 100 | 10 44 | 4047 K | 10, 11 | 2074 E                                   | 40,41,44                      |                                                                                                                |
| 125 | 125 TXT     | 00-01 |  | 520MXZ4 102 | 10 44 | 4047 K | 10, 11 | 2074 E                                   | 40,41,44                      |                                                                                                                |
| 125 | 125 TXT     | 02-08 |  | 520MXZ4 102 | 10 46 | 4047 K | 10, 11 | 2074 E                                   | 40,41,44                      |                                                                                                                |
| 200 | 200 EC      | 00-02 |  | 520MXZ4 116 | 13 51 | 4048 K | 12, 13 | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C | 47-53<br>48-52<br>38-46<br>50 | Red, Black 48-52<br>pro-  |
| 200 | 200 EC      | 03-11 |  | 520MXZ4 114 | 13 51 | 4048 K | 12, 13 | 1509 EC<br>1509 PX<br>1509 ESM           | 47-53<br>48-52<br>38-46       | Red, Black 48-52<br>pro-  |

| 廠牌與車型<br>Marca e Modello |             | 年份<br>anno |  KIT<br>料號 |  鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali |  前齒<br>pignone |            |  後齒<br>corona |                                              |
|--------------------------|-------------|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------|----------------------------------------------|
|                          |             |            |                                                                                            |                                                                                               |                                      | 料號                                                                                              | 齒數 - denti | 料號                                                                                              | 齒數 - denti                                   |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 1509 C                                                                                          | 50                                           |
| 200                      | 200 TXT     | 00-01      |                                                                                            | 520MXZ4                                                                                       | 100                                  | 10 44                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 200                      | 200 TXT     | 02-08      |                                                                                            | 520MXZ4                                                                                       | 102                                  | 10 46                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 249                      | 200 TXT     | 00-01      |                                                                                            | 520MXZ4                                                                                       | 100                                  | 11 41                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 250                      | 250 EC      | 2000       |                                                                                            | 520XMO                                                                                        | 114                                  | 13 47                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 250                      | 250 EC      | 01-11      |                                                                                            | 520XMO                                                                                        | 112                                  | 13 48                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 250                      | EC 250 F    | 2012       |                                                                                            | 520XMO                                                                                        | 114                                  | 13 50                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 250                      | 250 Pampera | 00-01      |                                                                                            | 520MXZ4                                                                                       | 118                                  | 12 40                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 280                      | 280 TXT     | 00-01      |                                                                                            | 520MXZ4                                                                                       | 100                                  | 11 41                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 280                      | 280 TXT     | 02-08      |                                                                                            | 520MXZ4                                                                                       | 102                                  | 10 46                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 300                      | EC 300      | 2000       |                                                                                            | 520XMO                                                                                        | 114                                  | 13 47                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 300                      | EC 300E     | 01-12      | 9725                                                                                       | 520XMO                                                                                        | 114                                  | 13 48                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 321                      | 321 TXT     | 00-01      |                                                                                            | 520MXZ4                                                                                       | 100                                  | 11 41                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 321                      | 321 TXT     | 02-08      |                                                                                            | 520MXZ4                                                                                       | 102                                  | 10 46                                                                                           | 4047 K     | 10, 11                                                                                          | 2074 E                                       |
| 400                      | 400 FSE EC  | 2000       |                                                                                            | 520XMO                                                                                        | 116                                  | 13 48                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 400                      | 400 FSE SM  | 03-04      |                                                                                            | 520MXZ4                                                                                       | 112                                  | 13 42                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 ESM                                     |
| 450                      | 450 FSE EC  | 03-09      |                                                                                            | 520XMO                                                                                        | 116                                  | 13 48                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 EC<br>1509 PX<br>1509 ESM<br>1509 C     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 47-53                                                                                           | Red, Black 48-52<br>pro- <del>alt</del> time |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 48-52                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 50                                                                                              |                                              |
| 450                      | 450 FSE SM  | 2000       |                                                                                            | 520MXZ4                                                                                       | 112                                  | 13 42                                                                                           | 4048 K     | 12, 13                                                                                          | 1509 ESM                                     |
|                          |             |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 38-46                                                                                           |                                              |

## Galespeed wheels

|                          |  |  |     |  |  |  |         |       |               |
|--------------------------|--|--|-----|--|--|--|---------|-------|---------------|
| 80 x 100 x 6 x 10,5 #520 |  |  | 520 |  |  |  | 2100 E  | 41-46 |               |
|                          |  |  |     |  |  |  | 2100 ED | 37-46 | Hard Anodized |
| 80 x 100 x 6 x 10,5 #525 |  |  | 525 |  |  |  | 2140ED  | 39-44 | Hard Anodized |
| 80 x 100 x 6 x 10,5 #530 |  |  | 530 |  |  |  | 2141ED  | 39-44 | Hard Anodized |

## Gilera

|     |                 |       |       |         |     |       |        |       |                   |                                               |
|-----|-----------------|-------|-------|---------|-----|-------|--------|-------|-------------------|-----------------------------------------------|
| 50  | GSM, H@K, R, RK | 97-00 |       | 420M    | 130 | 12 46 | 4052 K | 12    | 2076 C            | 47                                            |
| 50  | RC-Top Rally    | 90-91 |       | 415H    | 120 | 13 40 | 599    | 13-15 | 2011              | 40,42,45,51                                   |
| 50  | RCR             | 03-05 |       | 420M    | 130 | 13 53 | 4051   | 11-14 | 2075 C            | 45,48,50,52,53                                |
| 50  | RCR, SMT        | 2006  |       | 420M    | 130 | 12 53 | 4051   | 11-14 | 2075 C            | 45,48,50,52,53                                |
| 50  | Sioux           | 91-94 | 9248  | 415H    | 122 | 13 45 | 599    | 13-15 | 2011              | 40,42,45,51                                   |
| 50  | SMT             | 03-05 |       | 420M    | 130 | 14 53 | 4051   | 11-14 | 2075 C            | 45,48,50,52,53                                |
| 125 | Crono           | 91-94 | 9249  | 520H    | 106 | 14 40 | 605 K  | 14    | 604 C             | 35,36,40                                      |
|     |                 |       | 9249B | 520     | 106 |       |        |       |                   |                                               |
| 125 | KK-KZ           | 86-89 |       | 428H    | 126 | 16 46 | 601 K  | 16    | 485               | 54                                            |
| 125 | MX-1, MX-R      | 88-92 |       | 520H    | 104 | 13 38 | 603 K  | 13    | 604 C             | 35,36,40                                      |
| 125 | R1, R1-S        | 88-89 |       | 520MXZ4 | 110 | 13 44 | 603 K  | 13    | 5 C               | 43-45,47,49                                   |
| 125 | RC Top Rally    | 90-93 |       | 520MXZ4 | 114 | 13 43 | 603 K  | 13    | 606 C             | 43                                            |
| 125 | SP-01, SP-02    | 88-92 |       | 520H    | 104 | 14 38 | 605 K  | 14    | 604 C             | 35,36,40                                      |
| 125 | XR-1, XR-2      | 88-93 | 9252  | 520MXZ4 | 106 | 13 44 | 603 K  | 13    | 16 C              | 44                                            |
|     |                 |       | 9252B | 520     | 106 |       |        |       |                   |                                               |
| 200 | RV              | 86-88 |       | 520XMO  | 104 | 13 41 | 603 K  | 13    | 13 C              | 39                                            |
| 350 | ER, Dakota      | 85-89 | 9254  | 520XMO  | 112 | 14 51 | 609 K  | 14    | 610 C             | 51                                            |
|     |                 |       | 9254B | 520SO   | 112 |       |        |       |                   |                                               |
| 600 | Nord West       | 91-94 | 7546  | 520SO   | 108 | 14 43 | 609 K  | 14    | 611 C             | 43                                            |
| 600 | RC              | 89-94 | 9255  | 520SO   | 110 | 14 43 | 609 K  | 14    | 245 C             | 39-45,47,48,51                                |
| 600 | RC-R            | 91-94 | 7547  | 520SO   | 112 | 14 52 | 609 K  | 14    | 2015 EC<br>2015 C | 47-53<br>46,48-50,52                          |
|     |                 |       |       |         |     |       |        |       |                   | Blue, Black 48-52<br>pro- <del>alt</del> time |
| 600 | Saturno         | 91-93 | 9256  | 520SO   | 106 | 14 43 | 609 K  | 14    | 5 C               | 43-45,47,49                                   |
| 600 | XR-T            | 88-89 | 9256  | 520SO   | 106 | 14 43 | 609 K  | 14    | 5 C               | 43-45,47,49                                   |
| 800 | GP 800          | 08-09 |       | 525GXW  | 116 | 22 47 |        |       | 2129 ED           | 46-47-48-49                                   |
|     |                 |       |       |         |     |       |        |       |                   | Hard Anodized                                 |

## HM Motor

|    |                                         |       |       |        |     |       |        |          |        |                         |
|----|-----------------------------------------|-------|-------|--------|-----|-------|--------|----------|--------|-------------------------|
| 50 | Baja - Baja RR                          | 04-06 | 9645  | 428MXZ | 140 | 14 62 | 4066 K | 10,12-14 | 2106 E | 48,50-52,54,56,58,60,62 |
|    |                                         |       | 9645B | 428H   | 140 |       |        |          |        |                         |
| 50 | CRE 50 (95-00), 50 Enduro (2001)        |       |       | 428MXZ | 132 | 12 56 | 4035   | 11-15    | 2047 E | 57                      |
| 50 | CRE 50 (01-03), Enduro 50 (2002)        | 01-03 | 9049  | 428MXZ | 132 | 12 56 | 4035   | 11-15    | 2085 E | 56,58,62                |
|    |                                         |       | 9049B | 428H   | 132 |       |        |          |        |                         |
| 50 | CRE Derapage                            | -00   |       | 428MXZ | 132 | 13 56 | 4035   | 11-15    | 2047 E | 57                      |
| 50 | CRE Derapage                            | 01-03 | 9050  | 428MXZ | 132 | 13 56 | 4035   | 11-15    | 2085 E | 56,58,62                |
|    |                                         |       | 9050B | 428H   | 132 |       |        |          |        |                         |
| 50 | CRE Derapage                            | 04-10 | 9051  | 428MXZ | 132 | 12 62 | 4066 K | 10,12-14 | 2106 E | 48,50-52,54,56,58,60,62 |
|    |                                         |       | 9051B | 428H   | 132 |       |        |          |        |                         |
| 50 | CRE 50 Six Competition, SM 50 Derapage, | 04-06 | 9646  | 428MXZ | 140 | 14 58 | 4066 K | 10,12-14 | 2106 E | 48,50-52,54,56,58,60,62 |

| 廠牌與車型<br>Marca e Modello |                       | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                   | <br>後齒<br>corona |                                             |                                               |                                             |
|--------------------------|-----------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------------------|---------------------------------------------|
|                          |                       |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                | 齒數 - denti        | 料號                                                                                                | 齒數 - denti                                  |                                               |                                             |
|                          | SM 50 Six Derapage    |            | 9646B                                                                                         | 428H                                                                                             | 140                                  |                                                                                                   |                   |                                                                                                   |                                             |                                               |                                             |
| 50                       | SM 50                 | 2002       |                                                                                               | 428MXZ                                                                                           | 140                                  | 13 56                                                                                             | 4035              | 11-15                                                                                             | 2085 E                                      | 56,58,62                                      |                                             |
| 125                      | CRE 125 R, CRM F 125  | 93-05      | 9647                                                                                          | 520MXZ4                                                                                          | 114                                  | 13 49                                                                                             | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                   | 210 EC<br><b>210 PX</b><br>210 C            | 47-54<br><b>48-52</b><br>43,45,48-53          | Red, Black 48-53<br>pro- <del>extreme</del> |
| 125                      | SM 125 R              | 2004       |                                                                                               | 520MXZ4                                                                                          | 116                                  | 13 40                                                                                             | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                   | 210 ESM<br>210 C                            | 40-46<br>43,45,48-53                          |                                             |
| 230                      | CRE F 230 Easy Enduro | 06-11      | 9648                                                                                          | 520SO                                                                                            | 116                                  | 13 50                                                                                             | 327 K             | 12-14                                                                                             | 210 EC<br><b>210 PX</b><br>210 C            | 47-54<br><b>48-52</b><br>43,45,48-53          | Red, Black 48-53<br>pro- <del>extreme</del> |
| 250                      | CRE 250 R             | 97-01      |                                                                                               | 520XMO                                                                                           | 114                                  | 13 47                                                                                             | 284 K<br>284 KC   | 14, 15<br>13-15                                                                                   | 210 EC<br><b>210 PX</b><br>210 ESM<br>210 C | 47-54<br><b>48-52</b><br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro- <del>extreme</del> |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 250                      | CRE F 250 R           | 02-04      |                                                                                               | 520XMO                                                                                           | 114                                  | 13 50                                                                                             | 284 K<br>284 KC   | 12-15<br>13-15                                                                                    | 210 EC<br><b>210 PX</b><br>210 ESM<br>210 C | 47-54<br><b>48-52</b><br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro- <del>extreme</del> |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 250                      | CRE F 250 R           | 05-12      | 9650                                                                                          | 520MXZ4                                                                                          | 116                                  | 13 51                                                                                             | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                    | 210 EC<br><b>210 PX</b><br>210 ESM<br>210 C | 47-54<br><b>48-52</b><br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro- <del>extreme</del> |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 250                      | SM 250 R              | 04-05      |                                                                                               | 520MXZ4                                                                                          | 112                                  | 13 40                                                                                             | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                    | 210 ESM<br>210 C                            | 40-46<br>43,45,48-53                          |                                             |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 290                      | CRE F 290/300 X       | 2007       |                                                                                               | 520XMO                                                                                           |                                      | 13 53                                                                                             | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                    | 210 EC<br><b>210 PX</b><br>210 ESM<br>210 C | 47-54<br><b>48-52</b><br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro- <del>extreme</del> |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 450                      | CRE F 450 R           | 05-13      | 9527                                                                                          | 520MXZ4                                                                                          | 114                                  | 13 48                                                                                             | 284 K<br>284 KC   | 12-15<br>13-15                                                                                    | 210 EC<br><b>210 PX</b><br>210 ESM<br>210 C | 47-54<br><b>48-52</b><br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro- <del>extreme</del> |
|                          |                       |            | 3mm Spacer -                                                                                  |                                                                                                  |                                      | Flangia corona 3mm                                                                                |                   |                                                                                                   | 210 SPE                                     |                                               |                                             |
| 500                      | CRE 500 R             | 97-00      |                                                                                               | 520XSO                                                                                           | 114                                  | 14 47                                                                                             | 284 K<br>284 KC   | 12-15<br>13-15                                                                                    | 210 EC<br><b>210 PX</b><br>210 C            | 47-54<br><b>48-52</b><br>43,45,48-53          | Red, Black 48-53<br>pro- <del>extreme</del> |

Honda

|    |                           |       |       |        |     |       |        |        |        |                   |
|----|---------------------------|-------|-------|--------|-----|-------|--------|--------|--------|-------------------|
| 50 | C 50 ZZ/Z2                | 78-82 |       | 420M   | 98  | 13 40 | 4009   | 12-16  | 257    | 36,40,41          |
| 50 | C 50 LAC/LAE/LAG          | 84-88 |       | 420M   | 98  | 13 40 | 4009   | 12-16  | 257    | 36,40,41          |
| 50 | CB 50 J                   | 78-81 |       | 420M   | 104 | 13 42 | 253    | 12-15  | 256    | 35,38,41,43       |
| 50 | CF 50 Chaly               | 79-96 |       | 420M   | 88  | 14 38 | 253    | 12-15  | 256    | 35,38,41,43       |
| 50 | CRM 50 R                  | 93-94 | 9258  | 420M   | 106 | 13 47 | 4009   | 12-16  | 239    | 36,38,40,42,45,47 |
| 50 | Cub                       | 82-85 |       | 420M   | 98  | 12 40 | 4009   | 12-16  | 257    | 36,40,41          |
| 50 | MB 50 S                   | 80-82 |       | 420M   | 108 | 12 45 | 4009   | 12-16  | 239    | 36,38,40,42,45,47 |
| 50 | MBX 50 S                  | 84-86 |       | 420M   | 108 | 12 45 | 4009   | 12-16  | 239    | 36,38,40,42,45,47 |
| 50 | MT 50 S                   | 80-93 |       | 420M   | 108 | 13 45 | 4009   | 12-16  | 239    | 36,38,40,42,45,47 |
| 50 | MTX 50 S                  | 83-85 | 9259  | 420M   | 122 | 12 47 | 4009   | 12-16  | 239    | 36,38,40,42,45,47 |
| 50 | MTX 50 Automatique        | 84-90 |       | 420M   | 116 | 14 36 | 251    | 14, 15 | 239    | 36,38,40,42,45,47 |
| 50 | NSR 50 S                  | 89-94 | 9260  | 420M   | 124 | 13 45 | 4009   | 12-16  | 213    | 37,41,43,45,47    |
| 50 | NSR 50                    | 98-99 |       | 420M   | 122 | 12 41 | 4009   | 12-16  | 213    | 37,41,43,45,47    |
| 50 | SS 50 Z                   | 78-80 |       | 420M   | 98  | 13 42 | 4009   | 12-16  | 256    | 35,38,41,43       |
| 50 | ST 50 Dax                 | 1990  |       | 420M   | 88  | 15 38 | 253    | 12-15  | 256    | 35,38,41,43       |
| 50 | ST 50 K3                  | 88-93 |       | 420M   | 96  | 14 41 | 253    | 12-15  | 256    | 35,38,41,43       |
| 50 | Z 50 A Monkey             |       |       | 420M   | 78  | 13 35 | 4009   | 12-16  | 255    | 35                |
| 70 | CF 70 Chaly               | 78-85 |       | 420M   | 88  | 14 35 | 253    | 12-15  | 256    | 35,38,41,43       |
| 70 | ST DAX France             | 83-98 | 7768  | 420M   | 86  | 15 35 | 253    | 12-15  | 256    | 35,38,41,43       |
| 75 | MBX 75                    | 1984  | 9261  | 420M   | 116 | 15 36 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 75 | MTX 75                    | 1987  | 9262  | 420M   | 122 | 15 47 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 75 | NSR 75                    | 1990  | 9263  | 420M   | 116 | 15 36 | 253    | 12-15  | 216    | 36                |
| 75 | NS1 75                    | 92-93 | 9264  | 420M   | 128 | 16 37 | 249    | 16     | 213    | 37,41,43,45,47    |
| 80 | CR 80 - R                 | 86-03 | 9508  | 420MXZ | 114 | 15 49 | 273    | 13-16  | 2064 C | 47,49,55          |
| 80 | CR 80 R # #428            | 86-03 | 9508B | 420    | 114 | 15 49 | 273 KC | 15     | 2064 E | 47-57             |
| 80 | CR 80 - R Big Wheels      | 86-03 | 9509  | 428MXZ | 114 | 15 49 | 4085 K | 13-15  | 2118 E | 49-57             |
| 80 | CR 80 - R Big Wheels #428 | 86-03 | 9509B | 420    | 114 | 15 55 | 273 KC | 15     | 2064 C | 47,49,55          |
| 80 | CR 80 R Big Wheels #428   | 86-03 |       | 428MXZ | 114 | 15 55 | 4085 K | 13-15  | 2064 E | 47-57             |
| 80 | MB 80 S                   | 80-83 |       | 420M   | 106 | 15 40 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 80 | MBX 80                    | 83-87 |       | 420M   | 116 | 15 36 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 80 | MT 80 S                   | 1980  |       | 420M   | 104 | 15 38 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 80 | MTX 80 RS                 | 83-86 |       | 420M   | 122 | 15 42 | 253    | 12-15  | 239    | 36,38,40,42,45,47 |
| 85 | CR 85 - R                 | 03-06 | 9510  | 420MXZ | 116 | 13 49 | 273    | 13-16  | 2064 E | 47-57             |
| 85 | CR 85 R #428              | 03-06 |       | 428MXZ | 116 | 13 49 | 273 KC | 15     | 2064 C | 47,49,55          |
| 85 | CR 85 - R Big Wheels      | 03-06 | 9511  | 420MXZ | 116 | 15 55 | 4085 K | 13-15  | 2118 E | 49-57             |
| 85 | CR 85 R Big Wheels #428   | 03-06 |       | 428MXZ | 116 | 15 55 | 273    | 13-16  | 2064 E | 47-57             |
| 85 | CR 85 - R Expert          | 2007  | 9512  | 420MXZ | 116 | 15 49 | 273 KC | 15     | 2064 C | 47,49,55          |
| 85 | CR 85 R Expert #428       | 2007  |       | 428MXZ | 116 | 15 55 | 4085 K | 13-15  | 2118 E | 49-57             |
| 90 | C 90 E/MF/MG/MP Cub       | 84-98 |       | 420M   | 98  | 15 39 | 253    | 12-15  | 211    | 39                |

2013

| 廠牌與車型<br>Marca e Modello |                       | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                   | <br>後齒<br>corona |                                      |
|--------------------------|-----------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------|--------------------------------------|
|                          |                       |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti        | 料號                                                                                                 | 齒數 - denti                           |
| 100                      | CB 100 N/NA           | 78-86      |                                                                                               | 428H                                                                                             | 100                                  | 14 37                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 100                      | CRF 100F              | 04-13      | 9052                                                                                          | 428H                                                                                             | 118                                  | 14 50                                                                                              | 274 K             | 14, 15                                                                                             | 2063<br>2063 E                       |
| 100                      | H 100 A/S             | 84-93      |                                                                                               | 428H                                                                                             | 106                                  | 15 34                                                                                              | 274 K             | 14, 15                                                                                             | 269                                  |
| 100                      | XL 100 S              | 78-82      |                                                                                               | 428H                                                                                             | 118                                  | 15 43                                                                                              | 274 K             | 14, 15                                                                                             | 269                                  |
| 100                      | XR 100 R              | 85-06      | 9052                                                                                          | 428H                                                                                             | 118                                  | 14 50                                                                                              | 274 K             | 14, 15                                                                                             | 2063<br>2063 E                       |
| 125                      | ANF 125 Innova        | 03-12      | 9052B                                                                                         | 428                                                                                              | 118                                  |                                                                                                    |                   |                                                                                                    | 50<br>50                             |
| 125                      | CA 125 Rebel          | 95-01      | 9266                                                                                          | 420M                                                                                             | 104                                  | 14 35                                                                                              | 249 K             | 14, 15                                                                                             |                                      |
| 125                      | CB 125 T              | 78-82      |                                                                                               | 428H                                                                                             | 112                                  | 13 39                                                                                              | 329 K             | 11-13                                                                                              | 2034 C                               |
| 125                      | CB 125 TD             | 82-88      |                                                                                               | 428H                                                                                             | 122                                  | 15 42                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CB 125 J/R            | 83-96      |                                                                                               | 428H                                                                                             | 108                                  | 15 37                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CBF 125               | 09-12      | 9754                                                                                          | 428H                                                                                             | 112                                  | 16 42                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CBR 125 R             | 04-10      | 9053                                                                                          | 428H                                                                                             | 124                                  | 15 42                                                                                              | 4036 K            | 15, 17                                                                                             | 2107 E                               |
| 125                      | CBX 125               | 79-82      | 9053B                                                                                         | 428                                                                                              | 124                                  |                                                                                                    |                   |                                                                                                    | 42                                   |
| 125                      | CD 125 TC Benly       | 82-85      |                                                                                               | 428H                                                                                             | 104                                  | 15 37                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CG 125                | 82-85      |                                                                                               | 428H                                                                                             | 116                                  | 15 42                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CG 125                | 77-85      |                                                                                               | 428H                                                                                             | 98                                   | 14 34                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CG 125 F/K ( Brazil ) | 85-98      | 9267                                                                                          | 428H                                                                                             | 114                                  | 14 41                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CG 125                | 1998       | 9267B                                                                                         | 428                                                                                              | 114                                  |                                                                                                    |                   |                                                                                                    | 34-35,39-43,47-49                    |
| 125                      | CG 125 K              | 99-00      |                                                                                               | 428H                                                                                             | 112                                  | 15 36                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CG 125                | 2006       |                                                                                               | 428H                                                                                             | 112                                  | 15 36                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CLR 125 Cityfly       | 2006       |                                                                                               | 428H                                                                                             | 116                                  | 14 45                                                                                              | 259 K             | 14-16                                                                                              | 218                                  |
| 125                      | CLR 125 Cityfly       | 98-00      | 9268                                                                                          | 428H                                                                                             | 128                                  | 17 50                                                                                              | 4036 K            | 15, 17                                                                                             | 271                                  |
| 125                      | CM 125 CC/CF          | 82-97      | 9268B                                                                                         | 428                                                                                              | 128                                  |                                                                                                    |                   |                                                                                                    | 50                                   |
| 125                      | CR 125                | 2001       | 9513                                                                                          | 520MXZ4                                                                                          | 114                                  | 15 43                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | CR 125                | 2001       | 9513                                                                                          | 520MXZ4                                                                                          | 114                                  | 13 52                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 ESM<br>210 C |
| 125                      | CR 125 R              | 87-96      | 9514                                                                                          | 520MXZ4                                                                                          | 114                                  | 13 51                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 C            |
| 125                      | CR 125 R              | 1997       | 9515                                                                                          | 520MXZ4                                                                                          | 112                                  | 12 49                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 C            |
| 125                      | CR 125 R              | 98-99      |                                                                                               | 520MXZ4                                                                                          | 114                                  | 13 51                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 C            |
| 125                      | CR 125 R              | 00-01      | 9516                                                                                          | 520MXZ4                                                                                          | 116                                  | 13 52                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 ESM<br>210 C |
| 125                      | CR 125 R              | 2002       |                                                                                               | 520MXZ4                                                                                          | 114                                  | 13 51                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 ESM<br>210 C |
| 125                      | CR 125 R              | 2003       |                                                                                               | 520MXZ4                                                                                          | 116                                  | 13 52                                                                                              | 326 K<br>326 KC   | 11-14<br>12, 13                                                                                    | 210 EC<br>210 PX<br>210 ESM<br>210 C |
| 125                      | CR 125 R              | 04-07      | 9517                                                                                          | 520MXZ4                                                                                          | 116                                  | 13 53                                                                                              | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                     | 210 EC<br>210 PX<br>210 ESM<br>210 C |
| 125                      | CR 125 MOTARD         | 2006       |                                                                                               | 520MXZ4                                                                                          | 116                                  | 13 40                                                                                              | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                     | 210 ESM<br>210 EC<br>210 PX          |
| 125                      | CRM 125 R             | 90-99      | 7548                                                                                          | 520SO                                                                                            | 106                                  | 14 40                                                                                              | 327 K             | 12-14                                                                                              | 604 C                                |
| 125                      | CT 125 C              | 82-84      | 7548B                                                                                         | 520H                                                                                             | 106                                  |                                                                                                    |                   |                                                                                                    | 35,36,40                             |
| 125                      | MBX 125 F (E)         | 84-86      |                                                                                               | 428H                                                                                             | 120                                  | 15 51                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | MTX 125 R             | 86-94      |                                                                                               | 520MXZ4                                                                                          | 106                                  | 13 39                                                                                              | 329 K             | 11-13                                                                                              | 279 C                                |
| 125                      | MTX 125 RW            | 83-94      |                                                                                               | 520MXZ4                                                                                          | 106                                  | 13 40                                                                                              | 329 K             | 11-13                                                                                              | 279 C                                |
| 125                      | NS 125 F/R            | 85-90      | 9269                                                                                          | 428H                                                                                             | 130                                  | 15 53                                                                                              | 259 K             | 14-16                                                                                              | 241                                  |
| 125                      | NS 125 F/R            | 85-90      | 9269B                                                                                         | 520H                                                                                             | 106                                  | 13 35                                                                                              | 329 K             | 11-13                                                                                              | 279 C                                |
| 125                      | NSR 125 F-FII         | 89-92      | 9270                                                                                          | 520H                                                                                             | 106                                  | 13 35                                                                                              | 329 K             | 11-13                                                                                              | 279 C                                |
| 125                      | NSR 125 R             | 89-93      | 9270B                                                                                         | 520                                                                                              | 106                                  |                                                                                                    |                   |                                                                                                    | 604 C                                |
| 125                      | NSR 125 R             | 89-93      | 9271                                                                                          | 520H                                                                                             | 108                                  | 13 35                                                                                              | 327 K             | 12-14                                                                                              | 604 C                                |
| 125                      | NSR 125 R/F           | 94-99      | 9271B                                                                                         | 520                                                                                              | 108                                  |                                                                                                    |                   |                                                                                                    | 35,36,40                             |
| 125                      | NSR 125 R/F           | 94-99      | 7549                                                                                          | 520H                                                                                             | 108                                  | 14 36                                                                                              | 327 K             | 12-14                                                                                              | 604 C                                |
| 125                      | NSR 125 R             | 00-01      | 7549B                                                                                         | 520                                                                                              | 108                                  |                                                                                                    |                   |                                                                                                    | 35,36,40                             |
| 125                      | NSR 125 R             | 00-01      |                                                                                               | 520MXZ4                                                                                          | 110                                  | 14 38                                                                                              | 327 K             | 12-14                                                                                              | 604 C                                |
| 125                      | NX 125                | 89-99      | 7550                                                                                          | 428H                                                                                             | 128                                  | 16 50                                                                                              | 259 K             | 14-16                                                                                              | 271                                  |
| 125                      | NX 125                | 89-99      | 7550B                                                                                         | 428                                                                                              | 128                                  |                                                                                                    |                   |                                                                                                    | 50                                   |
| 125                      | SL 125                | 76-80      |                                                                                               | 428H                                                                                             | 118                                  | 15 47                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | VT 125 C Shadow       | 99-07      | 7551                                                                                          | 520H                                                                                             | 112                                  | 14 41                                                                                              | 327 K             | 12-14                                                                                              | 2034 C                               |
| 125                      | XL 125 S2             | 79-83      | 7551B                                                                                         | 520                                                                                              | 112                                  |                                                                                                    |                   |                                                                                                    | 39,41,44                             |
| 125                      | XL 125 R Prolink      | 82-87      |                                                                                               | 428H                                                                                             | 118                                  | 14 51                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | XL 125                | 82-87      |                                                                                               | 428H                                                                                             | 128                                  | 14 53                                                                                              | 259 K             | 14-16                                                                                              | 242                                  |
| 125                      | XL 125                | 1988       | 9273                                                                                          | 428H                                                                                             | 128                                  | 16 47                                                                                              | 259 K             | 14-16                                                                                              | 269                                  |
| 125                      | XL 125                | 1988       | 9273B                                                                                         | 428                                                                                              | 128                                  |                                                                                                    |                   |                                                                                                    | 34-35,39-43,47-49                    |
| 125                      | XL 125 R Paris-Dakar  | 84-97      | 7550                                                                                          | 428H                                                                                             | 128                                  | 16 50                                                                                              | 259 K             | 14-16                                                                                              | 271                                  |
| 125                      | XL 125 R Paris-Dakar  | 84-97      | 7550B                                                                                         | 428                                                                                              | 128                                  |                                                                                                    |                   |                                                                                                    | 50                                   |
| 125                      | XL 125 V Varadero     | 01-12      | 9275                                                                                          | 520MXZ4                                                                                          | 112                                  | 14 44                                                                                              | 327 K             | 12-14                                                                                              | 2034 C                               |
| 125                      | XL 125 V Varadero     | 01-12      | 9275B                                                                                         | 520H                                                                                             | 112                                  |                                                                                                    |                   |                                                                                                    | 39,41,44                             |
| 125                      | XLR 125 R             | 98-01      | 7552                                                                                          | 428H                                                                                             | 130                                  | 17 51                                                                                              | 4036 K            | 15, 17                                                                                             | 2048                                 |

| 廠牌與車型<br>Marca e Modello |           | 年份<br>anno           | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                   | <br>後齒<br>corona |                                      |                                        |                                        |                                |  |
|--------------------------|-----------|----------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------|----------------------------------------|--------------------------------|--|
|                          |           |                      |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti        | 料號                                                                                                 | 齒數 - denti                           |                                        |                                        |                                |  |
|                          |           |                      | 7552B                                                                                         | 428                                                                                              | 130                                  |                                                                                                    |                   | 2048 E                                                                                             | 54                                   |                                        |                                        |                                |  |
| 125                      | XLR 125 R | 04-05                | 9054                                                                                          | 428H                                                                                             | 132                                  | 17 54                                                                                              | 4036 K            | 15, 17                                                                                             | 2048 E<br>2048                       | 54<br>51                               |                                        |                                |  |
| 125                      | XR 125 L  | 04-07                | 9446                                                                                          | 428H                                                                                             | 136                                  | 17 54                                                                                              | 4036 K            | 15, 17                                                                                             | 2048 E<br>2048                       | 54<br>51                               |                                        |                                |  |
| 150                      | CRF 150 F | 03-05                | 9518                                                                                          | 520MXZ4                                                                                          | 112                                  | 13 48                                                                                              | 327 K             | 12-14                                                                                              | 210 EC<br>210 ESM<br>210 C           | 47-54<br>40-46<br>43,45,48-53          | Red, Black 48-53<br>pro-Altima         |                                |  |
| 3                        | 150       | CRF 150 F            | 06-13                                                                                         | 9791                                                                                             | 520MXZ4                              | 104                                                                                                | 13 47             | 327 K                                                                                              | 12-14                                | 210 EC<br>210 PX<br>210 ESM<br>210 C   | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima |  |
|                          | 150       | CRF 150 RB           | 07-13                                                                                         | 9520                                                                                             | 420MXZ                               | 126                                                                                                | 15 56             | 4081 K                                                                                             | 13-15                                | 2064 E<br>2064 C                       | 47-57<br>47,49,55                      |                                |  |
|                          | 150       | CRF 150 RB #428      | 07-10                                                                                         |                                                                                                  | 428MXZ                               | 126                                                                                                | 15 56             | 4084 K                                                                                             | 13-15                                | 2118 E                                 | 49-57                                  |                                |  |
| 3                        | 150       | CRF 150 R2           | 07-13                                                                                         | 9521                                                                                             | 420MXZ                               | 120                                                                                                | 15 50             | 4081 K                                                                                             | 13-15                                | 2064 E<br>2064 C                       | 47-57<br>47,49,55                      |                                |  |
|                          | 150       | CRF 150 R2 # #428    | 07-13                                                                                         |                                                                                                  | 428MXZ                               | 120                                                                                                | 15 50             | 4084 K                                                                                             | 13-15                                | 2118 E                                 | 49-57                                  |                                |  |
|                          | 185       | XL 185 S             | 80-93                                                                                         |                                                                                                  | 428H                                 | 120                                                                                                | 14 49             | 259 K                                                                                              | 14-16                                | 269                                    | 34-35,39-43,47-49                      |                                |  |
|                          | 200       | CB 200               | 76-79                                                                                         |                                                                                                  | 520H                                 | 94                                                                                                 | 15 35             | 275 K                                                                                              | 13-15                                | 279 C                                  | 31-33,35,39,40, 45                     |                                |  |
|                          | 200       | CD 200 TB Benly      | 79-85                                                                                         |                                                                                                  | 428H                                 | 112                                                                                                | 15 34             | 263                                                                                                | 14-16                                | 269                                    | 34-35,39-43,47-49                      |                                |  |
|                          | 200       | CM 200 TA/TB Custom  | 81-84                                                                                         |                                                                                                  | 428H                                 | 112                                                                                                | 15 35             | 259 K                                                                                              | 14-16                                | 269                                    | 34-35,39-43,47-49                      |                                |  |
|                          | 200       | MTX 200 RW           | 83-86                                                                                         |                                                                                                  | 520MXZ4                              | 104                                                                                                | 13 42             | 329 K                                                                                              | 11-13                                | 243                                    | 42                                     |                                |  |
|                          | 200       | XL 200 R Paris-Dakar | 84-90                                                                                         | 9276                                                                                             | 520MXZ4                              | 108                                                                                                | 13 41             | 328 K                                                                                              | 13                                   | 277 C                                  | 41                                     |                                |  |
| 3                        | 230       | CRF 230 F, L         | 03-13                                                                                         |                                                                                                  | 520MXZ4                              | 110                                                                                                | 13 50             | 327 K                                                                                              | 12-14                                | 210 EC<br>210 PX<br>210 ESM<br>210 C   | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima |  |
|                          | 250       | CB 250 N/NA/T        | 78-82                                                                                         |                                                                                                  | 530SO                                | 102                                                                                                | 15 41             | 278 K                                                                                              | 14-16                                | 246 C                                  | 41                                     |                                |  |
|                          | 250       | CB 250 N             | 81-83                                                                                         |                                                                                                  | 520H                                 | 102                                                                                                | 15 41             | 276 K                                                                                              | 15, 16                               | 247 C                                  | 41                                     |                                |  |
|                          | 250       | CB 250 Nighthawk     | 91-06                                                                                         | 9277                                                                                             | 520SO                                | 108                                                                                                | 14 31             | 270 K                                                                                              | 14                                   | 279 C                                  | 31-33,35,39,40, 45                     |                                |  |
|                          | 250       | CB 250 Nighthawk     | 07-08                                                                                         | 9522                                                                                             | 520SO                                | 106                                                                                                | 14 33             | 270 K                                                                                              | 14                                   | 279 C                                  | 31,32,33,35,39,40, 45                  |                                |  |
|                          | 250       | CB 250 RS            | 80-83                                                                                         |                                                                                                  | 520SO                                | 98                                                                                                 | 14 44             | 281 K                                                                                              | 14, 15                               | 248 C                                  | 44                                     |                                |  |
|                          | 250       | CB 250 RS            | 82-84                                                                                         |                                                                                                  | 520SO                                | 100                                                                                                | 14 45             | 281 K                                                                                              | 14, 15                               | 245 C                                  | 39-41,43-45,47,48,51                   |                                |  |
|                          | 250       | CB 250 R             | 95-96                                                                                         |                                                                                                  | 520SO                                | 104                                                                                                | 14 31             | 270 K                                                                                              | 14                                   | 279 C                                  | 31-33,35,39,40, 45                     |                                |  |
|                          | 250       | CBF250               | 04-05                                                                                         | 9697                                                                                             | 520H                                 | 106                                                                                                | 13 37             | 4053 K                                                                                             | 13, 14                               | 2134 C                                 | 37                                     |                                |  |
| 3                        | 250       | CBR250 R             | 11-13                                                                                         | 9755                                                                                             | 520XSO                               | 108                                                                                                | 14 38             | 4053 K                                                                                             | 13, 14                               | 2144 C<br>2144 E                       | 38<br>38                               |                                |  |
|                          | 250       | CBX 250 RS           | 84-86                                                                                         |                                                                                                  | 520SO                                | 100                                                                                                | 15 35             | 276 K                                                                                              | 15, 16                               | 247 C                                  | 41                                     |                                |  |
|                          | 250       | CD 250 U             | 88-94                                                                                         |                                                                                                  | 520SO                                | 98                                                                                                 | 14 32             | 287 K                                                                                              | 14                                   | 279 C                                  | 31-33,35,39,40, 45                     |                                |  |
|                          | 250       | CJ 250 T             | 77-79                                                                                         |                                                                                                  | 530SO                                | 100                                                                                                | 16 38             | 278 K                                                                                              | 14-16                                | 278 C                                  | 38                                     |                                |  |
|                          | 250       | CL 250 S             | 82-84                                                                                         |                                                                                                  | 520SO                                | 106                                                                                                | 15 51             | 281 K                                                                                              | 14, 15                               | 245 C                                  | 39-41,43-45,47,48,51                   |                                |  |
|                          | 250       | CM 250 T Custom      | 82-84                                                                                         |                                                                                                  | 520SO                                | 104                                                                                                | 15 41             | 276 K                                                                                              | 15, 16                               | 247 C                                  | 41                                     |                                |  |
|                          | 250       | CM 250               | 83-85                                                                                         |                                                                                                  | 520SO                                | 94                                                                                                 | 14 39             | 270 K                                                                                              | 14                                   | 279 C                                  | 31-33,35,39,40, 45                     |                                |  |
|                          | 250       | CM 250               | 1999                                                                                          | 7553                                                                                             | 520SO                                | 108                                                                                                | 14 39             | 270 K                                                                                              | 14                                   | 2034 C                                 | 39,41,44                               |                                |  |
|                          | 250       | CMX 250 Rebel        | 1988                                                                                          |                                                                                                  | 520SO                                | 108                                                                                                | 14 33             | 270 K                                                                                              | 14                                   | 279 C                                  | 31,32,33,35,39,40, 45                  |                                |  |
|                          | 250       | CMX 250 C Rebel      | 96-99                                                                                         | 7554                                                                                             | 520SO                                | 104                                                                                                | 14 31             | 270 K                                                                                              | 14                                   | 279 C                                  | 31,32,33,35,39,40, 45                  |                                |  |
|                          | 250       | CR 250 R             | 88-89                                                                                         |                                                                                                  | 520MXZ4                              | 116                                                                                                | 14 51             | 284 K<br>284 KC                                                                                    | 12-15<br>13-15                       | 210 EC<br>210 PX<br>210 C              | 47-54<br>48-52<br>43,45,48-53          | Red, Black 48-53<br>pro-Altima |  |
|                          | 250       | CR 250 R             | 90-91                                                                                         |                                                                                                  | 520MXZ4                              | 116                                                                                                | 14 53             | 284 K<br>284 KC                                                                                    | 12-15<br>13-15                       | 210 EC<br>210 PX<br>210 C              | 47-54<br>48-52<br>43,45,48-53          | Red, Black 48-53<br>pro-Altima |  |
|                          | 250       | CR 250 R             | 92-95                                                                                         |                                                                                                  | 520MXZ4                              | 114                                                                                                | 13 49             | 284 K<br>284 KC                                                                                    | 12-15<br>13-15                       | 210 EC<br>210 PX<br>210 C              | 47-54<br>48-52<br>43,45,48-53          | Red, Black 48-53<br>pro-Altima |  |
|                          | 250       | CR 250 R             | 96-01                                                                                         | 9523                                                                                             | 520MXZ4                              | 114                                                                                                | 13 50             | 284 K<br>284 KC                                                                                    | 12-15<br>13-15                       | 210 EC<br>210 PX<br>210 ESM<br>210 C   | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima |  |
|                          | 250       | CR 250 R             | 02-08                                                                                         | 9523                                                                                             | 520MXZ4                              | 114                                                                                                | 13 50             | 284 K<br>284 KC                                                                                    | 12-15<br>13-15                       | 210 EC<br>210 PX<br>210 ESM<br>210 C   | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima |  |
|                          |           |                      | 3mm Spacer - Flangia corona 3mm                                                               |                                                                                                  |                                      |                                                                                                    |                   | 210 SPE                                                                                            |                                      |                                        |                                        |                                |  |
| 250                      | CRF 250 L | 2013                 |                                                                                               |                                                                                                  | 14 40                                |                                                                                                    |                   |                                                                                                    |                                      |                                        |                                        |                                |  |
| 250                      | CRF 250 R | 04-09                | 9525                                                                                          | 520MXZ4                                                                                          | 114                                  | 13 51                                                                                              | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                     | 210 EC<br>210 PX<br>210 ESM<br>210 C | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima         |                                |  |
|                          |           |                      | 3mm Spacer - Flangia corona 3mm                                                               |                                                                                                  |                                      |                                                                                                    |                   | 210 SPE                                                                                            |                                      |                                        |                                        |                                |  |
| 250                      | CRF 250 R | 2010                 |                                                                                               | 520MXZ4                                                                                          | 114                                  | 13 48                                                                                              | 4063 K<br>4063 KC | 12-14<br>12-14                                                                                     | 210 EC<br>210 PX<br>210 ESM<br>210 C | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima         |                                |  |
|                          |           |                      | 3mm Spacer - Flangia corona 3mm                                                               |                                                                                                  |                                      |                                                                                                    |                   | 210 SPE                                                                                            |                                      |                                        |                                        |                                |  |
| 3                        | 250       | CRF 250 R            | 11-13                                                                                         | 9726                                                                                             | 520MXZ4                              | 114                                                                                                | 13 49             | 4063 K<br>4063 KC                                                                                  | 12-14<br>12-14                       | 210 EC<br>210 PX<br>210 ESM<br>210 C   | 47-54<br>48-52<br>40-46<br>43,45,48-53 | Red, Black 48-53<br>pro-Altima |  |
|                          |           |                      | 3mm Spacer - Flangia corona 3mm                                                               |                                                                                                  |                                      |                                                                                                    |                   | 210 SPE                                                                                            |                                      |                                        |                                        |                                |  |
| 250                      | CRF 250 X | 04-08                | 9526                                                                                          | 520MXZ4                                                                                          | 120                                  | 14 53                                                                                              | 4063 K            | 12-14                                                                                              | 210 EC                               | 47-54                                  | Red, Black 48-53                       |                                |  |



| 廠牌與車型<br>Marca e Modello |                                | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                  | <br>後齒<br>corona |                                                                                 |
|--------------------------|--------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
|                          |                                |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti       | 料號                                                                                                 | 齒數 - denti                                                                      |
|                          | 500 CB 500 R                   | 94-99      | 9285<br>9285B                                                                                 | 525XSO<br>525SO                                                                                  | 108<br>108                           | 15 40<br>297 K                                                                                     | 15               | 344 C                                                                                              | 38,40-46,48                                                                     |
| 2013                     | 500 CB 500 R                   | 2013       |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  |                                                                                                    |                                                                                 |
|                          | 500 CB 500 S                   | 99-04      | 7558                                                                                          | 525SO                                                                                            | 120                                  | 15 40<br>297 K                                                                                     | 15               | 344 C                                                                                              | 38,40-46,48                                                                     |
| 2013                     | 500 CB 500 X                   | 2013       |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  |                                                                                                    |                                                                                 |
|                          | 500 CBF 500                    | 2003       | 7788<br>7788B                                                                                 | 525XSO<br>525SO                                                                                  | 116<br>116                           | 15 41<br>294 K                                                                                     | 14, 15           | 344 C                                                                                              | 38,40-46,48                                                                     |
|                          | 500 CBF 500                    | 04-        |                                                                                               | 525XSO                                                                                           | 116                                  | 15 41<br>297 K                                                                                     | 15               | 2033 THF<br>2033 C<br>2033 ED                                                                      | 41-45,47<br>41-44,45,46,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 500 CBX 500 F-F2               | 82-83      |                                                                                               | 530SO                                                                                            | 104                                  | 16 43<br>292 K                                                                                     | 16               | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 500 CR 500 R                   | 88-91      |                                                                                               | 520MXZ4                                                                                          | 116                                  | 14 51<br>284 K<br>284 KC                                                                           | 12-15<br>13-15   | 210 EC<br>210 C<br>210 C                                                                           | 47-54<br>48-52<br>43,45,48-53<br>Red, Black 48-53<br><i>pro-Elite</i>           |
|                          | 500 CR 500 R                   | 92-99      | 9528                                                                                          | 520MXZ4                                                                                          | 114                                  | 14 49<br>284 K<br>284 KC                                                                           | 12-15<br>13-15   | 210 EC<br>210 C<br>210 C                                                                           | 47-54<br>48-52<br>43,45,48-53<br>Red, Black 48-53<br><i>pro-Elite</i>           |
|                          | 500 GB 500 TT, K Clubman       | 89-90      |                                                                                               | 525XSO                                                                                           | 108                                  | 15 37<br>294 K                                                                                     | 14, 15           | 332 C                                                                                              | 36,37,44                                                                        |
|                          | 500 VF 500 F2                  | 84-85      |                                                                                               | 530SO                                                                                            | 108                                  | 15 43<br>286 K                                                                                     | 15               | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 500 VF 500 F2                  | 85-87      | 9286                                                                                          | 530SO                                                                                            | 108                                  | 15 40<br>286 K                                                                                     | 15               | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 500 XBR 500 S                  | 87-91      | 7559                                                                                          | 525SO                                                                                            | 108                                  | 15 36<br>294 K                                                                                     | 14, 15           | 332 C                                                                                              | 36,37,44                                                                        |
|                          | 500 XL 500 S                   | 79-81      |                                                                                               | 520XSO                                                                                           | 96                                   | 14 39<br>281 K                                                                                     | 14, 15           | 245 C                                                                                              | 39-41,43-45,47,48,51                                                            |
|                          | 500 XL 500 R                   | 83-87      |                                                                                               | 520XSO                                                                                           | 102                                  | 15 41<br>281 K                                                                                     | 14, 15           | 245 C                                                                                              | 39-41,43-45,47,48,51                                                            |
|                          | 500 XR 500 R                   | 83-85      |                                                                                               | 520XSO                                                                                           | 104                                  | 14 48<br>281 K                                                                                     | 14, 15           | 245 C                                                                                              | 39-41,43-45,47,48,51                                                            |
|                          | 550 CB 550 K3-F1-F2            | 75-80      |                                                                                               | 530SO                                                                                            | 102                                  | 17 37<br>288 K                                                                                     | 17, 18           | 282 C                                                                                              | 34                                                                              |
|                          | 550 CBX 550 FD/F2D             | 81-86      |                                                                                               | 530SO                                                                                            | 104                                  | 16 43<br>338 K                                                                                     | 16               | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 550 CBX 550 FC/F2C             | 82-85      |                                                                                               | 530SO                                                                                            | 104                                  | 16 45<br>338 K                                                                                     | 16               | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 600 CB 600 F Hornet - S        | 98-06      | 9287<br>9287B<br>7560<br>7560B                                                                | 525XSO<br>525SO<br>525SO<br>525SO                                                                | 110<br>110<br>110<br>110             | 15 42<br>4034 K                                                                                    | 14, 15           | 2033 THF<br>2033 C<br>2033 ED                                                                      | 41-45,47<br>41-44,45,46,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CB 600 F Hornet - S #520   | 98-06      |                                                                                               | 520GXW                                                                                           | 110                                  | 15 42<br>4034 KM                                                                                   | 13-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CB 600 F Hornet ABS        | 07-11      | 9529<br>9529B                                                                                 | 525XSO<br>525SO                                                                                  | 118<br>118                           | 16 43<br>4029 K                                                                                    | 15, 16           | 2033 THF<br>2033 C<br>2033 ED                                                                      | 41-45,47<br>41-44,45,46,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CB 600 F Hornet - S #520   | 07-11      |                                                                                               | 520GXW                                                                                           | 118                                  | 16 43<br>4029 KM                                                                                   | 14-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CB 600 F (599)             | 04-06      | 7560<br>7560B                                                                                 | 525XSO<br>525SO                                                                                  | 110<br>110                           | 15 42<br>4034 K                                                                                    | 14, 15           | 2033 C<br>2033 THF<br>2033 ED                                                                      | 41-44,45,46,47<br>41-45,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CB 600 F (599) #520        | 04-06      |                                                                                               | 520GXW                                                                                           | 110                                  | 15 42<br>4034 KM                                                                                   | 13-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CBF 600 - N - S - ABS      | 04-07      | 9000<br>9000B                                                                                 | 525XSO<br>525SO                                                                                  | 116<br>116                           | 15 43<br>4034 K                                                                                    | 14, 15           | 2033 C<br>2033 THF<br>2033 ED                                                                      | 41-44,45,46,47<br>41-45,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CBF 600 - N - S - ABS #520 | 04-07      |                                                                                               | 520GXW                                                                                           | 116                                  | 15 43<br>4034 KM                                                                                   | 13-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CBF 600 -S - ABS - N       | 08-11      | 9063<br>9063B                                                                                 | 525XSO<br>525SO                                                                                  | 124<br>124                           | 16 42<br>4029 K                                                                                    | 15, 16           | 2033 THF<br>2033 C<br>2033 ED                                                                      | 41-45,47<br>41-44,45,46,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CBF 600 -S - ABS - N #520  | 08-11      |                                                                                               | 520GXW                                                                                           | 124                                  | 16 42<br>4029 KM                                                                                   | 14-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CBR 600 F                  | 87-90      | 7563<br>7563B                                                                                 | 530XSO<br>530SO                                                                                  | 110<br>110                           | 15 43<br>295 K                                                                                     | 14, 15           | 341 C                                                                                              | 40,43,45,46                                                                     |
|                          | 600 CBR 600 F                  | 91-96      | 7564<br>7564B                                                                                 | 530XSO<br>530SO                                                                                  | 108<br>108                           | 15 43<br>295 K                                                                                     | 14, 15           | 302 THF<br>302 ED                                                                                  | 39,41-44<br>41,42,43<br><i>Long Lasting</i><br><i>Hard Anodized</i>             |
|                          | 600 CBR 600 F                  | 97-98      | 7565<br>7565B                                                                                 | 525XSO<br>525SO                                                                                  | 108<br>108                           | 15 43<br>4034 K                                                                                    | 14, 15           | 2033 C<br>2033 THF<br>2033 ED                                                                      | 41-44,45,46,47<br>41-45,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CBR 600 F #520             | 97-98      |                                                                                               | 520GXW                                                                                           | 108                                  | 15 43<br>4034 KM                                                                                   | 13-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CBR 600 F                  | 99-00      | 7561<br>7561B                                                                                 | 525XSO<br>525SO                                                                                  | 110<br>110                           | 16 44<br>4029 K                                                                                    | 15, 16           | 2033 THF<br>2033 C<br>2033 ED                                                                      | 41-45,47<br>41-44,45,46,47<br>43<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
|                          | 600 CBR 600 F #520             | 99-00      |                                                                                               | 520GXW                                                                                           | 110                                  | 16 44<br>4029 KM                                                                                   | 14-16            | 2033 EMD                                                                                           | 41-46<br><i>Hard Anodized</i>                                                   |
|                          | 600 CBR 600 F Sport            | 01-06      | 9002<br>9002B                                                                                 | 525XSO<br>525SO                                                                                  | 108<br>108                           | 16 45<br>4029 K                                                                                    | 15, 16           | 2071 C<br>2071 THF<br>2071 ED                                                                      | 40-46<br>40-46<br>45-47<br><i>Long Lasting</i><br><i>Hard Anodized</i>          |
|                          | 600 CBR 600 F #520             | 01-06      |                                                                                               | 520GXW                                                                                           | 108                                  | 16 45<br>4029 KM                                                                                   | 14-16            | 2060 EMD                                                                                           | 38-48<br><i>Hard Anodized</i>                                                   |
| 2013                     | 600 CBR 600 F                  | 11-13      | 9756                                                                                          | 525GXW                                                                                           | 118                                  | 16 43<br>4029 K                                                                                    | 15, 16           | 2033 THF<br>2033 C<br>2033 ED                                                                      | 2033 THF<br>2033 C<br>2033 ED<br><i>Long Lasting</i><br><i>Hard Anodized</i>    |
|                          | 600 CBR 600 F #520             | 11-12      |                                                                                               | 520GXW                                                                                           | 110                                  | 16 43<br>4029 KM                                                                                   | 14-16            | 2033 EMD                                                                                           | 2033 EMD<br><i>Hard Anodized</i>                                                |
|                          | 600 CBR 600 RR                 | 03-06      | 7770<br>7770B<br>9003                                                                         | 525GXW<br>525SO<br>525GXW                                                                        | 112<br>112<br>112                    | 16 42<br>4029 K<br>16 42<br>4029 K                                                                 | 15, 16<br>15, 16 | 2071 THF<br>2071 C<br>2071 ED                                                                      | 40-46<br>40-46<br>45-47<br><i>Long Lasting</i><br><i>Hard Anodized</i>          |
|                          | 600 CBR 600 RR #520            | 03-06      |                                                                                               | 520GXW                                                                                           | 112                                  | 16 42<br>4029 KM                                                                                   | 14-16            | 2060 EMD                                                                                           | 38-48<br><i>Hard Anodized</i>                                                   |
| 2013                     | 600 CBR 600 RR                 | 07-13      | 9531<br>9531B<br>9532                                                                         | 525GXW<br>525SO<br>525GXW                                                                        | 112<br>112<br>112                    | 16 41<br>4029 K                                                                                    | 15, 16           | 2071 THF<br>2071 C<br>2071 ED                                                                      | 40-46<br>40-46<br>45-47<br><i>Long Lasting</i><br><i>Hard Anodized</i>          |
|                          | 600 CBR 600 RR #520            | 07-13      |                                                                                               | 520GXW                                                                                           | 112                                  | 16 41<br>4029 KM                                                                                   | 14-16            | 2060 EMD                                                                                           | 38-48<br><i>Hard Anodized</i>                                                   |
|                          | 600 VT 600 C                   | 1988       | 7566<br>7566B                                                                                 | 525XSO<br>525SO                                                                                  | 120<br>120                           | 16 44<br>293 K                                                                                     | 15, 16           | 332 C                                                                                              | 36,37,44                                                                        |
|                          | 600 VT 600 C Shadow            | 89-07      | 7567<br>7567B                                                                                 | 525XSO<br>525SO                                                                                  | 120<br>120                           | 16 44<br>296 K                                                                                     | 15, 16           | 332 C                                                                                              | 36,37,44                                                                        |
|                          | 600 XL 600 R PD                | 83-87      |                                                                                               | 520XSO                                                                                           | 106                                  | 15 41<br>281 K                                                                                     | 14, 15           | 245 C                                                                                              | 39-41,43-45,47,48,51                                                            |
|                          | 600 XL 600 LM-F/RM-G PD        | 85-88      |                                                                                               | 520XSO                                                                                           | 104                                  | 15 40<br>281 K                                                                                     | 14, 15           | 245 C                                                                                              | 39-41,43-45,47,48,51                                                            |
|                          | 600 XL 600 V                   | 89-95      | 9292<br>9292B                                                                                 | 525XSO<br>525SO                                                                                  | 124<br>124                           | 15 49<br>296 K                                                                                     | 15, 16           | 300 C                                                                                              | 39,42,43,46-49                                                                  |
|                          | 600 XL 600 V Transalp          | 87-88      | 7568                                                                                          | 525SO                                                                                            | 118                                  | 15 47<br>293 K                                                                                     | 15, 16           | 300 C                                                                                              | 39,42,43,46-49                                                                  |
|                          | 600 XL 600 V Transalp          | 89-00      | 7569                                                                                          | 525XSO                                                                                           | 118                                  | 15 47<br>296 K                                                                                     | 15, 16           | 300 C                                                                                              | 39,42,43,46-49                                                                  |

| 廠牌與車型<br>Marca e Modello |                          | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                  |
|--------------------------|--------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|------------------|
|                          |                          |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti       |
|                          |                          |            | 7569B                                                                                         | 525SO                                                                                            | 118                                  |                                                                                                    |            |                                                                                                    |                  |
| 600                      | XR 600 R                 | 85-87      | 7570                                                                                          | 520SO                                                                                            | 110                                  | 14 48                                                                                              | 281 K      | 14, 15                                                                                             | 245 C            |
| 600                      | XR 600 R                 | 88-90      | 9067                                                                                          | 520SO                                                                                            | 110                                  | 14 50                                                                                              | 281 K      | 14, 15                                                                                             | 2015 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2015 EC                                                                                            | 46,48-50,52      |
| 600                      | XR 600 R                 | 91-00      | 7572                                                                                          | 520XSO                                                                                           | 110                                  | 14 48                                                                                              | 309 K      | 13-15                                                                                              | 47-53            |
| 650                      | CB 650                   | 79-81      |                                                                                               | 530SO                                                                                            | 102                                  | 16 40                                                                                              | 338 K      | 16                                                                                                 | 301 C            |
| 650                      | CB 650 S/C Nighthawk     | 82-84      |                                                                                               | 530SO                                                                                            | 106                                  | 16 39                                                                                              | 338 K      | 16                                                                                                 | 46               |
| 650                      | FMX                      | 05-08      | 9294                                                                                          | 520XSO                                                                                           | 110                                  | 14 42                                                                                              | 308 K      | 14, 15                                                                                             | 284 C            |
| 650                      | FX 650 Vigor             | 1999       | 7573                                                                                          | 520XSO                                                                                           | 120                                  | 14 43                                                                                              | 308 K      | 14, 15                                                                                             | 39,40,48         |
| 650                      | NT 650 K Hawk GT USA     | 88-91      |                                                                                               | 525XSO                                                                                           | 112                                  | 16 44                                                                                              | 296 K      | 15, 16                                                                                             | 305 C            |
| 650                      | NTV 650 K2 Bros          | 88-91      |                                                                                               | 525XSO                                                                                           | 112                                  | 16 44                                                                                              | 296 K      | 15, 16                                                                                             | 42-48,50         |
| 650                      | NX 650 Dominator         | 1988       | 7574                                                                                          | 520SO                                                                                            | 108                                  | 15 45                                                                                              | 306 K      | 15                                                                                                 | 305 C            |
| 650                      | NX 650 Dominator         | 89-90      | 7575                                                                                          | 520SO                                                                                            | 108                                  | 15 45                                                                                              | 308 K      | 14, 15                                                                                             | 42-48,50         |
| 650                      | NX 650 Dominator         | 91-94      | 7576                                                                                          | 520XSO                                                                                           | 110                                  | 15 47                                                                                              | 308 K      | 14, 15                                                                                             | 42-48,50         |
| 650                      | NX 650 Dominator         | 95-99      | 7578                                                                                          | 520XSO                                                                                           | 110                                  | 15 48                                                                                              | 308 K      | 14, 15                                                                                             | 42-48,50         |
| 650                      | NX 650 Dominator         | 95-01      | 7577                                                                                          | 520XSO                                                                                           | 108                                  | 15 46                                                                                              | 308 K      | 14, 15                                                                                             | 42-48,50         |
| 650                      | SLR 650                  | 97-98      | 7579                                                                                          | 520XSO                                                                                           | 110                                  | 14 43                                                                                              | 308 K      | 14, 15                                                                                             | 42-48,50         |
| 650                      | XL 650 V Transalp        | 00-07      | 7580                                                                                          | 525XSO                                                                                           | 118                                  | 15 48                                                                                              | 296 K      | 15, 16                                                                                             | 300 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39,42,43,46-49   |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    |                  |
| 2013                     | 650 XR 650 L             | 93-10      | 9068                                                                                          | 520XSO                                                                                           | 110                                  | 15 48                                                                                              | 308 K      | 14, 15                                                                                             | 301 C            |
| 650                      | XR 650 L                 | 11-13      |                                                                                               | 520XSO                                                                                           | 110                                  | 45                                                                                                 | 308 K      | 14, 15                                                                                             | 46               |
| 650                      | XR 650 R                 | 00-07      | 9069                                                                                          | 520XSO                                                                                           | 110                                  | 14 48                                                                                              | 4043 K     | 13-16                                                                                              | 210 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 210 ESM                                                                                            | 43,45,48-53      |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 210 EC                                                                                             | 40-46            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 210 PX                                                                                             | 47-54            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 48-52            |
| 650                      | XRV 650 Africa Twin      | 88-89      | 7582                                                                                          | 525SO                                                                                            | 124                                  | 16 49                                                                                              | 296 K      | 15, 16                                                                                             | Red, Black 48-53 |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 300 C                                                                                              | pro-System       |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39,42,43,46-49   |
| 700                      | INTEGRA                  | 2012       |                                                                                               | 520SO                                                                                            | 112                                  | 16 39                                                                                              |            |                                                                                                    | 2033 EMD         |
| 700                      | NC700 S                  | 2012       |                                                                                               | 520SO                                                                                            | 114                                  | 16 39                                                                                              |            |                                                                                                    | 41-46            |
| 700                      | NC700 X                  | 2012       |                                                                                               | 520SO                                                                                            | 114                                  | 16 43                                                                                              |            |                                                                                                    | Hard Anodized    |
| 700                      | XL 700 V Transalp        | 08-12      | 7569                                                                                          | 525XSO                                                                                           | 118                                  | 15 47                                                                                              | 296 K      | 15, 16                                                                                             | 2033 EMD         |
|                          |                          |            | 7569B                                                                                         | 525SO                                                                                            | 118                                  |                                                                                                    |            |                                                                                                    | 41-46            |
| 750                      | CB 750 F, F2, SC         | 79-84      |                                                                                               | 530SO                                                                                            | 108                                  | 18 -46                                                                                             | 339 K      | 16-18                                                                                              | 300 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39,42,43,46-49   |
| 750                      | CB 750 Nighthawk         | 92-93      | 7584                                                                                          | 525XSO                                                                                           | 112                                  | 15 38                                                                                              | 4000 K     | 15                                                                                                 | 334 THF          |
|                          |                          |            | 7584B                                                                                         | 525SO                                                                                            | 112                                  |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | CB 750 F2 RC42, Seventy  | 92-98      | 7583                                                                                          | 525SO                                                                                            | 112                                  | 15 40                                                                                              | 4000 K     | 15                                                                                                 | 344 C            |
| 750                      | CBX 750 F                | 84-86      | 9296                                                                                          | 530SO                                                                                            | 114                                  | 16 45                                                                                              | 339 K      | 16-18                                                                                              | 38,40-46,48      |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 334 C            |
| 750                      | VF 750 F RC15            | 83-85      | 9297                                                                                          | 530SO                                                                                            | 110                                  | 17 44                                                                                              | 339 K      | 16-18                                                                                              | 334 THF          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | VF 750 C RC 43           | 93-95      | 9298                                                                                          | 530XSO                                                                                           | 118                                  | 16 40                                                                                              | 333 K      | 15-17                                                                                              | 334 THF          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | VF 750 C                 | 96-99      | 9533                                                                                          | 530SO                                                                                            | 120                                  | 16 39                                                                                              | 333 K      | 15-17                                                                                              | 334 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | VFR 750 F                | 86-87      |                                                                                               | 530SO                                                                                            | 110                                  | 16 45                                                                                              | 339 K      | 16-18                                                                                              | 334 THF          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | VFR 750 F                | 88-89      |                                                                                               | 530SO                                                                                            | 110                                  | 16 45                                                                                              | 333 K      | 15-17                                                                                              | 334 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 750                      | VFR 750 F                | 90-98      | 7586                                                                                          | 530XSO                                                                                           | 112                                  | 16 43                                                                                              | 333 K      | 15-17                                                                                              | 343 C            |
|                          |                          |            | 7586B                                                                                         | 530SO                                                                                            | 112                                  |                                                                                                    |            |                                                                                                    | 43               |
| 750                      | VFR 750 R RC30           | 88-92      | 9070                                                                                          | 525XSO                                                                                           | 106                                  | 16 40                                                                                              | 313 K      | 16                                                                                                 | 343 THF          |
| 750                      | VT 750 C Shadow          | 98-01      | 7587                                                                                          | 525XSO                                                                                           | 122                                  | 17 41                                                                                              | 314 K      | 15-17                                                                                              | 43               |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 312 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 40               |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-44,45,46,47   |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-45,47         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 ED          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 750                      | VT 750 Shadow            | 02-09      | 7588                                                                                          | 525XSO                                                                                           | 122                                  | 17 42                                                                                              | 314 K      | 15-17                                                                                              | 2033 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-44,45,46,47   |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-45,47         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 ED          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 2013                     | 750 VT 750 RS Shadow     | 10-13      | 9757                                                                                          | 525XSO                                                                                           | 112                                  | 17 38                                                                                              | 314 K      | 15-17                                                                                              | 2033 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-44,45,46,47   |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-45,47         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 ED          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 344 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 38,40-46,48      |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 344 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 38,40-46,48      |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 344 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 38,40-46,48      |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 343 C            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 2013                     | 800 VFR 800F Interceptor | 02-13      | 7592                                                                                          | 530GXW                                                                                           | 110                                  | 16 43                                                                                              | 339 K      | 16-18                                                                                              | 343 THF          |
|                          |                          |            | 7592B                                                                                         | 530XSO                                                                                           | 110                                  |                                                                                                    |            |                                                                                                    | 2089 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 2013                     | 800 VFR 800X Crossrunner | 11-13      | 9801                                                                                          | 530GXW                                                                                           | 116                                  | 16 43                                                                                              | 339 K      | 16-18                                                                                              | 2089 C           |
|                          |                          |            | 9801B                                                                                         | 530XSO                                                                                           | 116                                  |                                                                                                    |            |                                                                                                    | 2089 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 900                      | CB 900F-F2               | 79-83      |                                                                                               | 530GXW                                                                                           | 106                                  | 17 44                                                                                              | 339 K      | 16-18                                                                                              | 302 THF          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39-46,48         |
| 900                      | CB 900F Hornet           | 02-06      | 7593                                                                                          | 530GXW                                                                                           | 114                                  | 16 43                                                                                              | 333 K      | 15-17                                                                                              | 334 C            |
|                          |                          |            | 7593B                                                                                         | 530XSO                                                                                           | 114                                  |                                                                                                    |            |                                                                                                    | 302 THF          |
| 900                      | CB 900F Hornet #520      | 02-06      |                                                                                               | 520GXW                                                                                           | 114                                  | 16 43                                                                                              | 333 KM     | 14-17                                                                                              | 39,41-44         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 302 ED           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41,42,43         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 EMD         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-46            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 302 THF          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 39,41-44         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 302 ED           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41,42,43         |
| 900                      | CBR 900R SC28            | 92-95      | 7594                                                                                          | 530SO                                                                                            | 108                                  | 16 42                                                                                              | 333 K      | 15-17                                                                                              | 2033 EMD         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-46            |
| 900                      | CBR 900R SC28 #520       | 92-95      |                                                                                               | 520GXW                                                                                           | 108                                  | 16 42                                                                                              | 333 KM     | 14-17                                                                                              | 2033 THF         |
| 900                      | CBR 900R                 | 96-99      | 7595                                                                                          | 525GXW                                                                                           | 108                                  | 16 42                                                                                              | 4029 K     | 15, 16                                                                                             | 41-45,47         |
|                          |                          |            | 7595B                                                                                         | 525XSO                                                                                           | 108                                  |                                                                                                    |            |                                                                                                    | 2033 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-44,45,46,47   |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2033 ED          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 43               |
| 900                      | CBR 900R #520            | 96-99      |                                                                                               | 520GXW                                                                                           | 108                                  | 16 42                                                                                              | 4029 KM    | 14-16                                                                                              | 2033 EMD         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 41-46            |
| 900                      | CBR 900 RR Fireblade     | 00-04      | 7596                                                                                          | 530GXW                                                                                           | 108                                  | 16 42                                                                                              | 333 K      | 15-17                                                                                              | 2060 THF         |
|                          |                          |            | 7596B                                                                                         | 530XSO                                                                                           | 108                                  |                                                                                                    |            |                                                                                                    | 40-44            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2060 C           |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 40-44            |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 2060 ED          |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 40-43            |
| 900                      | CBR 900R Fireblade #520  | 00-04      |                                                                                               | 520GXW                                                                                           | 108                                  | 16 42                                                                                              | 333 KM     | 14-17                                                                                              | 2060 EMD         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 38-48            |
| 929                      | CBR 929R                 | 00-01      |                                                                                               | 530GXW                                                                                           | 108                                  | 16 43                                                                                              | 333 K      | 15-17                                                                                              | 2060 THF         |
|                          |                          |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    | 40-44            |

| 廠牌與車型<br>Marca e Modello |  | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                |
|--------------------------|--|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------|
|                          |  |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti     |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2089 THF                                                                                           | 43             |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2089 C                                                                                             | 43             |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 EMD                                                                                           | 41-46          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 EMD                                                                                           | 41-46          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 EMD                                                                                           | 41-46          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 EMD                                                                                           | 41-46          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 THF                                                                                           | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 C                                                                                             | 40-44          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 ED                                                                                            | 40-43          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2060 EMD                                                                                           | 38-48          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 THF                                                                                           | 41-45,47       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 C                                                                                             | 41-44,45,46,47 |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 ED                                                                                            | 43             |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2033 EMD                                                                                           | 41-46          |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 THF                                                                                            | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 334 C                                                                                              | 39-46,48       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            |                                                                                                    |                |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 THF                                                                                            | 39,41-44       |
|                          |  |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 302 ED                                                                                             | 41,42,43       |

## Honda Quads

|     |           |       |  |          |    |       |        |        |       |    |
|-----|-----------|-------|--|----------|----|-------|--------|--------|-------|----|
| 250 | TRX 250R  | 86-10 |  | GB520EXW | 86 | 13 39 | 4077 K | 12-14  | 2113C | 38 |
| 300 | TRX 300EX | 99-10 |  | GB520EXW | 86 | 13 38 | 4077 K | 12-14  | 2113C | 38 |
| 400 | TRX 400EX | 99-04 |  | GB520EXW | 92 | 15 38 | 4079 K | 15, 16 | 2113C | 38 |
| 400 | TRX 400EX | 05-10 |  | GB520EXW | 94 | 14 39 | 308 K  | 14, 15 | 2113C | 38 |
| 450 | TRX 450R  | 04-05 |  | GB520EXW | 94 | 15 38 | 284 K  | 12-15  | 2113C | 38 |
| 450 | TRX 450R  | 06-10 |  | GB520EXW | 96 | 13 38 | 284 K  | 12-15  | 2113C | 38 |
| 700 | TRX 700XX | 08-10 |  | GB520EXW | 96 | 13 38 | 284 K  | 12-15  | 2113C | 38 |

| 廠牌與車型<br>Marca e Modello | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |            |
|--------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------------------------------------|------------|
|                          |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                | 齒數 - denti | 料號                                                                                                | 齒數 - denti |

## Husaberg

|      |     |                  |       |      |         |     |       |                   |                |                                             |                                                            |                                     |
|------|-----|------------------|-------|------|---------|-----|-------|-------------------|----------------|---------------------------------------------|------------------------------------------------------------|-------------------------------------|
|      | 125 | TE 125           | 12-13 |      | 520MXZ4 | 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 250 | TE 250           | 05-12 |      | 520XMO  | 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 300 | TE 300           | 09-12 | 9732 | 520XMO  | 116 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 C            | 46-53<br><b>48-52</b><br>38,40,42,48,50,52                 | Black 48-52<br><del>pro-Elite</del> |
| 2013 | 350 | FE               | 2013  |      | 520XSO  |     | 13 52 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br><b>38,40,42,48,50,52</b> | Black 48-52<br><del>pro-Elite</del> |
|      | 390 | FE               | 09-12 | 9727 | 520XSO  | 120 | 14 48 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 400 | FE               | 96-01 |      | 520XMO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 400 | MC               | 97-98 |      | 520XMO  | 118 | 13 48 | 823 K             | 11,13,14       | 2073 E                                      | 48,50,52                                                   |                                     |
|      | 400 | TE               | 1999  |      | 520XMO  | 118 | 14 48 | 823 K             | 11,13,14       | 2073 E                                      | 48,50,52                                                   |                                     |
|      | 400 | TE               | 2001  |      | 520XMO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 450 | FC, FE, FS       | 04-08 |      | 520XSO  | 120 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 450 | FE, FX           | 09-12 |      | 520XSO  | 120 | 13 52 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 450 | FS 450 E         | 04-08 |      | 520XSO  | 120 | 15 42 | 823 K             | 11,13,14       | 897 ESM<br>897 C                            | 36-45<br>38,40,42,48,50,52                                 |                                     |
|      | 501 | FE               | 2001  |      | 520XSO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 501 | TE               | 97-98 |      | 520XSO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 501 | TE               | 2000  |      | 520XSO  | 118 | 14 48 | 823 K             | 11,13,14       | 2073 E                                      | 48,50,52                                                   |                                     |
|      | 501 | TE               | 2001  |      | 520XSO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 550 | FC, FE           | 04-08 |      | 520XSO  | 120 | 15 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 570 | FE 570 E         | 09-12 |      | 520XSO  | 120 | 13 52 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 570 | FS 570 Supermoto | 10-12 |      | 520XSO  | 118 | 14 38 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 ESM<br>897 EC<br>897 C                  | 36-45<br>46-53<br>38,40,42,48,50,52                        | Black 48-52                         |
|      | 600 | FE               | 00-01 |      | 520XSO  | 118 | 14 48 | 823 K             | 11,13,14       | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C | 46-53<br><b>48-52</b><br>36-45<br>38,40,42,48,50,52        | Black 48-52<br><del>pro-Elite</del> |
|      | 600 | MC               | 94-98 |      | 520XSO  | 118 | 13 48 | 823 K             | 11,13,14       | 2073 E                                      | 48,50,52                                                   |                                     |
|      | 650 | FE, FS           | 04-08 |      | 520XSO  | 120 | 15 45 | 823 K             | 11,13,14       | 897 ESM<br>897 EC<br>897 C                  | 36-45<br>46-53<br>38,40,42,48,50,52                        | Black 48-52                         |

## Husqvarna

|  |     |        |       |      |         |     |       |        |          |                                     |                             |                                          |
|--|-----|--------|-------|------|---------|-----|-------|--------|----------|-------------------------------------|-----------------------------|------------------------------------------|
|  | 125 | CR 125 | 90-94 |      | 520MXZ4 | 112 | 12 50 | 718 K  | 12, 13   | 1509 EC<br><b>1509 PX</b><br>1509 C | 47-53<br><b>48-52</b><br>50 | Red, Black 48-52<br><del>pro-Elite</del> |
|  | 125 | CR 125 | 95-97 |      | 520MXZ4 | 114 | 13 50 | 4018 K | 13, 14   | 1509 EC<br><b>1509 PX</b><br>1509 C | 47-53<br><b>48-52</b><br>50 | Red, Black 48-52<br><del>pro-Elite</del> |
|  | 125 | CR 125 | 98-99 | 9537 | 520MXZ4 | 112 | 13 50 | 4008 K | 10,12,13 | 1509 EC<br><b>1509 PX</b><br>1509 C | 47-53<br><b>48-52</b><br>50 | Red, Black 48-52<br><del>pro-Elite</del> |
|  | 125 | CR 125 | 2000  | 9538 | 520MXZ4 | 114 | 13 48 | 4008 K | 10,12,13 | 1509 EC<br><b>1509 PX</b>           | 47-53<br><b>48-52</b>       | Red, Black 48-52<br><del>pro-Elite</del> |

| 廠牌與車型<br>Marca e Modello |                 | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |             | <br>後齒<br>corona |                                                                                               |
|--------------------------|-----------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
|                          |                 |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti  | 料號                                                                                                 | 齒數 - denti                                                                                    |
|                          |                 |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |             | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                                   |
| 125                      | CR125           | 01-11      | 9539                                                                                          | 520MXZ4 118                                                                                      | 13 50                                | 4008 K                                                                                             | 10,12,13    | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                    | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                 |
| 125                      | SM-S 125        | 01-        | 9078                                                                                          | 520MXZ4 116                                                                                      | 14 49                                | 4018 K                                                                                             | 13, 14      | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                    | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                 |
| 125                      | WR 125 K        | 86-89      |                                                                                               | 520MXZ4 116                                                                                      | 13 52                                | 823 K                                                                                              | 11,13,14    | 1510 E                                                                                             | 50-52                                                                                         |
| 125                      | WR 125          | 1990       |                                                                                               | 520MXZ4 116                                                                                      | 12 52                                | 718 K                                                                                              | 12, 13      | 1509 EC<br><i>1509 PX</i><br>1509 C                                                                | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                          |
| 125                      | WR 125          | 91-95      |                                                                                               | 520MXZ4 116                                                                                      | 13 52                                | 718 K                                                                                              | 12, 13      | 1509 EC<br><i>1509 PX</i><br>1509 C                                                                | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                          |
| 125                      | WR 125          | 96-97      | 9079                                                                                          | 520MXZ4 114                                                                                      | 13 52                                | 4018 K                                                                                             | 13, 14      | 1509 EC<br><i>1509 PX</i><br>1509 C                                                                | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                          |
| 125                      | WR 125          | 98-10      | 9682                                                                                          | 520MXZ4 114                                                                                      | 13 50                                | 4008 K                                                                                             | 10,12,13    | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i>                                                        | 47-53<br><i>48-52</i><br><i>48-52</i><br>Red, Black 48-52<br><i>pro-Altern</i>                |
| 125                      | WRE 125 SMS     | 98-99      |                                                                                               | 520MXZ4 116                                                                                      | 14 50                                | 4018 K                                                                                             | 13, 14      | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 C                                              | 47-53<br><i>48-52</i><br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>          |
| 125                      | WRE 125 SMS     | 01-06      | 9081                                                                                          | 520MXZ4 114                                                                                      | 13 50                                | 4018 K                                                                                             | 13, 14      | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 125                      | WRE 125         | 08-11      | 9655                                                                                          | 520MXZ4 112                                                                                      | 13 48                                | 4018 K                                                                                             | 13, 14      | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | CR 250          | 90-91      |                                                                                               | 520MXZ4 112                                                                                      | 13 50                                | 507 K                                                                                              | 14, 15      | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 C                                              | 47-53<br><i>48-52</i><br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>          |
| 250                      | CR250 / WR250   | 92-99      | 9540                                                                                          | 520MXZ4 112                                                                                      | 14 48                                | 507 K                                                                                              | 14, 15      | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 C                                              | 47-53<br><i>48-52</i><br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>          |
| 250                      | CR 250          | 2000       |                                                                                               | 520MXZ4 112                                                                                      | 13 48                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | CR250<br>WR250  | 01-        | 9541                                                                                          | 520MXZ4 114                                                                                      | 13 48                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TC 250          | 06-09      |                                                                                               | 520MXZ4 114                                                                                      | 12 50                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TC 250          | 10-11      | 9728                                                                                          | 520MXZ4 114                                                                                      | 13 50                                | 4097 K<br><i>4097 KC</i>                                                                           | 12-14<br>14 | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TC 250          | 2012       |                                                                                               | 520MXZ4 116                                                                                      | 13 53                                | 4097 K<br><i>4097 KC</i>                                                                           | 12-14<br>14 | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TE, TC 250      | 04-05      | 9453                                                                                          | 520MXZ4 120                                                                                      | 14 50                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TE 250          | 06-10      | 9454                                                                                          | 520MXZ4 114                                                                                      | 13 50                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TE 250, TE 250R | 11-12      |                                                                                               | 520MXZ4 114                                                                                      | 13 50                                | 4097 K<br><i>4097 KC</i>                                                                           | 12-14<br>14 | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | TXC 250         | 08-11      |                                                                                               | 520MXZ4 114                                                                                      | 13 50                                | 4097 K<br><i>4097 KC</i>                                                                           | 12-14<br>14 | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i><br>1509 ESM<br>1509 C                                  | 47-53<br><i>48-52</i><br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altern</i> |
| 250                      | WR 250          | 81-88      |                                                                                               | 520MXZ4 120                                                                                      | 14 53                                | 823 K                                                                                              | 11,13,14    | 223 C                                                                                              | 48,52,53                                                                                      |
| 250                      | WR 250          | 1989       |                                                                                               | 520MXZ4 120                                                                                      | 14 50                                | 823 K                                                                                              | 11,13,14    | 1510 E                                                                                             | 50-52                                                                                         |
| 250                      | WR 250          | 1990       |                                                                                               | 520MXZ4 112                                                                                      | 14 46                                | 824 K                                                                                              | 12-17       | 1509 ESM<br>1509 EC<br><i>1509 PX</i><br>1509 C                                                    | 38-46<br>47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                 |
| 250                      | WR 250          | 1991       |                                                                                               | 520MXZ4 112                                                                                      | 15 46                                | 507 K                                                                                              | 14, 15      | 1509 ESM<br>1509 EC<br><i>1509 PX</i><br>1509 C                                                    | 38-46<br>47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altern</i>                 |
| 250                      | WR 250          | 00-05      | 9455                                                                                          | 520MXZ4 112                                                                                      | 14 48                                | 824 K                                                                                              | 12-17       | 1509 EC<br><i>1509 PX</i><br><i>1509 PX</i>                                                        | 47-53<br><i>48-52</i><br><i>48-52</i><br>Red, Black 48-52<br><i>pro-Altern</i>                |

| 廠牌與車型<br>Marca e Modello |                        | 年份<br>anno     | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒                      pignone |                    | <br>後齒<br>corona |                                                                              |
|--------------------------|------------------------|----------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
|                          |                        |                |                                                                                               |                                                                                                  |                                      |                                                                                                                     |                    |                                                                                                   |                                                                              |
|                          |                        |                |                                                                                               |                                                                                                  |                                      | 料號                                                                                                                  | 齒數 - denti         | 料號                                                                                                | 齒數 - denti                                                                   |
|                          |                        |                |                                                                                               |                                                                                                  |                                      |                                                                                                                     |                    | 1509 ESM<br>1509 C                                                                                | 38-46<br>50                                                                  |
| 250                      | WR 250                 | 2006           | 9541                                                                                          | 520MXZ4    114                                                                                   | 13 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 250                      | WR 250                 | 07-11          | 9457                                                                                          | 520MXZ4    112                                                                                   | 13 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 300                      | WR 300                 | 08-12          | 9457                                                                                          | 520MXZ4    112                                                                                   | 13 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 310                      | TE 310                 | 09-10          |                                                                                               | 520XMO    116                                                                                    | 12 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| <i>310</i>               | <i>TE 310, TE 310R</i> | <i>11-12</i>   |                                                                                               | <i>520XMO    116</i>                                                                             | <i>13 50</i>                         | <i>4097 K<br/>4097 KC</i>                                                                                           | 12-14<br><i>14</i> | <i>1509 EC<br/>1509 PX<br/>1509 C</i>                                                             | <i>47-53<br/>48-52<br/>50</i><br>Red, Black 48-52<br><i>pro-Altme</i>        |
| 350                      | TE 350                 | 1990           |                                                                                               | 520XMO    116                                                                                    | 12 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| 350                      | TE 350                 | 1991           |                                                                                               | 520XMO    116                                                                                    | 15 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| 350                      | TE350                  | 92-95          | 7606<br><i>7606B</i>                                                                          | 520XMO    116<br><i>520SO    116</i>                                                             | 15 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 350                      | WXE/WXC 350            | 1994           |                                                                                               | 520XMO    116                                                                                    | 12 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| 360                      | CR360<br>WR360         | 92-93<br>92-00 |                                                                                               | 520XMO    112                                                                                    | 15 48                                | 507 K                                                                                                               | 14, 15             | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| 360                      | WR360                  | 01-            | 9541                                                                                          | 520MXZ4    114                                                                                   | 13 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 400                      | TE 400                 | 01-            | 7606<br><i>7606B</i>                                                                          | 520XMO    116<br><i>520SO    116</i>                                                             | 15 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 410                      | TC 410                 | 95-98          |                                                                                               | 520XSO    116                                                                                    | 13 48                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 C                                                               | 47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i>          |
| 410                      | TE 410                 | 01-            | 9459                                                                                          | 520XSO    112                                                                                    | 13 45                                | 824 K                                                                                                               | 12-17              | 1509 ESM<br>1509 EC<br>1509 C                                                                     | 38-46<br>47-53<br>50<br>Red, Black 48-52                                     |
| 449                      | TE 449, TXC 449        | 10-11          | 9082                                                                                          | 520XSO    116                                                                                    | 15 51                                | 824 K                                                                                                               | 12-17              | 1509 ESM<br>1509 EC<br><i>1509 PX</i><br>1509 C                                                   | 38-46<br>47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| <b>2013</b>              | 449 TC449              | 10- <i>13</i>  | 9082                                                                                          | 520XSO    116                                                                                    | 15 53                                | 824 K                                                                                                               | 12-17              | 1509 ESM<br>1509 EC<br><i>1509 PX</i><br>1509 C                                                   | 38-46<br>47-53<br><i>48-52</i><br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TC 450                 | 2004           | 9082                                                                                          | 520XSO    116                                                                                    | 14 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TC 450                 | 05-06          |                                                                                               | 520XSO    116                                                                                    | 15 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TC 450                 | 07-11          |                                                                                               | 520XSO    116                                                                                    | 14 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TE 450                 | 2004           | 9084                                                                                          | 520XSO    114                                                                                    | 13 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TE 450                 | 05-06          |                                                                                               | 520XSO    114                                                                                    | 14 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TE 450                 | 2007           | 9084                                                                                          | 520XSO    114                                                                                    | 13 50                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | TE 450, TXC450         | 08-11          |                                                                                               | 520XSO    112                                                                                    | 13 47                                | 824 K                                                                                                               | 12-17              | 1509 EC<br><i>1509 PX</i><br>1509 ESM<br>1509 C                                                   | 47-53<br><i>48-52</i><br>38-46<br>50<br>Red, Black 48-52<br><i>pro-Altme</i> |
| 450                      | SM 450 RR              | 08-10          | 9085                                                                                          | 520XSO    106                                                                                    | 13 42                                | 824 K                                                                                                               | 12-17              | 1509 ESM                                                                                          | 38-46                                                                        |

| 廠牌與車型<br>Marca e Modello |                          | 年份<br>anno    | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                                                                        |
|--------------------------|--------------------------|---------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
|                          |                          |               |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                                                                             |
| 499                      | TC 499                   | 2011          |                                                                                               | 520 SMO                                                                                          | 15 53                                | 824 K                                                                                              | 12-17      | 1509 C<br>1509 ESM<br>1509 EC<br><b>1509 PX</b><br>1509 C                                          | 50<br>38-46<br>47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna |
| 510                      | SM 510 R                 | 06-09         |                                                                                               | 520XSO 110                                                                                       | 15 42                                | 824 K                                                                                              | 12-17      | 1509 ESM<br><br>1509 EC<br><b>1509 PX</b><br>1509 C                                                | 38-46<br><br>47-53<br><b>48-52</b><br>50<br>Red, Black 48-52                           |
| 510                      | TC 510 TE510             | 1989          |                                                                                               | 520SO 116                                                                                        | 14 48                                | 823 K                                                                                              | 11,13,14   | 223 C                                                                                              | 48,52,53                                                                               |
| 510                      | TC510<br>TC610           | 1990<br>91-97 | 7607                                                                                          | 520SO 120                                                                                        | 12 52                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 C                                                                | 47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna                |
| 510                      | TC 510                   | 2006          |                                                                                               | 520XSO 114                                                                                       | 14 47                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 510                      | TC 510                   | 08-09         |                                                                                               | 520XSO 116                                                                                       | 14 47                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 510                      | TE510                    | 1990          |                                                                                               | 520SO 116                                                                                        | 14 48                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 C                                                                | 47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna                |
| 510                      | TE 510                   | 06-11         |                                                                                               | 520XSO 116                                                                                       | 14 50                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 510                      | TXC 510                  | 08-10         |                                                                                               | 520XSO 116                                                                                       | 13 47                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 570                      | TE 570                   | 01-           | 7606                                                                                          | 520XMO 116                                                                                       | 15 48                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 570                      | SM 570 R<br>TE 570 R     | 01-<br>03-04  | 9460                                                                                          | 520XSO 116                                                                                       | 17 48                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 ESM<br>1509 C                                                    | 47-53<br><b>48-52</b><br>38-46<br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna       |
| 610                      | WXC / WXE 610            | 1994          |                                                                                               | 520SO 116                                                                                        | 14 48                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 C                                                                | 47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna                |
| 610                      | SM 610                   | 98-00         | 9087                                                                                          | 520XSO 116                                                                                       | 16 45                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 EC<br>1509 C                                                                      | 38-46<br>47-53<br>50<br>Red, Black 48-52                                               |
| 610                      | SM 610 S                 | 01-03         | 9087                                                                                          | 520XSO 116                                                                                       | 16 45                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 EC<br>1509 C                                                                      | 38-46<br>47-53<br>50                                                                   |
| 610                      | SM 610 S                 | 05-07         |                                                                                               | 520XSO 114                                                                                       | 15 43                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                            |
| 610                      | SM 610 R                 | 08-09         |                                                                                               | 520XSO 112                                                                                       | 15 43                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                            |
| 610                      | TC 610                   | 1998          | 7608                                                                                          | 520SO 118                                                                                        | 13 52                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 C                                                                | 47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna                |
| 610                      | TE 610                   | 91-98         | 9460                                                                                          | 520XSO 116                                                                                       | 17 48                                | 824 K                                                                                              | 12-17      | 1509 EC<br><b>1509 PX</b><br>1509 C                                                                | 47-53<br><b>48-52</b><br>50<br>Red, Black 48-52<br>pro- <b>Alt</b> erna                |
| 610                      | TE 610                   | 99-07         | 9462                                                                                          | 520XSO 112                                                                                       | 15 45                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 EC<br>1509 C                                                                      | 38-46<br>47-53<br>50<br>Red, Black 48-52                                               |
| 610                      | TE 610                   | 08-09         |                                                                                               | 520XSO 114                                                                                       | 15 45                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 EC<br>1509 C                                                                      | 38-46<br>47-53<br>50<br>Red, Black 48-52                                               |
| 630                      | SM 630 R                 | 04-10         |                                                                                               | 520XSO 114                                                                                       | 16 44                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                            |
| 630                      | SM 630 R                 | 2011          |                                                                                               | 520XSO 110                                                                                       | 15 38                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                            |
| 630                      | TE630                    | 2010          |                                                                                               | 520XSO 112                                                                                       | 15 42                                | 824 K                                                                                              | 12-17      | 1509 ESM<br>1509 C                                                                                 | 38-46<br>50                                                                            |
| 2013                     | 650 TR650 Terra, Strada  | 2013          |                                                                                               | 520XSO 112                                                                                       | 47                                   |                                                                                                    |            | 5 C                                                                                                | 43-45,47,49                                                                            |
|                          | 900 Nuda 900, Nuda 900 R | 2012          |                                                                                               | 525GXW                                                                                           | 17 42                                | 4040 K                                                                                             | 16, 17     |                                                                                                    |                                                                                        |

## Hyosung

|     |                 |       |  |          |       |     |       |     |                   |
|-----|-----------------|-------|--|----------|-------|-----|-------|-----|-------------------|
| 125 | Cruise, GF, XRX | 95-98 |  | 428H 126 | 14 48 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |
| 125 | GV,KRION        | 95-98 |  | 428H 126 | 14 48 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |

## Hyundai

|     |                   |       |  |          |       |     |        |     |                   |
|-----|-------------------|-------|--|----------|-------|-----|--------|-----|-------------------|
| 125 | HMZ Cruise 80 Km. | 95-96 |  | 428H 126 | 14 48 | 426 | 14, 15 | 810 | 41-43,47,48,49,51 |
| 125 | HMZ Cruise        | 97-98 |  | 428H 126 | 14 47 | 426 | 14, 15 | 810 | 41-43,47,48,49,51 |

## Kawasaki

| 廠牌與車型<br>Marca e Modello |                          | 年份<br>anno |  |  | 原廠齒數<br>numero<br>denti<br>originali |  |                 |  |                             |                                                             |
|--------------------------|--------------------------|------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------|-----------------|------------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------|
|                          |                          |            | KIT<br>料號                                                                        | 鏈條<br>catena                                                                     |                                      | 前齒<br>pignone                                                                     | 後齒<br>corona    |                                                                                    |                             |                                                             |
|                          |                          |            |                                                                                  |                                                                                  |                                      | 料號                                                                                | 齒數 - denti      | 料號                                                                                 | 齒數 - denti                  |                                                             |
| 50                       | AR 50                    | 81-98      |                                                                                  | 420M                                                                             | 116                                  | 15 49                                                                             | 504             | 15                                                                                 | 466                         | 49                                                          |
| 60                       | KX 60 A/B                | 83-03      |                                                                                  | 420MXZ                                                                           | 104                                  | 13 44                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 464 E                       | 44                                                          |
| 65                       | KX 65                    | 00-01      |                                                                                  | 420MXZ                                                                           | 108                                  | 13 47                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2101 E                      | 46-52                                                       |
| 65                       | KX 65                    | 02-13      | 9795                                                                             | 420MXZ                                                                           | 112                                  | 13 47                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2101 E                      | 46-52                                                       |
| 65                       | KX 65 #428               | 02-13      |                                                                                  | 428MXZ                                                                           | 112                                  | 13 47                                                                             | 555             | 14, 15                                                                             | 2143 E                      | 46,47                                                       |
| 80                       | AE 80                    | 81-89      |                                                                                  | 420M                                                                             | 114                                  | 15 43                                                                             | 504             | 15                                                                                 | 801                         | 38,43,46,47,49,51,54                                        |
| 80                       | AR 80                    | 89-92      |                                                                                  | 420M                                                                             | 114                                  | 15 43                                                                             | 504             | 15                                                                                 | 801                         | 38,43,46,47,49,51,54                                        |
| 80                       | KX 80 R                  | 91-97      |                                                                                  | 420MXZ                                                                           | 118                                  | 13 49                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 80                       | KX 80 Big Wheels         | 91-97      |                                                                                  | 420MXZ                                                                           | 124                                  | 13 54                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 80                       | KX 80                    | 98-00      | 9542                                                                             | 420MXZ                                                                           | 120                                  | 14 50                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 80                       | KX 80 Big Wheels         | 98-00      | 9543                                                                             | 420MXZ                                                                           | 130                                  | 13 51                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 85                       | KX 85 A                  | 01-13      | 9542                                                                             | 420MXZ                                                                           | 120                                  | 14 50                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 85                       | KX 85 A #428             | 01-13      |                                                                                  | 428MXZ                                                                           | 120                                  | 14 50                                                                             | 555             | 14, 15                                                                             | 2142 E                      | 50,51                                                       |
| 85                       | KX 85 A Big Wheels       | 01-13      | 9543                                                                             | 420MXZ                                                                           | 130                                  | 13 51                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 85                       | KX 85 A Big Wheels #428  | 01-13      | 9543B                                                                            | 420                                                                              | 130                                  |                                                                                   | 555             | 14, 15                                                                             | 2142 E                      | 50,51                                                       |
| 100                      | KE 100                   | 78-81      |                                                                                  | 428H                                                                             | 110                                  | 15 42                                                                             | 417 K           | 14-16                                                                              | 802                         | 42                                                          |
| 100                      | KX 100                   | 00-13      |                                                                                  | 420MXZ                                                                           | 124                                  | 13 51                                                                             | 560<br>560 KC   | 12-16<br>13, 14                                                                    | 2065 E<br>2065 C            | 47-53<br>50                                                 |
| 110                      | KX 100 A Big Wheels #428 | 00-13      |                                                                                  | 428MXZ                                                                           | 124                                  | 13 51                                                                             | 555             | 14, 15                                                                             | 2142 E                      | 50,51                                                       |
| 110                      | KLX 110 C, L             | 10-13      |                                                                                  | 420M                                                                             | 90                                   | 13 38                                                                             | 249             | 13, 16                                                                             | 801                         | 38,43,46,47,49,51,54                                        |
| 125                      | AR 125 LC                | 82-94      |                                                                                  | 428H                                                                             | 116                                  | 14 36                                                                             | 417 K           | 14-16                                                                              | 468                         | 36                                                          |
| 125                      | BN 125 Eliminator        | 98-09      | 9317                                                                             | 428H                                                                             | 132                                  | 15 46                                                                             | 417 K           | 14-16                                                                              | 2057                        | 46                                                          |
|                          |                          |            | 9317B                                                                            | 428                                                                              | 132                                  |                                                                                   |                 |                                                                                    |                             |                                                             |
| 125                      | KDX 125                  | 90-99      |                                                                                  | 428H                                                                             | 132                                  | 15 52                                                                             | 417 K           | 14-16                                                                              | 459                         | 52                                                          |
| 125                      | KH 125                   | 77-82      |                                                                                  | 428H                                                                             | 112                                  | 14 47                                                                             | 417 K           | 14-16                                                                              | 810                         | 41-43,47,48,49,51                                           |
| 125                      | KMX 125                  | 86-01      |                                                                                  | 428H                                                                             | 124                                  | 14 48                                                                             | 417 K           | 14-16                                                                              | 463                         | 46                                                          |
| 125                      | KX 125                   | 85-89      |                                                                                  | 520MXZ4                                                                          | 112                                  | 12 47                                                                             | 421             | 11-13                                                                              | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 125                      | KX 125                   | 90-92      |                                                                                  | 520MXZ4                                                                          | 112                                  | 12 48                                                                             | 421             | 11-13                                                                              | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 125                      | KX 125                   | 93-95      |                                                                                  | 520MXZ4                                                                          | 110                                  | 12 49                                                                             | 4010<br>4010 KC | 11-14<br>12, 13                                                                    | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 125                      | KX 125                   | 96-97      |                                                                                  | 520MXZ4                                                                          | 112                                  | 13 50                                                                             | 4010<br>4010 KC | 11-14<br>12, 13                                                                    | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 125                      | KX 125                   | 98-99      | 9546                                                                             | 520MXZ4                                                                          | 112                                  | 12 48                                                                             | 4010<br>4010 KC | 11-14<br>12, 13                                                                    | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 125                      | KX 125                   | 00-03      | 9547                                                                             | 520MXZ4                                                                          | 112                                  | 12 49                                                                             | 4010<br>4010 KC | 11-14<br>12, 13                                                                    | 460 EC<br>460 PX<br>460 ESM | 47-53<br>48-51<br>42-46<br>Green, Black 48-52<br>pro-3ttema |
| 125                      | KX 125                   | 04-08      | 9548                                                                             | 520MXZ4                                                                          | 114                                  | 13 51                                                                             | 4010<br>4010 KC | 11-14<br>12, 13                                                                    | 460 EC<br>460 PX<br>460 ESM | 47-53<br>48-51<br>42-46<br>Green, Black 48-52<br>pro-3ttema |
| 200                      | KDX 200                  | 83-88      |                                                                                  | 520MXZ4                                                                          | 110                                  | 13 48                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 467 C                       | 47,48,50,54                                                 |
| 200                      | KDX 200 E                | 89-06      |                                                                                  | 520MXZ4                                                                          | 108                                  | 13 47                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 467 C                       | 47,48,50,54                                                 |
| 220                      | KDX 220                  | 97-05      |                                                                                  | 520MXZ4                                                                          | 108                                  | 13 47                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 467 C                       | 47,48,50,54                                                 |
| 250                      | BJ 250 Estrella          | 95-00      | 9549                                                                             | 520SO                                                                            | 102                                  | 15 38                                                                             | 512 K           | 15-17                                                                              | 487 C                       | 38,42-44,46                                                 |
|                          |                          |            | 9549B                                                                            | 520H                                                                             | 102                                  |                                                                                   |                 |                                                                                    |                             |                                                             |
| 250                      | EL 250 Chopper           | 90-95      |                                                                                  | 520SO                                                                            | 114                                  | 14 44                                                                             | 516 K           | 13-15                                                                              | 486 C                       | 38,40-42,44,45,47                                           |
| 250                      | EL 250 (EL252)           | 96-02      | 9550                                                                             | 520SO                                                                            | 112                                  | 14 40                                                                             | 516 K           | 13-15                                                                              | 486 C                       | 38,40-42,44,45,47                                           |
|                          |                          |            | 9550B                                                                            | 520H                                                                             | 112                                  |                                                                                   |                 |                                                                                    |                             |                                                             |
| 250                      | EX 250 F Ninja           | 07-09      | 9759                                                                             | 520XMO                                                                           | 106                                  | 14 45                                                                             | 516 K           | 13-15                                                                              | 486 C<br>479 EMD            | 38,40-42,44,45,47<br>40-52<br>Hard Anodized                 |
| 250                      | EX 250 R Ninja           | 09-12      | 9760                                                                             | 520XMO                                                                           | 106                                  | 14 43                                                                             | 516 K           | 13-15                                                                              | 486 C<br>479 EMD            | 38,40-42,44,45,47<br>40-52<br>Hard Anodized                 |
| 250                      | GPX 250 R (EX 250 F)     | 88-04      |                                                                                  | 520SO                                                                            | 106                                  | 14 45                                                                             | 516 K           | 13-15                                                                              | 486 C                       | 38,40-42,44,45,47                                           |
| 250                      | KDX 250                  | 91-95      |                                                                                  | 520MXZ4                                                                          | 112                                  | 14 48                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 250                      | KLR 250 (KL 250 D)       | 84-05      | 9318                                                                             | 520XMO                                                                           | 104                                  | 15 44                                                                             | 516 K           | 13-15                                                                              | 475 C                       | 37,42,44                                                    |
|                          |                          |            | 9318B                                                                            | 520SO                                                                            | 104                                  |                                                                                   |                 |                                                                                    |                             |                                                             |
| 250                      | KLX 250 (Trail)          | 93-99      |                                                                                  | 520XMO                                                                           | 108                                  | 14 42                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 467 C                       | 47,48,50,54                                                 |
| 250                      | KLX 250 R (Enduro)       | 93-99      | 7609                                                                             | 520SO                                                                            | 110                                  | 14 50                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 467 C                       | 47,48,50,54                                                 |
| 250                      | KLX 250 S                | 09-12      | 9761                                                                             | 520SO                                                                            | 106                                  | 14 42                                                                             | 516 K           | 13-15                                                                              | 460 ESM                     | 42-46                                                       |
| 250                      | KLX 250 SF               | 09-10      |                                                                                  | 520SO                                                                            | 104                                  | 14 39                                                                             | 516 K           | 13-15                                                                              | 460 ESM                     | 42-46                                                       |
| 250                      | KR 250 (KR1)             | 89-92      |                                                                                  | 520SO                                                                            | 106                                  | 15 40                                                                             | 516 K           | 13-15                                                                              | 472 C                       | 40                                                          |
| 250                      | KX 250                   | 84-86      |                                                                                  | 520MXZ4                                                                          | 114                                  | 14 48                                                                             | 507 K           | 14, 15                                                                             | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 250                      | KX 250                   | 87-91      |                                                                                  | 520MXZ4                                                                          | 114                                  | 14 48                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 250                      | KX 250 J                 | 92-98      | 9551                                                                             | 520MXZ4                                                                          | 114                                  | 14 49                                                                             | 569 K<br>569 KC | 13-17<br>14                                                                        | 460 EC<br>460 PX            | 47-53<br>48-51<br>Green, Black 48-52<br>pro-3ttema          |
| 250                      | KX 250 L                 | 99-01      | 9552                                                                             | 520MXZ4                                                                          | 114                                  | 13 49                                                                             | 565 K<br>565 KC | 11-16<br>13-15                                                                     | 460 EC<br>460 PX<br>460 ESM | 47-53<br>48-51<br>42-46<br>Green, Black 48-52<br>pro-3ttema |



| 廠牌與車型<br>Marca e Modello |                             | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                                                                         |
|--------------------------|-----------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
|                          |                             |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                                                                              |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 479 ED                                                                                             | 43<br>Hard Anodized                                                                     |
| 600                      | GPZ 600 R (ZX)              | 85-89      | 7616                                                                                          | 530SO 102                                                                                        | 15 39                                | 513 K                                                                                              | 15,16,18   | 479 C<br>479 THF<br>479 ED                                                                         | 38,39,42-49<br>39,42-49<br>43<br><b>Long Lasting</b><br>Hard Anodized                   |
| 600                      | KLR 600 S                   | 84-95      | 7617<br>7617B                                                                                 | 520XSO 104<br>520SO 104                                                                          | 15 43                                | 516 K                                                                                              | 13-15      | 477 C                                                                                              | 43                                                                                      |
| 600                      | ZX-6R (ZX600F)              | 95-97      | 7771                                                                                          | 525XSO 108                                                                                       | 15 40                                | 4023 K                                                                                             | 14, 15     | 498 C<br>498 THF<br>498 ED                                                                         | 38-40,44-46<br>38-40,44-46<br>44-46<br><b>Long Lasting</b><br>Hard Anodized             |
|                          | ZX-6R (ZX600F) #520         | 95-97      |                                                                                               | 520GXW 108                                                                                       |                                      | 4023 KM                                                                                            | 15         | 499 EMD                                                                                            | 40-47<br>Hard Anodized                                                                  |
| 600                      | ZX-6R (ZX600)               | 98-02      | 9007                                                                                          | 525XSO 108                                                                                       | 15 40                                | 4044 K                                                                                             | 14-16      | 2031 C<br>2031 THF<br>2031 ED                                                                      | 38-43<br>38-43<br>40-44<br><b>Long Lasting</b><br>Hard Anodized                         |
|                          | ZX-6R (ZX600) #520          | 98-02      |                                                                                               | 520GXW 108                                                                                       |                                      | 4044 KM                                                                                            | 14-16      | 2031 EMD                                                                                           | 38-48<br>Hard Anodized                                                                  |
| 600                      | ZX-6RR, ZX-6R (636cc) Ninja | 03-04      | 7786                                                                                          | 520XSO 108                                                                                       | 15 40                                | 4044 KM                                                                                            | 14-16      | 2102 C<br>2031 EMD                                                                                 | 39-41,43-46<br>38-48<br>Hard Anodized                                                   |
| 600                      | ZX-6RR, ZX-6R (636cc) Ninja | 05-06      | 9005                                                                                          | 520XSO 110                                                                                       | 15 43                                | 4044 KM                                                                                            | 14-16      | 2102 C<br>2031 EMD                                                                                 | 39-41,43-46<br>38-48<br>Hard Anodized                                                   |
| 3                        | 600 ZX-6R Ninja             | 07-13      | 9554                                                                                          | 520XSO 112                                                                                       | 16 43                                | 4086 K                                                                                             | 15, 16     | 2102 C<br>2031 EMD                                                                                 | 39-41,43-46<br>38-48<br>Hard Anodized                                                   |
| 600                      | ZZ-R 600 (ZX)               | 90-92      | 7620                                                                                          | 530SO 110                                                                                        | 15 45                                | 566 K                                                                                              | 14-18      | 499 C<br>499 THF<br>499 ED                                                                         | 38-40,42,43,45,46,48<br>38-40,43<br>38,39,43,44<br><b>Long Lasting</b><br>Hard Anodized |
| 600                      | ZZ-R 600 (ZX)               | 93-05      | 7621<br>7621B                                                                                 | 530XSO 112<br>530SO 112                                                                          | 16 48                                | 566 K                                                                                              | 14-18      | 499 C<br>499 THF<br>499 ED                                                                         | 38-40,42,43,45,46,48<br>38-40,43<br>38,39,43,44<br><b>Long Lasting</b><br>Hard Anodized |
| 600                      | ZZ-R 600 (ZX)               | 06-08      |                                                                                               | 525XSO 108                                                                                       | 15 40                                | 4044 K                                                                                             | 14-16      | 2031 THF<br>2031 C<br>2031 ED                                                                      | 38-43<br>38-43<br>40-44<br>Hard Anodized                                                |
| 3                        | 650 ER 6 F, ER 6 N          | 06-13      | 9090                                                                                          | 520XSO 114                                                                                       | 15 46                                | 565 K                                                                                              | 11-16      | 2102 C<br>2031 EMD                                                                                 | 39-41,43-46<br>38-48<br>Hard Anodized                                                   |
| 650                      | KL 650 E                    | 2009       | 7624                                                                                          | 520XSO 106                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLR 650 A, E                | 90-10      | 7624                                                                                          | 520XSO 106                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLR 650 B Tengai            | 87-90      | 7623                                                                                          | 520SO 106                                                                                        | 15 43                                | 516 K                                                                                              | 13-15      | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLR650 B Tengai             | 91-92      | 7624                                                                                          | 520XSO 106                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLR 650 C                   | 95-04      | 7622                                                                                          | 520XSO 106                                                                                       | 15 42                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 3                        | 650 KLR 650 E               | 11-13      | 7624                                                                                          | 520XSO 106                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLX 650                     | 93-96      | 9332                                                                                          | 520XSO 112                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLX 650 R                   | 99-01      | 9332                                                                                          | 520XSO 112                                                                                       | 15 43                                | 511 K                                                                                              | 14, 15     | 487 C                                                                                              | 38,42-44,46                                                                             |
| 650                      | KLX 650 R                   | 93-98      | 9333                                                                                          | 520XSO 110                                                                                       | 14 49                                | 511 K                                                                                              | 14, 15     | 460 EC                                                                                             | 47-53<br>Green, Black 48-52                                                             |
| 3                        | 650 KLE 650 Versys 650      | 07-13      | 9090                                                                                          | 520XSO 114                                                                                       | 15 46                                | 565 K                                                                                              | 11-16      | 2102 C<br>2031 EMD                                                                                 | 39-41,43-46<br>38-48<br>Hard Anodized                                                   |
| 650                      | W 650 (EJ650)               | 99-05      |                                                                                               | 525XSO 104                                                                                       | 15 39                                | 520 K                                                                                              | 14-17      | 498 THF<br>498 C<br>498 ED                                                                         | 38-40,44-46<br>38-40,44-46<br>44-46<br>Hard Anodized                                    |
| 650                      | Z 650                       | 1979       |                                                                                               | 530SO 102                                                                                        | 16 42                                | 566 K                                                                                              | 14-18      | 481 C                                                                                              | 42                                                                                      |
| 650                      | Z 650                       | 78-79      |                                                                                               | 530SO 102                                                                                        | 16 42                                | 566 K                                                                                              | 14-18      | 488 C<br>488 THF<br>488 ED                                                                         | 38,40-42,44-46<br>38,40-42,44-45<br>41<br><b>Long Lasting</b><br>Hard Anodized          |
| 650                      | Z 650 F2                    | 79-83      |                                                                                               | 630SO 84                                                                                         | 13 33                                | 518 K                                                                                              | 13-15      | 501 C                                                                                              | 33,35,38,41                                                                             |
| 650                      | Z 650 SR                    | 79-80      |                                                                                               | 530SO 104                                                                                        | 16 40                                | 566 K                                                                                              | 14-18      | 488 THF<br>488 C<br>488 ED                                                                         | 38,40-42,44-45<br>38,40-42,44-46<br>41<br>Hard Anodized                                 |
| 750                      | GPX 750 R (ZX)              | 87-90      |                                                                                               | 530HFO 110                                                                                       | 16 47                                | 513 K                                                                                              | 15,16,18   | 502 C                                                                                              | 40,44,45,47-49                                                                          |
| 750                      | GPZ 750 Unitrak             | 83-89      |                                                                                               | 630SO 94                                                                                         | 15 38                                | 514 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                                                                             |
| 750                      | GPZ 750 R (ZX)              | 85-88      |                                                                                               | 530HFO 112                                                                                       | 16 49                                | 517 K                                                                                              | 16-18      | 502 C                                                                                              | 40,44,45,47-49                                                                          |
| 750                      | Z 750                       | 80-82      |                                                                                               | 630SO 84                                                                                         | 13 33                                | 518 K                                                                                              | 13-15      | 501 C                                                                                              | 33,35,38,41                                                                             |
| 750                      | Z 750 LTD Twin2             | 77-82      |                                                                                               | 530HFO 106                                                                                       | 16 38                                | 566 K                                                                                              | 14-18      | 488 THF<br>488 C<br>488 ED                                                                         | 38,40-42,44-45<br>38,40-42,44-46<br>41<br><b>Long Lasting</b><br>Hard Anodized          |
| 750                      | Z 750 R                     | 82-87      |                                                                                               | 630SO 88                                                                                         | 13 33                                | 518 K                                                                                              | 13-15      | 501 C                                                                                              | 33,35,38,41                                                                             |
| 3                        | 750 Z 750, Z 750 S, Z750 R  | 04-13      | 7790                                                                                          | 520GXW 112                                                                                       | 15 43                                | 4065 K                                                                                             | 14, 15     | 478 C<br>2031 EMD                                                                                  | 38,43-45<br>38-48<br>Hard Anodized                                                      |
| 750                      | ZR 750 Zephyr               | 91-94      | 9091<br>9091B                                                                                 | 525XSO 106<br>525SO 106                                                                          | 15 39                                | 520 K                                                                                              | 14-17      | 498 C<br>498 THF<br>498 ED                                                                         | 38-40,44-46<br>38-40,44-46<br>44-46<br><b>Long Lasting</b><br>Hard Anodized             |
| 750                      | ZR 750 Zephyr               | 95-99      | 9092<br>9092B                                                                                 | 525XSO 106<br>525SO 106                                                                          | 15 39                                | 4031 K                                                                                             | 15         | 498 C<br>498 THF<br>498 ED                                                                         | 38-40,44-46<br>38-40,44-46<br>44-46<br><b>Long Lasting</b><br>Hard Anodized             |
| 750                      | ZR-7 S                      | 99-04      | 7627<br>7627B                                                                                 | 525GXW 108<br>525XSO 108                                                                         | 16 38                                | 520 K                                                                                              | 14-17      | 498 THF<br>498 C<br>498 ED                                                                         | 38-40,44-46<br>38-40,44-46<br>44-46<br>Hard Anodized                                    |
| 750                      | ZX-7R Ninja #520            | 96-04      | 7628<br>7628B                                                                                 | 525GXW 110<br>525XSO 110                                                                         | 16 43                                | 520 K                                                                                              | 14-17      | 2031 THF<br>2031 C<br>2031 ED                                                                      | 38-43<br>38-43<br>40-44<br>Hard Anodized                                                |
|                          | ZX-7R Ninja #520            | 96-04      |                                                                                               | 520GXW 110                                                                                       |                                      | 520 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48<br>Hard Anodized                                                                  |
| 750                      | ZX-7RR                      | 91-92      |                                                                                               | 530GXW 108                                                                                       | 17 42                                | 566 K                                                                                              | 14-18      | 488 THF<br>488 C<br>488 ED                                                                         | 38,40-42,44-45<br>38,40-42,44-46<br>41<br>Hard Anodized                                 |
| 750                      | ZX-7RR                      | 1993       |                                                                                               | 530HFO 108                                                                                       | 16 41                                | 566 K                                                                                              | 14-18      | 488 THF<br>488 C<br>488 ED                                                                         | 38,40-42,44-45<br>38,40-42,44-46<br>41<br>Hard Anodized                                 |
| 750                      | ZX-7RR                      | 94-95      |                                                                                               | 530HFO 108                                                                                       | 17 41                                | 566 K                                                                                              | 14-18      | 488 THF<br>488 C<br>488 ED                                                                         | 38,40-42,44-45<br>38,40-42,44-46<br>41<br><b>Long Lasting</b><br>Hard Anodized          |
| 750                      | ZX-7RR                      | 96-04      | 7629<br>7629B                                                                                 | 525GXW 108<br>525XSO 108                                                                         | 16 42                                | 520 K                                                                                              | 14-17      | 2031 THF<br>2031 C                                                                                 | 38-43<br>38-43<br><b>Long Lasting</b>                                                   |

| 廠牌與車型<br>Marca e Modello |                             | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                             |
|--------------------------|-----------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|-----------------------------|
|                          |                             |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                  |
|                          | ZX-7RR #520                 | 96-04      |                                                                                               | 520GXW 108                                                                                       |                                      | 520 KM                                                                                             | 14-17      | 2031 ED                                                                                            | 40-44 Hard Anodized         |
| 750                      | ZXR 750 (ZX)                | 1989       | 9338                                                                                          | 530XSO 112                                                                                       | 16 46                                | 566 K                                                                                              | 14-18      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          |                             |            | 9338B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |            | 499 C                                                                                              | 38-40,42,43,45,46,48        |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 THF                                                                                            | 38-40,43 Long Lasting       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 ED                                                                                             | 38,39,43,44 Hard Anodized   |
| 750                      | ZXR 750 (ZX)                | 1990       | 9339                                                                                          | 530XSO 112                                                                                       | 16 46                                | 566 K                                                                                              | 14-18      | 488 C                                                                                              | 38,40-42,44-46              |
|                          |                             |            | 9339B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |            | 488 THF                                                                                            | 38,40-42,44-45 Long Lasting |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 ED                                                                                             | 41 Hard Anodized            |
| 750                      | ZXR 750 R (ZX7R)            | 91-92      | 9558                                                                                          | 530XSO 110                                                                                       | 16 45                                | 566 K                                                                                              | 14-18      | 488 THF                                                                                            | 38,40-42,44-45 Long Lasting |
|                          |                             |            | 9558B                                                                                         | 530SO 110                                                                                        |                                      |                                                                                                    |            | 488 C                                                                                              | 38,40-42,44-46              |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 ED                                                                                             | 41 Hard Anodized            |
| 750                      | ZXR 750 R (ZX7R)            | 93-95      | 7630                                                                                          | 530XSO 110                                                                                       | 16 44                                | 566 K                                                                                              | 14-18      | 488 THF                                                                                            | 38,40-42,44-45 Long Lasting |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 C                                                                                              | 38,40-42,44-46              |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 ED                                                                                             | 41 Hard Anodized            |
| 800                      | VN 800 Classic              | 96-05      | 7633                                                                                          | 530XSO 112                                                                                       | 17 42                                | 566 K                                                                                              | 14-18      | 499 C                                                                                              | 38-40,42,43,45,46,48        |
|                          |                             |            | 7633B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |            | 499 THF                                                                                            | 38-40,43 Long Lasting       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 ED                                                                                             | 38,39,43,44 Hard Anodized   |
| 800                      | VN 800 Drifter              | 99-01      | 7634                                                                                          | 530XSO 112                                                                                       | 17 40                                | 566 K                                                                                              | 14-18      | 499 C                                                                                              | 38-40,42,43,45,46,48        |
|                          |                             |            | 7634B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |            | 499 THF                                                                                            | 38-40,43 Long Lasting       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 ED                                                                                             | 38,39,43,44 Hard Anodized   |
| 800                      | VN 800 Vulcan               | 95-96      | 7631                                                                                          | 530SO 114                                                                                        | 16 46                                | 566 K                                                                                              | 14-18      | 499 C                                                                                              | 38-40,42,43,45,46,48        |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 THF                                                                                            | 38-40,43 Long Lasting       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 ED                                                                                             | 38,39,43,44 Hard Anodized   |
| 800                      | VN 800 Vulcan               | 97-06      | 7632                                                                                          | 530XSO 114                                                                                       | 17 42                                | 566 K                                                                                              | 14-18      | 499 C                                                                                              | 38-40,42,43,45,46,48        |
|                          |                             |            | 7632B                                                                                         | 530SO 114                                                                                        |                                      |                                                                                                    |            | 499 THF                                                                                            | 38-40,43 Long Lasting       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 499 ED                                                                                             | 38,39,43,44 Hard Anodized   |
| 2013                     | 800 W 800 (EJ800)           | 11-13      |                                                                                               | 520GXW                                                                                           | 15 37                                |                                                                                                    |            | 499 EMD                                                                                            | 40-47 Hard Anodized         |
| 2013                     | 800 Z 800, Z800e            | 2013       |                                                                                               | 520GXW 114                                                                                       | 15 45                                |                                                                                                    |            |                                                                                                    |                             |
|                          | 900 Z 900                   | 73-75      |                                                                                               | 630SO 92                                                                                         | 15 35                                | 518 K                                                                                              | 13-15      |                                                                                                    |                             |
|                          | 900 Z 900                   | 1976       |                                                                                               | 630SO 92                                                                                         | 15 33                                | 521 K                                                                                              | 15         |                                                                                                    |                             |
|                          | 900 ZX-9R Ninja             | 94-97      | 7635                                                                                          | 530XSO 112                                                                                       | 16 44                                | 566 K                                                                                              | 14-18      | 488 THF                                                                                            | 38,40-42,44-45 Long Lasting |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 C                                                                                              | 38,40-42,44-46              |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 ED                                                                                             | 41 Hard Anodized            |
|                          | ZX-9R Ninja #520            | 94-97      |                                                                                               | 520GXW 112                                                                                       |                                      | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 900 ZX-9R Ninja             | 98-01      | 7636                                                                                          | 530GXW 110                                                                                       | 16 41                                | 566 K                                                                                              | 14-18      | 488 THF                                                                                            | 38,40-42,44-45 Long Lasting |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 C                                                                                              | 38,40-42,44-46              |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 488 ED                                                                                             | 41 Hard Anodized            |
|                          | ZX-9R Ninja #520            | 98-01      |                                                                                               | 520GXW 110                                                                                       |                                      | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 900 ZX-9R Ninja             | 02-04      | 9095                                                                                          | 525GXW 110                                                                                       | 16 41                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            | 9762                                                                                          |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | ZX-9R #520                  | 02-04      |                                                                                               | 520GXW 110                                                                                       |                                      | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
| 2013                     | 1000 KLZ 1000 Versys        | 12-13      | 9763                                                                                          | 525GXW 116                                                                                       | 15 43                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 KLZ 1000 Versys        | 12-13      |                                                                                               | 520GXW 116                                                                                       | 15 43                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 Z 1000                 | 74-80      |                                                                                               | 630SO 94                                                                                         | 15 35                                | 521 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                 |
|                          | 1000 Z 1000 (Z1R)           | 78-80      |                                                                                               | 630SO 92                                                                                         | 15 33                                | 521 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                 |
|                          | 1000 Z 1000 J               | 81-83      |                                                                                               | 630SO 98                                                                                         | 15 41                                | 522 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                 |
|                          | 1000 Z 1000                 | 03-07      | 7791                                                                                          | 525GXW 112                                                                                       | 16 42                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 Z 1000 #520            | 03-07      |                                                                                               | 520GXW 112                                                                                       | 16 42                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 Z 1000                 | 08-09      | 9656                                                                                          | 525GXW 112                                                                                       | 15 40                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 Z 1000 #520            | 08-09      |                                                                                               | 520GXW 112                                                                                       | 15 40                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
| 2013                     | 1000 Z 1000 (ZR1000)        | 10-13      | 9764                                                                                          | 525GXW 112                                                                                       | 15 42                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 Z 1000 #520            | 10-13      |                                                                                               | 520GXW 112                                                                                       | 15 42                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
| 2013                     | 1000 Z 1000 SX              | 11-13      | 9765                                                                                          | 525GXW 112                                                                                       | 15 41                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 Z 1000 SX #520         | 10-13      |                                                                                               | 520GXW 112                                                                                       | 15 41                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 ZX 1000 (ZX10) #530    | 88-90      | 9345                                                                                          | 530GXW 110                                                                                       | 17 45                                | 527 K                                                                                              | 17         | 502 C                                                                                              | 40,44,45,47-49              |
|                          | 1000 ZX-10R Ninja           | 04-05      | 9011                                                                                          | 525GXW 110                                                                                       | 17 39                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 ZX-10R Ninja #520      | 04-05      |                                                                                               | 520GXW 110                                                                                       | 17 39                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 ZX-10R Ninja           | 06-07      | 9560                                                                                          | 525GXW 110                                                                                       | 17 40                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 ZX-10R Ninja #520      | 06-07      |                                                                                               | 520GXW 110                                                                                       | 17 40                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 ZX-10R Ninja           | 08-10      | 9657                                                                                          | 525GXW 110                                                                                       | 17 41                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 ZX-10R Ninja #520      | 08-10      |                                                                                               | 520GXW 110                                                                                       | 17 41                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
| 2013                     | 1000 ZX-10R Ninja, ABS      | 11-13      | 9766                                                                                          | 525GXW 112                                                                                       | 17 39                                | 4064 K                                                                                             | 14-17      | 2031 THF                                                                                           | 38-43 Long Lasting          |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 C                                                                                             | 38-43                       |
|                          |                             |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2031 ED                                                                                            | 40-44 Hard Anodized         |
|                          | 1000 ZX-10R Ninja, ABS #520 | 11-13      |                                                                                               | 520GXW 112                                                                                       | 17 39                                | 566 KM                                                                                             | 14-17      | 2031 EMD                                                                                           | 38-48 Hard Anodized         |
|                          | 1000 GPZ 1000 (RX) #630     | 86-89      | 9349                                                                                          | 630SO 94                                                                                         | 15 40                                | 526 K                                                                                              | 15         | 506 C                                                                                              | 40                          |
|                          | 1100 GPZ 1100 (ZX)          | 81-82      |                                                                                               | 630SO 98                                                                                         | 15 41                                | 522 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                 |
|                          | 1100 GPZ 1100 (ZX) Unitrak  | 83-85      |                                                                                               | 630SO 100                                                                                        | 15 41                                | 523 K                                                                                              | 15         | 501 C                                                                                              | 33,35,38,41                 |
|                          | 1100 GPZ 1100 (ZX)          | 95-99      | 7637                                                                                          | 530GXW 112                                                                                       | 17 45                                | 4024 K                                                                                             | 17         | 502 C                                                                                              | 40,44,45,47-49              |
|                          | 1100 GPZ 1100 ABS           | 1996       |                                                                                               | 530GXW 112                                                                                       | 17 45                                | 4024 K                                                                                             | 17         | 502 C                                                                                              | 40,44,45,47-49              |

| 廠牌與車型<br>Marca e Modello |                            | 年份<br>anno |  KIT<br>料號 |  鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali |  前齒<br>pignone |            |  後齒<br>corona |                                                                                       |
|--------------------------|----------------------------|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                          |                            |            |                                                                                            |                                                                                               |                                      | 料號                                                                                              | 齒數 - denti | 料號                                                                                              | 齒數 - denti                                                                            |
| 1100                     | Z 1100 R1-2                | 84-86      |                                                                                            | 630SO 98                                                                                      | 15 41                                | 522 K                                                                                           | 15         | 501 C                                                                                           | 33,35,38,41                                                                           |
| 1100                     | ZR 1100 A1-4 Zephyr        | 92-96      |                                                                                            | 530GXW 114                                                                                    | 16 45                                | 517 K                                                                                           | 16-18      | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1100                     | ZR 1100 Zephyr             | 92-96      | 7638                                                                                       | 530GXW 116                                                                                    | 16 48                                | 517 K                                                                                           | 16-18      | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1100                     | ZRX 1100                   | 96-98      | 9350                                                                                       | 530GXW 110                                                                                    | 17 45                                | 4024 K                                                                                          | 17         | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1100                     | ZZR 1100 (ZX11)            | 90-93      | 7639                                                                                       | 530GXW 110                                                                                    | 17 45                                | 528 K                                                                                           | 17         | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1100                     | ZZR 1100 (ZX11)            | 93-97      | 7640                                                                                       | 530GXW 110                                                                                    | 17 45                                | 517 K                                                                                           | 16-18      | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1100                     | ZZR 1100 (ZX11)            | 98-01      | 7641                                                                                       | 530GXW 110                                                                                    | 17 44                                | 517 K                                                                                           | 16-18      | 502 C                                                                                           | 40,44,45,47-49                                                                        |
| 1200                     | ZX-12R Ninja               | 00-06      | 7642                                                                                       | 530GXW 116                                                                                    | 18 -46                               | 517 K                                                                                           | 16-18      | 488 THF<br>488 C<br>488 ED                                                                      | 38,40-42,44-45<br>38,40-42,44-46<br>41<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
| 1200                     | ZXR 1200 - ZRX             | 01-08      | 7643                                                                                       | 530GXW 110                                                                                    | 17 42                                | 4024 K                                                                                          | 17         | 488 THF<br>488 C<br>488 ED                                                                      | 38,40-42,44-45<br>38,40-42,44-46<br>41<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
| 1200                     | ZZR 1200                   | 02-05      | 7644                                                                                       | 530GXW 112                                                                                    | 17 44                                | 517 K                                                                                           | 16-18      | 488 THF<br>488 C<br>488 ED                                                                      | 38,40-42,44-45<br>38,40-42,44-46<br>41<br><i>Long Lasting</i><br><i>Hard Anodized</i> |
| 2013                     | 1400 ZX 14 (ZX 1400) Ninja | 07-11      |                                                                                            | 530GXW 116                                                                                    | 17 41                                | 517 K                                                                                           | 16-18      |                                                                                                 |                                                                                       |
|                          | 1400 ZX 14 (ZX 1400) Ninja | 12-13      |                                                                                            | 530GXW 116                                                                                    | 17 42                                | 517 K                                                                                           | 16-18      |                                                                                                 |                                                                                       |
|                          | 1400 ZZR 1400              | 06-11      |                                                                                            | 530GXW 116                                                                                    | 17 41                                | 517 K                                                                                           | 16-18      |                                                                                                 |                                                                                       |
|                          | 1400 ZZR 1400              | 12-13      |                                                                                            | 530GXW 116                                                                                    | 17 42                                | 517 K                                                                                           | 16-18      |                                                                                                 |                                                                                       |

## Kawasaki Quads

|     |                |       |  |              |       |        |       |        |       |
|-----|----------------|-------|--|--------------|-------|--------|-------|--------|-------|
| 400 | KFX400, KSF400 | 03-06 |  | GB520EXW 112 | 14 40 | 4072 K | 13-15 | 2114 C | 39-41 |
| 450 | KFX450R        | 08-13 |  | GB520EXW 94  | 14 38 | 512 K  | 15-17 | 486 C  |       |

## Kineo wheels

|                           |  |  |     |  |  |  |  |          |       |               |
|---------------------------|--|--|-----|--|--|--|--|----------|-------|---------------|
| #520 122 x 140 x 8 x 10,5 |  |  | 520 |  |  |  |  | 9001 ED  | 41-46 | Hard Anodized |
| #525 122 x 140 x 8 x 10,5 |  |  | 525 |  |  |  |  | 9001 ECD | 47-52 | Hard Anodized |
| #520 85 x 105 x 8 x 10,5  |  |  | 520 |  |  |  |  | 9005 ED  | 43-48 | Hard Anodized |
| #525 85 x 105 x 8 x 10,5  |  |  | 525 |  |  |  |  | 9002 ED  | 42-46 | Hard Anodized |
| #525 85 x 105 x 8 x 10,5  |  |  | 525 |  |  |  |  | 9003 ED  | 36-51 | Hard Anodized |
| #530 85 x 105 x 8 x 10,5  |  |  | 530 |  |  |  |  | 9004 ED  | 38-45 | Hard Anodized |

## KTM

|     |                         |       |      |             |       |                   |                |                                      |                                                                                                 |
|-----|-------------------------|-------|------|-------------|-------|-------------------|----------------|--------------------------------------|-------------------------------------------------------------------------------------------------|
| 50  | EXC50                   | 96-03 |      | 428MXZ 138  | 12 56 | 1492 K            | 10-12          | 2092 E                               | 50,52,56                                                                                        |
| 65  | SX65                    | 03-12 |      | 420MXZ 112  | 14 50 | 4058 K            | 13, 14         | 2088 E                               | 46,48,50-54                                                                                     |
| 85  | SX85 17"/14"            | 2003  |      | 428MXZ 120  | 13 46 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 85  | S 85 17"/14"            | 2004  |      | 428MXZ 122  | 14 46 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 85  | SX85 17"/14"            | 05-12 |      | 428MXZ 122  | 14 46 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 85  | SX85 Big Wheels 19"/16" | 05-12 |      | 428MXZ 124  | 14 49 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 85  | XC85                    | 08-09 |      | 428MXZ 124  | 14 46 | 4070 K            | 12-14          | 2095 E                               | 46,48-50                                                                                        |
| 105 | EXC105                  | 2008  |      | 428MXZ 116  | 14 49 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 105 | XC105                   | 08-09 |      | 428MXZ 124  | 14 49 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 105 | SX105                   | 07-12 |      | 428MXZ 124  | 14 49 | 4070 K            | 12-14          | 2095 E                               | 46,48-54                                                                                        |
| 125 | Duke 125                | 11-12 |      | 520         | 14 45 |                   | 14             | 279 C<br>2034 C                      | 31-33,35,39,40,45<br>39,41,44                                                                   |
| 125 | EXC125, LC2             | 96-97 |      | 520MXZ4 118 | 13 48 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C            | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me          |
| 125 | EXC 125                 | 11-12 | 9470 | 520MXZ4 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me |
| 125 | GS                      | 88-90 |      | 520MXZ4 118 | 13 48 | 1248 K<br>1248 KC | 12-15<br>12-14 | 896 E                                | 48,50,52                                                                                        |
| 125 | GS                      | 91-93 |      | 520MXZ4 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 C                      | 46-53<br>38,40,42,48,50,52<br>Orange, Black 48-52                                               |
| 125 | MX                      | 88-90 |      | 520MXZ4 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 896 E                                | 48,50,52                                                                                        |
| 125 | MX                      | 91-92 |      | 520MXZ4 118 | 13 48 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 C                      | 46-53<br>38,40,42,48,50,52<br>Orange, Black 48-52                                               |
| 125 | SM                      | 2000  |      | 520MXZ4 114 | 14 38 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 ESM<br>897 C                     | 36-45<br>38,40,42,48,50,52                                                                      |
| 125 | SX 125                  | 93-12 |      | 520MXZ4 118 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me |
| 144 | SX 144                  | 08-12 |      | 520MXZ4 118 | 14 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me |
| 150 | SX 150                  | 08-12 |      | 520MXZ4 120 | 14 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 ESM<br>897 C           | 46-53<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52                                      |
| 150 | XC150                   | 10-12 |      | 520MXZ4 120 | 13 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me |
| 200 | Duke                    | 11-12 |      | 520         | 43    |                   |                | 279 C<br>2034 C                      | 40, 45<br>41, 44                                                                                |
| 200 | EXC200                  | 98-03 | 9471 | 520MXZ4 118 | 14 50 | 1248 K<br>1248 KC | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>Elite</del> me |
| 200 | EXC200                  | 2004  |      | 520MXZ4 118 | 14 48 | 1248 K            | 12-15          | 897 EC                               | 46-53<br>Orange, Black 48-52                                                                    |

| 廠牌與車型<br>Marca e Modello |                      | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                | <br>後齒<br>corona |                                                                                                 |
|--------------------------|----------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
|                          |                      |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti     | 料號                                                                                                 | 齒數 - denti                                                                                      |
|                          |                      |            |                                                                                               |                                                                                                  |                                      | 1248 KC                                                                                            | 12-14          | 897 PX<br>897 ESM<br>897 C                                                                         | 48-52<br>36-45<br>38,40,42,48,50,52<br>pro- <del>alt</del> time                                 |
| 200                      | EXC 200 / EXC-W200   | 05-12      |                                                                                               | 520MXZ4 118                                                                                      | 14 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 200                      | SX 200               | 03-        | 9562                                                                                          | 520MXZ4 116                                                                                      | 14 45                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 ESM<br>897 C                                                                         | 46-53<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52                                      |
| 250                      | EXC 250 / EXC-F250   | 96-97      | 9471                                                                                          | 520MXZ4 118                                                                                      | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | EXC 250 / EXC-F250   | 1998       | 9474                                                                                          | 520MXZ4 118                                                                                      | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | EXC 250 / EXC-F250   | 99-04      | 9474                                                                                          | 520MXZ4 118                                                                                      | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | EXC 250 / EXC-F250   | 05-12      |                                                                                               | 520XMO 118                                                                                       | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | GS                   | 85-89      |                                                                                               | 520XSO 118                                                                                       | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 896 E                                                                                              | 48,50,52                                                                                        |
| 250                      | GS                   | 90-94      | 9563                                                                                          | 520SO 118                                                                                        | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | MX                   | 85-90      |                                                                                               | 520MXZ4 116                                                                                      | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 896 E                                                                                              | 48,50,52                                                                                        |
| 250                      | SX250                | 93-12      | 9564                                                                                          | 520MXZ4 116                                                                                      | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | SX-F250              | 06-12      | 9730                                                                                          | 520MXZ4 116                                                                                      | 13 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | XC250                | 07-09      |                                                                                               | 520XMO 114                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | XC-W250 (E)          | 08-09      |                                                                                               | 520XMO 114                                                                                       | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 250                      | XC-F250 / XCF-W250   | 07-09      |                                                                                               | 520XMO SMO                                                                                       | 13 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 300                      | EXC 300 / EXC-W300   | 95-04      | 9477                                                                                          | 520SO 116                                                                                        | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 300                      | EXC 300/ EXC-W300    | 05-08      |                                                                                               | 520XMO 116                                                                                       | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 300                      | EXC 300 / EXC-W300   | 09-12      | 9732                                                                                          | 520XMO 116                                                                                       | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 300                      | GS                   | 90-94      |                                                                                               | 520XSO 118                                                                                       | 15 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 300                      | SX                   | 93-95      |                                                                                               | 520MXZ4 118                                                                                      | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 300                      | XC300                | 08-09      |                                                                                               | 520XMO                                                                                           | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 350                      | EXC-F250 , EXCF-W250 | 11-12      |                                                                                               | 520XMO                                                                                           | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br>48-52<br>36-45<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time |
| 350                      | Freeride             | 2012       |                                                                                               | 520XMO                                                                                           |                                      |                                                                                                    |                |                                                                                                    |                                                                                                 |
| 350                      | GS                   | 81-84      |                                                                                               | 520XSO 118                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 896 E                                                                                              | 48,50,52                                                                                        |
| 350                      | GS                   | 85-90      |                                                                                               | 520XSO 118                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 896 E                                                                                              | 48,50,52                                                                                        |
| 350                      | SX-F350              | 10-12      | 9731                                                                                          | 520MXZ4 118                                                                                      | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |
| 350                      | SX-F350              | 2013       |                                                                                               | 520MXZ4 118                                                                                      | 15 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 C                                                                          | 46-53<br>48-52<br>38,40,42,48,50,52<br>Orange, Black 48-52<br>pro- <del>alt</del> time          |

| 廠牌與車型<br>Marca e Modello |                     | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                | <br>後齒<br>corona |                                                                                                                                     |
|--------------------------|---------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
|                          |                     |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti     | 料號                                                                                                 | 齒數 - denti                                                                                                                          |
| 350                      | LC4                 | 1993       |                                                                                               | 520XSO 118                                                                                       | 15 50                                | 4021 K<br>4021 KC                                                                                  | 13-17<br>13-15 | 897 EC<br><b>897 PX</b><br>897 C                                                                   | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                     |
| 360                      | EXC                 | 95-97      |                                                                                               | 520XMO 118                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 C                                                                   | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                     |
|                          | SX 4T               | 96-97      |                                                                                               |                                                                                                  |                                      |                                                                                                    |                |                                                                                                    |                                                                                                                                     |
| 380                      | EXC380, SX-F380     | 98-02      |                                                                                               | 520XMO 118                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 400                      | Duke                | 94-96      |                                                                                               | 520XSO 118                                                                                       | 16 42                                | 4021 K<br>4021 KC                                                                                  | 13-17<br>13-15 | 897 C<br>897 ESM                                                                                   | 38,40,42,48,50,52<br>36-45                                                                                                          |
| 400                      | EGS - LSE           | 97-98      |                                                                                               | 520XSO 118                                                                                       | 15 45                                | 4021 K<br>4021 KC                                                                                  | 13-17<br>13-15 | 897 ESM<br>897 EC<br>897 C                                                                         | 36-45<br>46-53<br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                            |
| 400                      | EXC400              | 98-07      | 9478<br><b>9478B</b>                                                                          | 520XSO 118<br><b>520SO 118</b>                                                                   | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 400                      | EXC 400 / EXC-W400  | 09-11      |                                                                                               | 520XSO 118                                                                                       | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 400                      | SC                  | 96-99      | 9478<br><b>9478B</b>                                                                          | 520XSO 118<br><b>520SO 118</b>                                                                   | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i> <i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52 |
| 400                      | SX400               | 2002       | 9566                                                                                          | 520MXZ4 116                                                                                      | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>g</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                                |
| 450                      | EXC450              | 03-08      | 9480                                                                                          | 520XSO 114                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 ESM<br>897 C                                                                         | 46-53<br>36-45<br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                            |
| 450                      | EXC-F450 / EXC-W450 | 09-12      |                                                                                               | 520XSO 116                                                                                       | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 450                      | SMR450              | 04-07      |                                                                                               | 520XSO 120                                                                                       | 14 45                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 ESM<br>897 C                                                                         | 46-53<br>36-45<br>Orange, Black 48-52<br>38,40,42,48,50,52                                                                          |
| 450                      | SMR 450             | 08-12      |                                                                                               | 520XSO 118                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 450                      | SX-F450             | 02-05      |                                                                                               | 520XSO 114                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 450                      | SX-F450             | 06-12      |                                                                                               | 520XSO 116                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 2013                     | 450 SX-F450         | 2013       |                                                                                               | 520XSO 116                                                                                       | 13 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br>897 PX<br>897 ESM<br>897 C                                                               | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br><b>38,40,42,48,50,52</b>                     |
| 500                      | EXC500              | 99-        | 9481                                                                                          | 520XSO 118                                                                                       | 14 48                                | 4021 K<br>4021 KC                                                                                  | 13-17<br>13-15 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 500                      | GS                  | 81-84      |                                                                                               | 520XSO 118                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 C                                                                   | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                     |
| 500                      | MX                  | 85-93      |                                                                                               | 520XSO 118                                                                                       | 13 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 C                                                                   | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                     |
| 500                      | SX                  | 94-96      |                                                                                               | 520XSO 118                                                                                       | 14 50                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 C                                                                   | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>38,40,42,48,50,52                                     |
| 505                      | SX-F505             | 08-09      |                                                                                               | 520XSO 118                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i> <i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52 |
| 505                      | XC-F505             | 08-09      |                                                                                               | 520XSO 116                                                                                       | 14 52                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 520                      | EXC-F505            | 99-02      | 9482                                                                                          | 520XSO 118                                                                                       | 14 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 520                      | SX-F520             | 00-04      |                                                                                               | 520XSO 118                                                                                       | 14 48                                | 1248 K<br>1248 KC                                                                                  | 12-15<br>12-14 | 897 EC<br><b>897 PX</b><br>897 ESM<br>897 C                                                        | 46-53<br><b>48-52</b><br>Orange, Black 48-52<br><i>pro-ell</i> <i>time</i><br>36-45<br>38,40,42,48,50,52                            |
| 525                      | EX-F525 Racing      | 02-04      | 9483                                                                                          | 520XSO 112                                                                                       | 14 50                                | 1248 K                                                                                             | 12-15          | 897 EC                                                                                             | 46-53<br>Orange, Black 48-52                                                                                                        |



| 廠牌與車型<br>Marca e Modello |               | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |               |
|--------------------------|---------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|---------------|
|                          |               |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti    |
| 1190                     | 1190 RC8 #520 | 08-11      |                                                                                               | 520GXW 116                                                                                       | 17 37                                | 4059 KM                                                                                            | 16, 17     | 2104 THF 38,39,40                                                                                  | Long Lasting  |
|                          | 1190 RC8      | 12-13      | 9796                                                                                          | 525GXW 116                                                                                       | 17 38                                | 4059 K                                                                                             | 16, 17     | 2104 EMD 36-40                                                                                     | Hard Anodized |
|                          | 1190 RC8      | 12-13      |                                                                                               | 525GXW 116                                                                                       | 17 38                                | 4059 K                                                                                             | 16, 17     | 2104 C 37-41                                                                                       |               |
|                          | 1190 RC8 #520 | 12-13      |                                                                                               | 520GXW 116                                                                                       | 17 38                                | 4059 KM                                                                                            | 16, 17     | 2104 THF 38,39,40                                                                                  | Long Lasting  |
|                          |               |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |            | 2104 EMD 36-40                                                                                     | Hard Anodized |

## Kymco

|     |                |       |  |          |       |     |       |     |                   |
|-----|----------------|-------|--|----------|-------|-----|-------|-----|-------------------|
| 125 | Pulsar, Sector | -97   |  | 428H 126 | 15 39 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |
| 125 | Pulsar, Sector | 01-05 |  | 428H 126 | 15 39 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |
| 125 | Pulsar II      | 08-10 |  | 428H 126 | 15 41 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |
| 125 | Sector         | 97-98 |  | 428H 110 | 15 39 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |
| 125 | Zing, Meteorit | 98-   |  | 428H 124 | 16 41 | 264 | 14-16 | 269 | 34-35,39-43,47-49 |

## Malaguti

|     |                         |       |  |          |       |      |       |        |                               |
|-----|-------------------------|-------|--|----------|-------|------|-------|--------|-------------------------------|
| 50  | Fifty CX Full, NL       | 87-92 |  | 415 104  | 13 32 | 135  | 11-14 | 3      | 26,28,30,32,34,36,40,44,48,50 |
| 50  | Fifty Evolution         | 89-92 |  | 415 124  | 13 32 | 135  | 11-14 | 3      | 26,28,30,32,34,36,40,44,48,50 |
| 50  | Fifty HF NL - Mix - Top | 91-93 |  | 415 104  | 13 32 | 135  | 11-14 | 3      | 26,28,30,32,34,36,40,44,48,50 |
| 50  | Fifty Top 3MV - AE      | 91-98 |  | 415 120  | 13 37 | 589  | 11-15 | 598    | 37                            |
| 50  | MEX-MRX-MDX-MLX         | 87-91 |  | 415 126  | 13 48 | 588  | 11-15 | 319    | 40,42,44,48,50,52             |
| 50  | NL                      | 90-98 |  | 415 110  | 14 34 | 135  | 11-14 | 3      | 26,28,30,32,34,36,40,44,48,50 |
| 50  | XTM                     | 03-   |  | 420M 126 | 11 48 | 4038 | 10-15 | 2075 C | 45,48,50,52,53                |
| 50  | XSM                     | 03-   |  | 420M 124 | 11 45 | 4038 | 10-15 | 2075 C | 45,48,50,52,53                |
| 125 | X3M ENDURO              | 07>08 |  | 428H 8 H | 14 50 | 263  | 14-16 | 2106 E | 48,50-52,54,56,58,60,62       |
| 125 | X3M MOTARD              | 07>08 |  | 428H 8 H | 14 48 | 263  | 14-16 | 2106 E | 48,50-52,54,56,58,60,62       |

## Marchesini wheels

|                          |  |  |     |  |  |  |                                                  |                                   |
|--------------------------|--|--|-----|--|--|--|--------------------------------------------------|-----------------------------------|
| 76 x 100 x 5 x 10,5 #520 |  |  | 520 |  |  |  | 2067 E 36-47<br>2067ED 35-50<br>2067 EDU-L 38-44 | Hard Anodized<br><b>Ultralite</b> |
| 76 x 100 x 5 x 10,5 #525 |  |  | 525 |  |  |  | 2094 ED 35-47                                    | Hard Anodized                     |
| 76 x 100 x 5 x 10,5 #530 |  |  | 530 |  |  |  | 2105 ED 39-47                                    | Hard Anodized                     |

## Marvic wheels

|                          |  |  |     |  |  |  |                               |               |
|--------------------------|--|--|-----|--|--|--|-------------------------------|---------------|
| 80 x 100 x 6 x 10,5 #520 |  |  | 520 |  |  |  | 2100 E 41-46<br>2100 ED 37-46 | Hard Anodized |
| 80 x 100 x 6 x 10,5 #525 |  |  | 525 |  |  |  | 2140 ED 39-44                 | Hard Anodized |
| 80 x 100 x 6 x 10,5 #530 |  |  | 530 |  |  |  | 2141 ED 39-44                 | Hard Anodized |

## MBK

|    |                     |       |  |          |       |      |       |        |                   |
|----|---------------------|-------|--|----------|-------|------|-------|--------|-------------------|
| 50 | X Limit             | 2000  |  | 420M 128 | 12 52 | 4038 | 10-15 | 2078 C | 52                |
| 50 | X Limit Supermotard | 03-06 |  | 420M 126 | 11 45 | 4038 | 10-15 | 2075 C | 45,48,50,52,53    |
| 50 | X Power             | 96-99 |  | 428 130  | 12 47 | 4035 | 11-15 | 835    | 45,46,47,48,49,52 |
| 50 | X Power #420        | 96-99 |  | 420M 130 | 12 47 | 4038 | 10-15 | 2051   | 47                |
| 50 | X Power             | 2004  |  | 428 130  | 12 47 | 4035 | 11-15 | 835    | 45,46,47,48,49,52 |

## MFR wheels

|                          |  |  |     |  |  |  |                                                   |                                   |
|--------------------------|--|--|-----|--|--|--|---------------------------------------------------|-----------------------------------|
| 76 x 100 x 5 x 10,5 #520 |  |  | 520 |  |  |  | 2067 E 36-47<br>2067 ED 34-50<br>2067 EDU-L 38-44 | Hard Anodized<br><b>Ultralite</b> |
| 76 x 100 x 5 x 10,5 #525 |  |  | 525 |  |  |  | 2094 ED 35-47                                     | Hard Anodized                     |
| 76 x 100 x 5 x 10,5 #530 |  |  | 530 |  |  |  | 2105 ED 39-47                                     | Hard Anodized                     |

## Moto Morini

|      |                                    |       |  |            |       |  |  |        |    |
|------|------------------------------------|-------|--|------------|-------|--|--|--------|----|
| 950  | 9 1/2                              | 07-09 |  | 525GXW 106 | 17 40 |  |  | 2128 C | 40 |
| 1200 | Sport                              | 07-09 |  | 525GXW 106 | 17 40 |  |  | 2128 C | 40 |
| 1200 | Corsaro, <b>Rebello, Scrambler</b> | 07-12 |  | 525GXW 106 | 17 40 |  |  | 2128 C | 40 |
| 1200 | Granpasso                          | 08-12 |  | 525GXW 106 | 17 40 |  |  | 2128 C | 40 |

## MV Agusta

|      |      |                       |       |  |        |       |         |         |          |          |               |               |
|------|------|-----------------------|-------|--|--------|-------|---------|---------|----------|----------|---------------|---------------|
| 2013 | 675  | Brutale 675           | 12-13 |  | 525GXW | 16 43 |         |         | 2108 EMD | 39-45    | Hard Anodized |               |
|      | 675  | F3                    | 12-13 |  | 525GXW | 16 43 | 4105 K  | 15, 16  | 2108 ED  | 39-43    | Hard Anodized |               |
|      | 675  | F3 #520               | 12-13 |  | 520GXW | 16 43 | 4105 KM | 15, 16  | 2108 EMD | 39-45    | Hard Anodized |               |
|      | 910  | Brutale 910           | 05-08 |  | 525GXW | 110   | 15 43   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 910  | Brutale 910 #520      | 05-08 |  | 520GXW | 110   | 15 43   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 920  | Brutale 920 R         | 09-13 |  | 525GXW | 110   | 15 43   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
| 2013 | 920  | Brutale 920 R #520    | 09-13 |  | 520GXW | 110   | 15 43   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 989  | Brutale 989 R         | 07-10 |  | 525GXW | 110   | 15 43   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 989  | Brutale 989 R #520    | 07-10 |  | 520GXW | 110   | 15 43   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
| 2013 | 990  | Brutale 990 R         | 09-13 |  | 525GXW | 110   | 15 43   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 990  | Brutale 990 R #520    | 09-13 |  | 520GXW | 110   | 15 43   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1000 | F4 R                  | 06-08 |  | 525GXW | 110   | 15 40   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1000 | F4 R #520             | 06-08 |  | 520GXW | 110   | 15 40   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1000 | F4 RR 312R            | 07-10 |  | 525GXW | 108   | 15 40   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1000 | F4 RR 312R #520       | 07-10 |  | 520GXW | 108   | 15 40   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1000 | F4                    | 04-06 |  | 525GXW | 108   | 15 40   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1000 | F4 #520               | 04-06 |  | 520GXW | 108   | 15 40   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1000 | F4 1000 C             | 07-08 |  | 525GXW | 108   | 15 39   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1000 | F41000 C #520         | 07-08 |  | 520GXW | 108   | 15 39   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1000 | F4 1000 Veltro, GP    | 2008  |  | 525GXW | 108   | 15 40   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1000 | F41000 Veltro,GP #520 | 2008  |  | 520GXW | 108   | 15 40   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |
|      | 1078 | Brutale 1078 R        | 07-10 |  | 525GXW | 110   | 15 43   | 4069 K  | 14, 15   | 2108 ED  | 39-43         | Hard Anodized |
|      | 1078 | Brutale 1078 R #520   | 07-10 |  | 520GXW | 110   | 15 43   | 4069 KM | 14, 15   | 2108 EMD | 39-45         | Hard Anodized |

2013

| 廠牌與車型<br>Marca e Modello | 年份<br>anno |  |  | 原廠齒數<br>numero<br>denti<br>originali |  |              |  |                     |
|--------------------------|------------|---------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------------------|---------------------|
|                          |            | KIT<br>料號                                                                       | 鏈條<br>catena                                                                    |                                      | 前齒<br>pignone                                                                    | 後齒<br>corona |                                                                                   |                     |
|                          |            |                                                                                 |                                                                                 |                                      | 料號                                                                               | 齒數 - denti   | 料號                                                                                | 齒數 - denti          |
| 1078 F4                  | 08-11      |                                                                                 | 525GXW 110                                                                      | 15 41                                | 4069 K                                                                           | 14, 15       | 2108 ED                                                                           | 39-43 Hard Anodized |
| 1078 F4 #520             | 08-11      |                                                                                 | 520GXW 110                                                                      | 15 41                                | 4069 KM                                                                          | 14, 15       | 2108 EMD                                                                          | 39-45 Hard Anodized |
| 1090 Brutale 1090 R      | 09-13      |                                                                                 | 525GXW 110                                                                      | 15 43                                | 4069 K                                                                           | 14, 15       | 2108 ED                                                                           | 39-43 Hard Anodized |
| 1090 Brutale 1090 R #520 | 09-13      |                                                                                 | 520GXW 110                                                                      | 15 43                                | 4069 KM                                                                          | 14, 15       | 2108 EMD                                                                          | 39-45 Hard Anodized |

MZ

|     |                    |       |  |        |     |       |       |        |       |                |
|-----|--------------------|-------|--|--------|-----|-------|-------|--------|-------|----------------|
| 125 | RT (Spokewheels)   | 2003  |  | 428H   | 126 | 16 49 | 558   | 13-18  | nd    |                |
| 125 | SM-C               | 03-04 |  | 428H   | 132 | 16 49 | 558   | 13-18  | nd    |                |
| 600 | Sport Cup          | 97-98 |  | 520XSO | 108 | 15 39 | 577 K | 14, 15 | 18 C  | 38,39,43,45,46 |
| 660 | Bagheera           | 97-03 |  | 520XSO | 116 | 15 45 | 577 K | 14, 15 | 857 C | 38-42,45-47,50 |
| 660 | Mastiff            | 97-99 |  | 520XSO | 116 | 15 45 | 577 K | 14, 15 | 857 C | 38-42,45-47,50 |
| 660 | Skorpion Sport     | 97-98 |  | 520XSO | 116 | 15 39 | 577 K | 14, 15 | 18 C  | 38,39,43,45,46 |
| 660 | Skorpion Tour      | 97-98 |  | 520XSO | 110 | 15 43 | 577 K | 14, 15 | 18 C  | 38,39,43,45,46 |
| 660 | Skorpion Traveller | 97-98 |  | 520XSO | 108 | 15 39 | 577 K | 14, 15 | 18 C  | 38,39,43,45,46 |

OZ wheels

|                          |  |  |     |  |  |  |            |       |               |
|--------------------------|--|--|-----|--|--|--|------------|-------|---------------|
| 57 x 81 x 3 x 10,5 #415  |  |  | 415 |  |  |  | 2138 ED    | 32-47 | Hard Anodized |
| 60 x 86 x 3 x 10,5 #415  |  |  | 415 |  |  |  | 2139 ED    | 36-42 | Hard Anodized |
| 76 x 100 x 5 x 10,5 #520 |  |  | 520 |  |  |  | 2067 E     | 36-47 |               |
|                          |  |  |     |  |  |  | 2067 ED    | 35-50 | Hard Anodized |
|                          |  |  |     |  |  |  | 2067 EDU-L | 38-44 | Ultralite     |
| 76 x 100 x 5 x 10,5 #525 |  |  | 525 |  |  |  | 2094 ED    | 35-47 | Hard Anodized |
| 76 x 100 x 5 x 10,5 #530 |  |  | 530 |  |  |  | 2105 ED    | 39-47 | Hard Anodized |

Peugeot

|    |                |       |      |      |     |       |      |        |        |                |
|----|----------------|-------|------|------|-----|-------|------|--------|--------|----------------|
| 50 | XP6, XP SM     | 99-01 |      | 420M | 126 | 12 52 | 4038 | 10-15  | 2076 C | 47             |
| 50 | XP LC          | 87-90 |      | 428  | 136 | 16 48 | 364  | 16, 17 | 357    | 48             |
| 50 | XP 6           | 98-06 |      | 420M | 126 | 12 52 | 4038 | 10-15  | 2075 C | 45,48,50,52,53 |
| 50 | XP 6 END       | 04-06 | 9662 | 420M | 126 | 11 52 | 4038 | 10-15  | 2075 C | 45,48,50,52,53 |
| 50 | XP 6 SM        | 02-03 |      | 420M | 126 | 12 52 | 4038 | 10-15  | 2075 C | 45,48,50,52,53 |
| 50 | XP 6 SM        | 04-09 | 9662 | 420M | 126 | 11 52 | 4038 | 10-15  | 2075 C | 45,48,50,52,53 |
| 50 | XP S END       | 04-05 | 9662 | 420M | 126 | 11 52 | 4038 | 10-15  | 2075 C | 45,48,50,52,53 |
| 50 | XP S Street SM | 04-05 | 9663 | 420M | 126 | 11 52 | 4038 | 10-15  | 2059   | 52             |
| 50 | XR 6           | 01-06 |      | 420M | 128 | 12 52 | 4038 | 10-15  | 2123 C | 51             |

Polaris

|     |                  |       |  |          |    |       |        |        |        |          |
|-----|------------------|-------|--|----------|----|-------|--------|--------|--------|----------|
| 250 | Trial Blazer     | 00-03 |  | GB520EXW | 76 | 11 36 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 250 | Xplorer          | 01-02 |  | GB520EXW | 80 | 12 42 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 330 | Trial Blazer 2x4 | 08-09 |  | GB520EXW | 78 | 11 40 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 330 | Trial Boss 2x4   | 03-09 |  | GB520EXW | 78 | 11 40 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 400 | Scrambler        | 2000  |  | GB520EXW | 84 | 13 36 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 400 | Trial Blazer     | 03-   |  | GB520EXW | 76 | 13 36 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 425 | Magnum 2X4       | 95-98 |  | GB520EXW | 86 | 12 38 | 4061 K | 12, 13 | 2098 C | 36,38,40 |
| 500 | Scrambler        | 00-09 |  | GB520EXW | 84 | 13 36 | 4061 K | 12, 13 | 2098 C | 36,38,40 |

Polini

|     |                |       |  |        |       |      |       |        |             |
|-----|----------------|-------|--|--------|-------|------|-------|--------|-------------|
| 65  | XP 65          | 07-08 |  | 420MXZ |       | 4051 | 11-14 | 2121 E | 34,36,38,40 |
| 110 | XP4 Minimotard | 05-06 |  | 420MXZ | 12 42 | 4051 | 11-14 | 2121 E | 34,36,38,40 |

Sherco

|     |                       |      |  |        |     |       |  |                                |                         |                                        |
|-----|-----------------------|------|--|--------|-----|-------|--|--------------------------------|-------------------------|----------------------------------------|
| 250 | SE 2.5 i, SE 2.5 lr   | 2012 |  | 520XSO | 114 | 14 48 |  | 1509 EC<br>1509 PX<br>1509 ESM | 47-53<br>48-52<br>38-46 | Black 48-52<br>pro- <del>al</del> teme |
| 300 | SE 3.0 i, SE 3.0 i FR | 2012 |  | 520XSO | 114 | 14 48 |  | 1509 EC<br>1509 PX<br>1509 ESM | 47-53<br>48-52<br>38-46 | Black 48-52<br>pro- <del>al</del> teme |
| 450 | SE 4.5 i R            | 2012 |  | 520XSO | 116 | 14 48 |  | 1509 EC<br>1509 PX<br>1509 ESM | 47-53<br>48-52<br>38-46 | Black 48-52<br>pro- <del>al</del> teme |
| 510 | SE 5.1 i R            | 2012 |  | 520XSO | 116 | 14 48 |  | 1509 EC<br>1509 PX<br>1509 ESM | 47-53<br>48-52<br>38-46 | Black 48-52<br>pro- <del>al</del> teme |

Suzuki

|    |                  |       |  |        |     |       |               |                 |        |                      |
|----|------------------|-------|--|--------|-----|-------|---------------|-----------------|--------|----------------------|
| 50 | APX 50 ER        | 85-89 |  | 420M   | 114 | 12 49 | 429           | 12, 14          | 801    | 38,43,46,47,49,51,54 |
| 50 | GT 50 K          | 77-80 |  | 420M   | 112 | 12 46 | 562           | 10-16           | 801    | 38,43,46,47,49,51,54 |
| 50 | OR 50 ET         | 1980  |  | 420M   | 98  | 13 43 | 562           | 10-16           | 801    | 38,43,46,47,49,51,54 |
| 50 | RMX 50           | 96-98 |  | 420MXZ | 130 | 12 50 | 413           | 12              | 2037   | 50                   |
| 50 | TS 50 ERK        | 80-84 |  | 420M   | 114 | 12 49 | 562           | 10-16           | 801    | 38,43,46,47,49,51,54 |
| 50 | TS 50 W          | 83-93 |  | 420M   | 120 | 12 46 | 413           | 12              | 801    | 38,43,46,47,49,51,54 |
| 50 | TS 50 X          | 90-93 |  | 420M   | 130 | 12 51 | 429           | 12, 14          | 801    | 38,43,46,47,49,51,54 |
| 50 | TS 50 XK         | 84-98 |  | 420M   | 126 | 12 51 | 413           | 12              | 801    | 38,43,46,47,49,51,54 |
| 50 | TV 50            | 94-95 |  | 420M   | 116 | 12 43 | 413           | 12              | 801    | 38,43,46,47,49,51,54 |
| 50 | ZR 50 SK         | 83-90 |  | 420M   | 112 | 11 46 | 562           | 10-16           | 801    | 38,43,46,47,49,51,54 |
| 60 | RM 60            | 03-04 |  | 420MXZ | 104 | 13 44 | 560<br>560 KC | 12-16<br>13, 14 | 464 E  | 44                   |
| 65 | RM 65            | 03-07 |  | 420MXZ | 112 | 13 47 | 560<br>560 KC | 12-16<br>13, 14 | 2101 E | 46-52                |
| 65 | RM 65 #428       | 03-07 |  | 428MXZ | 112 | 13 47 | 555           | 14, 15          | 2143 E | 46,47                |
| 80 | RG 80 Gamma      | 84-93 |  | 428    | 130 | 15 47 | 425           | 14-16           | 810    | 41-43,47,48,49,51    |
| 80 | RG 80 Gamma      | 85-94 |  | 428    | 130 | 15 49 | 425           | 14-16           | 810    | 41-43,47,48,49,51    |
| 80 | RM 80            | 89-01 |  | 428MXZ | 118 | 14 48 | 416 K         | 12-16           | 2066 E | 47-53                |
| 80 | RM 80 Big Wheels | 89-01 |  | 428MXZ | 118 | 13 48 | 416 K         | 12-16           | 2066 E | 47-53                |
| 80 | TS 80 ER         | 81-82 |  | 428    | 114 | 14 42 | 428           | 14, 15          | 802    | 42                   |



| 廠牌與車型<br>Marca e Modello |                        | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                  | <br>後齒<br>corona |                                                                             |
|--------------------------|------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti       | 料號                                                                                                 | 齒數 - denti                                                                  |
| 2013                     | 250 RM-Z 250           | 2013       |                                                                                               | 520MXZ4 114                                                                                      |                                      | 4104 K<br>4104 KC                                                                                  | 12, 13<br>12, 13 | 808 C<br>808 EC<br>808 PX<br>808 ESM<br>808 C                                                      | 41,43,44<br>47-52<br>48-51<br>41-46<br>41,43,44<br>Black 48-51<br>pro-plate |
|                          | 250 TS 250 X           | 85-89      |                                                                                               | 520XMO 112                                                                                       | 13 48                                | 432 K                                                                                              | 11-15            | 828 C                                                                                              | 42,47,48                                                                    |
|                          | 250 TU 250 X           | 97-00      |                                                                                               | 520SO 100                                                                                        | 15 41                                | 434 K                                                                                              | 15, 16           | 819 C                                                                                              | 41                                                                          |
|                          | 250 VL 250 Intruder    | 00-06      | 9360                                                                                          | 520XMO 114                                                                                       | 15 43                                | 434 K                                                                                              | 15, 16           | 2062 C                                                                                             | 43                                                                          |
|                          |                        |            | 9360B                                                                                         | 520SO 114                                                                                        |                                      |                                                                                                    |                  |                                                                                                    |                                                                             |
|                          | 350 DR 350 S           | 90-93      | 9585                                                                                          | 520XMO 108                                                                                       | 14 43                                | 432 K                                                                                              | 11-15            | 822 C                                                                                              | 41                                                                          |
|                          |                        |            | 9585B                                                                                         | 520SO 108                                                                                        |                                      | 432 KC                                                                                             | 13-15            |                                                                                                    |                                                                             |
|                          | 350 DR 350 SE          | 94-95      | 9586                                                                                          | 520XMO 110                                                                                       | 15 41                                | 432 K                                                                                              | 11-15            | 822 C                                                                                              | 41                                                                          |
|                          |                        |            | 9586B                                                                                         | 520SO 110                                                                                        |                                      | 432 KC                                                                                             | 13-15            |                                                                                                    |                                                                             |
|                          | 350 DR 350 SE          | 97-01      | 7651                                                                                          | 520SO 108                                                                                        | 15 43                                | 432 K                                                                                              | 11-15            | 808 C                                                                                              | 41,43,44                                                                    |
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 432 KC                                                                                             | 13-15            | 808 ESM                                                                                            | 41-46                                                                       |
|                          | 400 DRZ 400 E          | 03-08      | 9486                                                                                          | 520SO 112                                                                                        | 14 47                                | 432 K                                                                                              | 11-15            | 808 EC                                                                                             | 47-52                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 432 KC                                                                                             | 13-15            | 808 PX                                                                                             | 48-51                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 ESM                                                                                            | 41-46                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 C                                                                                              | 41,43,44                                                                    |
|                          | 400 DRZ 400 S          | 00-11      | 9487                                                                                          | 520SO 112                                                                                        | 15 44                                | 432 K                                                                                              | 11-15            | 808 C                                                                                              | 41,43,44                                                                    |
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 432 KC                                                                                             | 13-15            | 808 ESM                                                                                            | 41-46                                                                       |
|                          | 400 DRZ 400 SM         | 05-11      | 9488                                                                                          | 520SO 112                                                                                        | 15 41                                | 432 K                                                                                              | 11-15            | 808 C                                                                                              | 41,43,44                                                                    |
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 432 KC                                                                                             | 13-15            | 808 ESM                                                                                            | 41-46                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 EC                                                                                             | 47-52                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 PX                                                                                             | 48-51                                                                       |
|                          | 400 GSF 400 Bandit     | 91-92      | 7653                                                                                          | 525SO 114                                                                                        | 14 47                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSF 400 Bandit     | 93-96      | 7654                                                                                          | 525SO 114                                                                                        | 14 46                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSX R 400          | 88-89      |                                                                                               | 525XSO 108                                                                                       | 14 45                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSX 400 ET, EX     | 81-83      |                                                                                               | 530SO 104                                                                                        | 16 44                                | 566 K                                                                                              | 14-18            | 814 C                                                                                              | 42,44,45                                                                    |
|                          | 400 GSX 400 TX         | 81-85      |                                                                                               | 530SO 104                                                                                        | 16 42                                | 566 K                                                                                              | 14-18            | 814 C                                                                                              | 42,44,45                                                                    |
|                          | 400 GSX 400 X Impulse  | 1986       |                                                                                               | 525XSO 110                                                                                       | 14 46                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSX 400            | 88-90      |                                                                                               | 525XSO 114                                                                                       | 14 49                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSX R 400 R        | 90-92      |                                                                                               | 525XSO 108                                                                                       | 14 44                                | 433 K                                                                                              | 14, 16           | 807 C                                                                                              | 44-49                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 807 E                                                                                              | 45,48                                                                       |
|                          | 400 GSX 400 EZ         | 82-87      | 9365                                                                                          | 530SO 110                                                                                        | 16 45                                | 566 K                                                                                              | 14-18            | 814 C                                                                                              | 42,44,45                                                                    |
|                          | 400 GSX 400 XS Impulse | 88-93      | 9366                                                                                          | 525XSO 114                                                                                       | 14 46                                | 433 K                                                                                              | 14, 16           | 2023 C                                                                                             | 46                                                                          |
|                          |                        |            | 9366B                                                                                         | 525SO 114                                                                                        |                                      |                                                                                                    |                  |                                                                                                    |                                                                             |
| 2013                     | 450 GS 450 E/S         | 80-82      | 9367                                                                                          | 530SO 104                                                                                        | 16 45                                | 566 K                                                                                              | 14-18            | 814 C                                                                                              | 42,44,45                                                                    |
|                          | 450 GS 450 L           | 85-88      | 9368                                                                                          | 530SO 108                                                                                        | 16 42                                | 566 K                                                                                              | 14-18            | 814 C                                                                                              | 42,44,45                                                                    |
|                          | 450 RM-Z 450           | 2005       | 9587                                                                                          | 520MXZ4 114                                                                                      | 14 49                                | 4068 K                                                                                             | 13-15            | 808 EC                                                                                             | 47-52                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 PX                                                                                             | 48-51                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 ESM                                                                                            | 41-46                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 C                                                                                              | 41,43,44                                                                    |
|                          | 450 RM-Z 450           | 06-07      | 9588                                                                                          | 520MXZ4 114                                                                                      | 14 48                                | 4075 K                                                                                             | 13-15            | 808 EC                                                                                             | 47-52                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 PX                                                                                             | 48-51                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 ESM                                                                                            | 41-46                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 C                                                                                              | 41,43,44                                                                    |
|                          | 450 RM-Z 450           | 08-13      | 9665                                                                                          | 520MXZ4 114                                                                                      | 13 50                                | 4075 K                                                                                             | 13-15            | 808 EC                                                                                             | 47-52                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 PX                                                                                             | 48-51                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 ESM                                                                                            | 41-46                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 808 C                                                                                              | 41,43,44                                                                    |
|                          | 500 DR 500 S/R         | 81-86      |                                                                                               | 520XSO 106                                                                                       | 15 45                                | 434 K                                                                                              | 15, 16           | 825 C                                                                                              | 37                                                                          |
|                          | 500 GS 500 E           | 90-93      | 9369                                                                                          | 520XSO 112                                                                                       | 16 39                                | 565 K                                                                                              | 11-16            | 823 C                                                                                              | 39,44,46                                                                    |
|                          | 500 GS 500 E - F       | 94-08      | 7655                                                                                          | 520SO 112                                                                                        | 16 39                                | 512 K                                                                                              | 15-17            | 823 C                                                                                              | 39,44,46                                                                    |
|                          | 550 GS 550 E/L/M/T     | 78-82      |                                                                                               | 530SO 110                                                                                        | 15 50                                | 566 K                                                                                              | 14-18            | 816 C                                                                                              | 38,41-48,50                                                                 |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 816 THF                                                                                            | 41-48                                                                       |
|                          | 550 GS 550 E/ES        | 83-88      |                                                                                               | 530SO 112                                                                                        | 14 48                                | 566 K                                                                                              | 14-18            | 816 C                                                                                              | 38,41-48,50                                                                 |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 816 THF                                                                                            | 41-48                                                                       |
|                          | 550 GSX 550 E/S        | 83-87      | 9370                                                                                          | 530SO 112                                                                                        | 14 46                                | 566 K                                                                                              | 14-18            | 816 C                                                                                              | 38,41-48,50                                                                 |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 816 THF                                                                                            | 41-48                                                                       |
|                          | 600 DR 600 S/R         | 85-89      | 9371                                                                                          | 520XSO 108                                                                                       | 16 42                                | 437 K                                                                                              | 15, 16           | 828 C                                                                                              | 42,47,48                                                                    |
|                          | 600 GSF 600 S Bandit   | 95-99      | 7781                                                                                          | 530XSO 110                                                                                       | 15 47                                | 566 K                                                                                              | 14-18            | 829 THF                                                                                            | 42-48                                                                       |
|                          |                        |            | 7781B                                                                                         | 530SO 110                                                                                        |                                      |                                                                                                    |                  | 829 C                                                                                              | 42-48                                                                       |
|                          | 600 GSF 600 S Bandit   | 00-04      | 7792                                                                                          | 530XSO 112                                                                                       | 15 47                                | 566 K                                                                                              | 14-18            | 829 THF                                                                                            | 42-48                                                                       |
|                          |                        |            | 7792B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |                  | 829 C                                                                                              | 42-48                                                                       |
|                          | 600 GSR 600            | 06-11      | 9372                                                                                          | 525GXW 114                                                                                       | 16 48                                | 520 K                                                                                              | 14-17            | 2061 THF                                                                                           | 41-49                                                                       |
|                          |                        |            | 9373                                                                                          | 525GXW 114                                                                                       |                                      |                                                                                                    |                  | 2061 C                                                                                             | 41-49                                                                       |
|                          |                        |            | 9372B                                                                                         | 525XSO 114                                                                                       |                                      |                                                                                                    |                  | 2061 ED                                                                                            | 42                                                                          |
|                          | 600 GSR 600 #520       | 06-11      |                                                                                               | 520GXW 114                                                                                       | 16 48                                | 520 KM                                                                                             | 14-17            | 2061 EMD                                                                                           | 41-50                                                                       |
|                          | 600 GSX 600 F Katana   | 1988       |                                                                                               | 530SO 112                                                                                        | 14 46                                | 566 K                                                                                              | 14-18            | 824 C                                                                                              | 40                                                                          |
|                          | 600 GSX 600 F          | 89-91      | 9374                                                                                          | 530SO 112                                                                                        | 14 46                                | 566 K                                                                                              | 14-18            | 829 C                                                                                              | 42-48                                                                       |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 829 THF                                                                                            | 42-48                                                                       |
|                          | 600 GSX 600 F          | 92-97      | 7657                                                                                          | 530XSO 112                                                                                       | 14 45                                | 566 K                                                                                              | 14-18            | 829 THF                                                                                            | 42-48                                                                       |
|                          |                        |            | 7657B                                                                                         | 530SO 112                                                                                        |                                      |                                                                                                    |                  | 829 C                                                                                              | 42-48                                                                       |
|                          | 600 GSX 600 F          | 98-06      | 7656                                                                                          | 530XSO 118                                                                                       | 15 47                                | 566 K                                                                                              | 14-18            | 829 THF                                                                                            | 42-48                                                                       |
|                          |                        |            | 7656B                                                                                         | 530SO 118                                                                                        |                                      |                                                                                                    |                  | 829 C                                                                                              | 42-48                                                                       |
|                          | 600 GSX-R 600          | 1997       | 7659                                                                                          | 525XSO 108                                                                                       | 16 45                                | 520 K                                                                                              | 14-17            | 498 THF                                                                                            | 38-40,44-46                                                                 |
|                          |                        |            | 7659B                                                                                         | 525SO 108                                                                                        |                                      |                                                                                                    |                  | 498 C                                                                                              | 38-40,44-46                                                                 |
|                          |                        |            |                                                                                               |                                                                                                  |                                      |                                                                                                    |                  | 498 ED                                                                                             | 44-46                                                                       |
|                          | 600 GSX-R 600 #520     | 1997       |                                                                                               | 520GXW 108                                                                                       | 16 45                                | 520 KM                                                                                             | 14-17            | 499 EMD                                                                                            | 40-47                                                                       |
|                          | 600 GSX-R 600          | 98-00      | 7660                                                                                          | 525XSO 108                                                                                       | 16 46                                | 520 K                                                                                              | 14-17            | 498 THF                                                                                            | 38-40,44-46                                                                 |
|                          |                        |            | 7660B                                                                                         | 525SO 108                                                                                        |                                      |                                                                                                    |                  | 498 C                                                                                              | 38-40,44-46                                                                 |

| 廠牌與車型<br>Marca e Modello |                                 | 年份<br>anno |  KIT<br>料號 |  鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali |  前齒<br>pignone |            |  後齒<br>corona |                       |
|--------------------------|---------------------------------|------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------------------|-----------------------|
|                          |                                 |            |                                                                                            |                                                                                               |                                      | 料號                                                                                              | 齒數 - denti | 料號                                                                                              | 齒數 - denti            |
|                          | 600 GSX-R 600 #520              | 98-00      |                                                                                            | 520GXW 108                                                                                    | 16 46                                | 520 KM                                                                                          | 14-17      | 498 ED                                                                                          | 44-46 Hard Anodized   |
|                          | 600 GSX-R 600                   | 01-03      | 9110                                                                                       | 525XSO 110                                                                                    | 16 45                                | 520 K                                                                                           | 14-17      | 499 EMD                                                                                         | 40-47 Hard Anodized   |
|                          |                                 |            | 9110B                                                                                      | 525SO 110                                                                                     |                                      |                                                                                                 |            | 2061 C                                                                                          | 41-49                 |
|                          | 600 GSX-R 600 #520              | 01-03      |                                                                                            | 520GXW 110                                                                                    | 16 45                                | 520 KM                                                                                          | 14-17      | 2061 THF                                                                                        | 41-49 Long Lasting    |
|                          | 600 GSX-R 600                   | 04-05      | 7658                                                                                       | 525XSO 112                                                                                    | 16 45                                | 520 K                                                                                           | 14-17      | 2061 ED                                                                                         | 42 Hard Anodized      |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 EMD                                                                                        | 41-50 Hard Anodized   |
|                          | 600 GSX-R 600 #520              | 04-05      |                                                                                            | 520GXW 112                                                                                    | 16 45                                | 520 KM                                                                                          | 14-17      | 2061 THF                                                                                        | 41-49 Long Lasting    |
|                          | 600 GSX-R 600                   | 06-10      | 9377                                                                                       | 525XSO 112                                                                                    | 16 43                                | 520 K                                                                                           | 14-17      | 2061 C                                                                                          | 41-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 ED                                                                                         | 42 Hard Anodized      |
|                          | 600 GSX-R 600 #520              | 06-10      |                                                                                            | 520GXW 112                                                                                    | 16 43                                | 520 KM                                                                                          | 14-17      | 2061 EMD                                                                                        | 41-50 Hard Anodized   |
| 2013                     | 600 GSX-R 600                   | 11-13      | 9769                                                                                       | 525XSO 114                                                                                    | 16 43                                | 520 K                                                                                           | 14-17      | 2111 THF                                                                                        | 45 Long Lasting       |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2111 C                                                                                          | 43-46                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2111 ED                                                                                         | 45 Hard Anodized      |
|                          | 600 GSX-R 600 #520              | 11-13      |                                                                                            | 520GXW 114                                                                                    | 16 43                                | 520 KM                                                                                          | 14-17      | 479 EMD                                                                                         | 40-52 Hard Anodized   |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 486 C                                                                                           | 38,40-42,44,45,47     |
|                          | 600 RF 600 R                    | 93-94      | 7661                                                                                       | 530SO 108                                                                                     | 14 43                                | 566 K                                                                                           | 14-18      | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 829 C                                                                                           | 42-48                 |
|                          | 600 RF 600 R                    | 95-98      |                                                                                            | 530XSO 108                                                                                    | 14 42                                | 566 K                                                                                           | 14-18      | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 829 C                                                                                           | 42-48                 |
|                          | 650 DL 650 V-Strom              | 04-06      | 9016                                                                                       | 525XSO 116                                                                                    | 15 47                                | 520 K                                                                                           | 14-17      | 2061 THF                                                                                        | 41-49 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 C                                                                                          | 41-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 ED                                                                                         | 42 Hard Anodized      |
|                          | 650 DL 650 V-Strom #520         | 04-06      |                                                                                            | 520GXW 116                                                                                    | 15 47                                | 520 KM                                                                                          | 14-17      | 2061 EMD                                                                                        | 41-50 Hard Anodized   |
| 2013                     | 650 DL 650 V-Strom              | 07-13      | 9668                                                                                       | 525XSO 118                                                                                    | 15 47                                | 520 K                                                                                           | 14-17      | 2061 THF                                                                                        | 41-49 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 C                                                                                          | 41-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 ED                                                                                         | 42 Hard Anodized      |
|                          | 650 DL 650 V-Strom #520         | 07-13      |                                                                                            | 520GXW 118                                                                                    | 15 47                                | 520 KM                                                                                          | 14-17      | 2061 EMD                                                                                        | 41-50 Hard Anodized   |
| 2013                     | 650 DR 650 R/SE                 | 90-95      | 7663                                                                                       | 520XSO 114                                                                                    | 16 42                                | 437 K                                                                                           | 15, 16     | 828 C                                                                                           | 42,47,48              |
|                          | 650 DR 650 SE, T                | 96-13      | 7664                                                                                       | 525XSO 110                                                                                    | 15 41                                | 4011 K                                                                                          | 15         | 2032 C                                                                                          | 41-43                 |
|                          |                                 |            | 7664B                                                                                      | 525SO 110                                                                                     |                                      |                                                                                                 |            |                                                                                                 |                       |
|                          | 650 GSF 650 Bandit, S           | 05-06      | 9380                                                                                       | 530GXW 112                                                                                    | 15 47                                | 566 K                                                                                           | 14-18      | 829 C                                                                                           | 42-48                 |
|                          |                                 |            | 9380B                                                                                      | 530XSO 112                                                                                    |                                      |                                                                                                 |            | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          | 650 GSF 650 Bandit, S           | 07-08      | 9666                                                                                       | 525GXW 118                                                                                    | 15 48                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 GSF 650 Bandit, S #520      | 07>08      |                                                                                            | 520GXW 118                                                                                    | 15 48                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
| 2013                     | 650 GSF 650 Bandit, S, ABS      | 09-13      | 9686                                                                                       | 525GXW 120                                                                                    | 15 48                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 GSF 650 Bandit, S, ABS #520 | 09-13      |                                                                                            | 520GXW 120                                                                                    | 15 48                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
| 2013                     | 650 GSX 650 F, ABS              | 08-13      | 9666                                                                                       | 525GXW 118                                                                                    | 15 48                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 GSX 650 F, ABS #520         | 08-13      |                                                                                            | 520GXW 118                                                                                    | 15 48                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
| 2013                     | 650 SFV 650 Gladius, ABS        | 09-13      | 9770                                                                                       | 520GXW 112                                                                                    | 15 46                                | 565 K                                                                                           | 11-16      | 823 C                                                                                           | 39,44,46              |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 EM                                                                                          | 43-47                 |
|                          | 650 SV 650                      | 99-06      | 7665                                                                                       | 525XSO 110                                                                                    | 15 45                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 SV 650 #520                 | 99-06      |                                                                                            | 520XSO 110                                                                                    | 15 45                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
|                          | 650 SV 650                      | 07-10      | 9591                                                                                       | 525XSO 114                                                                                    | 15 45                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 SV 650 #520                 | 07-10      |                                                                                            | 520XSO 114                                                                                    | 15 45                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
|                          | 650 SV 650 S                    | 99-07      | 7666                                                                                       | 525XSO 108                                                                                    | 15 44                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 SV 650 S #520               | 99-07      |                                                                                            | 520XSO                                                                                        | 15 44                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
| 2013                     | 650 SV 650 S                    | 08-13      | 9667                                                                                       | 525XSO 108                                                                                    | 15 45                                | 520 K                                                                                           | 14-17      | 807 C                                                                                           | 44-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 807 E                                                                                           | 45,48                 |
|                          | 650 SV 650 S #520               | 08-12      |                                                                                            | 520XSO 108                                                                                    | 14 45                                | 520 KM                                                                                          | 14-17      | 807 EM                                                                                          | 43-47                 |
|                          | 650 XF 650 Freewind             | 97-01      | 7667                                                                                       | 525SO 110                                                                                     | 15 43                                | 4011 K                                                                                          | 15         | 2032 C                                                                                          | 41-43                 |
|                          | 750 DR 750 S Big                | 1988       | 9382                                                                                       | 520XSO 116                                                                                    | 15 48                                | 438 K                                                                                           | 15         | 825 C                                                                                           | 37                    |
|                          | 750 DR 750 S Big - SR41B        | 1989       | 9383                                                                                       | 520XSO 116                                                                                    | 15 48                                | 438 K                                                                                           | 15         | 828 C                                                                                           | 42,47,48              |
|                          | 750 GS 750 E/L/S/T              | 77-83      |                                                                                            | 630SO 96                                                                                      | 15 41                                | 518 K                                                                                           | 13-15      | 818 C                                                                                           | 41                    |
| 2013                     | 750 GSR750, ABS                 | 11-13      | 9771                                                                                       | 525GXW 112                                                                                    | 17 42                                | 520 K                                                                                           | 14-17      | 2061 THF                                                                                        | 41-49 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 C                                                                                          | 41-49                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 2061 ED                                                                                         | 42 Hard Anodized      |
|                          | 750 GSR 750, ABS #520           | 11-13      |                                                                                            | 520GXW 112                                                                                    | 17 42                                | 520 KM                                                                                          | 14-17      | 2061 EMD                                                                                        | 41-50 Hard Anodized   |
|                          | 750 GSX 750 E/ES/EF             | 80-89      | 9384                                                                                       | 530XSO 114                                                                                    | 14 43                                | 566 K                                                                                           | 14-18      | 816 C                                                                                           | 38,41-48,50           |
|                          |                                 |            | 9384B                                                                                      | 530SO 114                                                                                     |                                      |                                                                                                 |            | 816 THF                                                                                         | 41-48                 |
|                          | 750 GSX 750 F                   | 89-96      | 7656                                                                                       | 530XSO 118                                                                                    | 15 47                                | 566 K                                                                                           | 14-18      | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          |                                 |            | 7656B                                                                                      | 530SO 118                                                                                     |                                      |                                                                                                 |            | 829 C                                                                                           | 42-48                 |
|                          | 750 GSX 750 F                   | 98-06      | 7669                                                                                       | 530XSO 116                                                                                    | 15 45                                | 566 K                                                                                           | 14-18      | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          |                                 |            | 7669B                                                                                      | 530SO 116                                                                                     |                                      |                                                                                                 |            | 829 C                                                                                           | 42-48                 |
|                          | 750 GSX 750 S                   | 80-84      |                                                                                            | 630SO 96                                                                                      | 15 41                                | 518 K                                                                                           | 13-15      | 818 C                                                                                           | 41                    |
|                          | 750 GSX R 750                   | 1985       | 9386                                                                                       | 530SO 106                                                                                     | 14 42                                | 566 K                                                                                           | 14-18      | 829 C                                                                                           | 42-48                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          | 750 GSX R 750                   | 86-87      |                                                                                            | 530SO 110                                                                                     | 14 42                                | 566 K                                                                                           | 14-18      | 829 C                                                                                           | 42-48                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          | 750 GSX R 750                   | 88-89      | 9387                                                                                       | 530SO 108                                                                                     | 15 44                                | 566 K                                                                                           | 14-18      | 829 C                                                                                           | 42-48                 |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 829 THF                                                                                         | 42-48 Long Lasting    |
|                          | 750 GSX R 750                   | 90-91      | 9388                                                                                       | 530SO 108                                                                                     | 15 43                                | 566 K                                                                                           | 14-18      | 816 C                                                                                           | 38,41-48,50           |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 816 THF                                                                                         | 41-48                 |
|                          | 750 GSX R 750W                  | 92-93      |                                                                                            | 530SO 108                                                                                     | 15 42                                | 566 K                                                                                           | 14-18      | 816 THF                                                                                         | 41-48 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 816 C                                                                                           | 38,41-48,50           |
|                          | 750 GSX-R 750 SP                | 94-95      |                                                                                            | 530SO 108                                                                                     | 16 41                                | 566 K                                                                                           | 14-18      | 816 THF                                                                                         | 41-48 Long Lasting    |
|                          |                                 |            |                                                                                            |                                                                                               |                                      |                                                                                                 |            | 816 C                                                                                           | 38,41-48,50           |
|                          | 750 GSX-R 750 V                 | 96-97      | 7673                                                                                       | 530SO 108                                                                                     | 16 43                                | 566 K                                                                                           | 14-18      | 499 THF                                                                                         | 38-40,43 Long Lasting |



| 廠牌與車型<br>Marca e Modello |                          | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                            |                                          |
|--------------------------|--------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------|
|                          |                          |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                 |                                          |
| 1200                     | GSF 1200 S Bandit        | 07-09      |                                                                                               | 530GXW 120                                                                                       | 17 43                                | 566 K                                                                                              | 14-18      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1200                     | GSX 1200                 | 99-04      | 7688                                                                                          | 530GXW 112                                                                                       | 15 44                                | 566 K                                                                                              | 14-18      | 816 THF<br>816 C                                                                                   | 41-48<br>38,41-48,50       | <i>Long Lasting</i>                      |
| 1250                     | GSF 1250 A Bandit        | 10-12      | 9773                                                                                          | 530GXW 120                                                                                       | 18 -43                               | 566 K                                                                                              | 14-18      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1250                     | GSF 1250 S Bandit        | 07-12      | 9774                                                                                          | 530GXW 118                                                                                       | 18 -43                               | 566 K                                                                                              | 14-18      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1250                     | GSX 1250 F, ABS          | 10-13      | 9775                                                                                          | 530GXW 112                                                                                       | 18 -43                               | 566 K                                                                                              | 14-18      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1300                     | GSX-R 1300 Hayabusa      | 99-07      | 7772                                                                                          | 530GXW 112                                                                                       | 17 40                                | 566 K                                                                                              | 14-18      | 499 THF<br>499 ED                                                                                  | 38-40,43<br>38,39,43,44    | <i>Long Lasting</i><br>Hard Anodized     |
| 1340                     | GSX-R 1300 Hayabusa      | 08-13      | 9797                                                                                          | 530GXW 118                                                                                       | 18 -43                               | 4096 K                                                                                             | 16- 18     | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1340                     | GSX-R 1300 Hayabusa #520 | 08-13      |                                                                                               | 520GXW 118                                                                                       | 18 -43                               | 4096 KM                                                                                            | 16, 17     | 2061 EMD                                                                                           | 41-50                      | Hard Anodized                            |
| 1340                     | GSX-R 1300 B-King        | 08-12      |                                                                                               | 530GXW 118                                                                                       | 18 -43                               | 4096 K                                                                                             | 16- 18     | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42 | <i>Long Lasting</i><br><br>Hard Anodized |
| 1340                     | GSX-R 1300 B-King #520   | 08-12      |                                                                                               | 520GXW 118                                                                                       | 18 -43                               | 4096 KM                                                                                            | 16, 17     | 2061 EMD                                                                                           | 41-50                      | Hard Anodized                            |
| 1400                     | GSX 1400                 | 01-08      | 7689                                                                                          | 530GXW 116                                                                                       | 18 -41                               | 513 K                                                                                              | 15,16,18   | 2086 THF                                                                                           | 41                         | <i>Long Lasting</i>                      |

Suzuki Quads

|     |     |       |  |              |       |        |       |       |       |
|-----|-----|-------|--|--------------|-------|--------|-------|-------|-------|
| 400 | LTZ | 03-08 |  | GB520EXW 112 | 14 40 | 4072 K | 13-15 | 2114C | 39-41 |
|-----|-----|-------|--|--------------|-------|--------|-------|-------|-------|

TM

|     |                      |       |  |             |       |        |        |         |       |
|-----|----------------------|-------|--|-------------|-------|--------|--------|---------|-------|
| 85  | MX85                 |       |  |             |       |        |        |         |       |
| 125 | EN 125, MX125        | 00-01 |  | 520MXZ4 116 | 13 52 | 4045 K | 12, 13 | 2068 EC | 49-52 |
| 125 | MX 125, MX144        | 02-04 |  | 520MXZ4 114 | 13 51 | 4045 K | 12, 13 | 2068 EC | 49-52 |
| 125 | MX 125, MX144        | 05-   |  | 520MXZ4 114 | 13 51 | 4045 K | 12, 13 | 2068 EC | 49-52 |
| 250 | EN 250, MX 250       | 02-07 |  | 520MXZ4 114 | 13 51 | 4046 K | 13, 14 | 2068 EC | 49-52 |
| 250 | EN 250 F, MX 250 F   | 03-07 |  | 520XMO 114  | 13 50 | 4046 K | 13, 14 | 2068 EC | 49-52 |
| 250 | MX 250 FI            | 2012  |  | 520XSO 114  | 13 51 |        |        | 2068 EC | 49-52 |
| 300 | EN 300, MX 300       | 02-07 |  | 520MXZ4 114 | 13 51 | 4046 K | 13, 14 | 2068 EC | 49-52 |
| 450 | EN 450 FES, MX 450 F | 03-07 |  | 520MXZ4 114 | 13 51 | 4046 K | 13, 14 | 2068 EC | 49-52 |
| 530 | EN 530 FES, MX 530 F | 05-07 |  | 520MXZ4 114 | 13 51 | 4046 K | 13, 14 | 2068 EC | 49-52 |

Triumph

|      |     |                                     |       |               |                          |       |        |        |                    |                      |                     |
|------|-----|-------------------------------------|-------|---------------|--------------------------|-------|--------|--------|--------------------|----------------------|---------------------|
|      | 600 | Speed Four                          | 03-05 |               | 525GXW 106               | 14 42 | 4023 K | 14, 15 | 2070 C<br>2070 ED  | 42-45<br>41-44       | <br>Hard Anodized   |
|      | 600 | Daytona                             | 03-04 |               | 525GXW 108               | 14 45 | 4023 K | 14, 15 | 2070 C<br>2070 ED  | 42-45<br>41-44       | <br>Hard Anodized   |
|      | 600 | TT 600                              | 00-03 |               | 525XSO 106               | 14 42 | 4023 K | 14, 15 | 2070 C<br>2070 ED  | 42-45<br>41-44       | <br>Hard Anodized   |
|      | 650 | Daytona                             | 2005  |               | 525GXW 108               | 14 45 | 4023 K | 14, 15 | 2070 C<br>2070 ED  | 42-45<br>41-44       | <br>Hard Anodized   |
| 2013 | 675 | Daytona, Daytona R                  | 06-13 | 9593<br>9593B | 525GXW 116<br>525XSO 116 | 16 47 | 520 K  | 14-17  | 2116 THF           | 47                   | <i>Long Lasting</i> |
|      | 675 | Daytona, Daytona R #520             | 06-13 |               | 520GXW 116               | 16 47 | 520 KM | 14-17  | 2116 EMD           | 42-50                | Hard Anodized       |
| 2013 | 675 | Street Triple, Street Triple R      | 08-13 | 9776          | 525GXW 118               | 16 47 | 520 K  | 14-17  | 2116 THF           | 47                   | <i>Long Lasting</i> |
|      | 675 | Street Triple, Street Triple R #520 | 08-13 |               | 520GXW 118               | 16 47 | 520 KM | 14-17  | 2116 EMD           | 42-50                | Hard Anodized       |
|      | 750 | Daytona 91 95, Trident 91-97        |       | 7691<br>7691B | 530GXW 114<br>530XSO 114 | 17 48 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 750 | Thunderbolt                         | 1995  |               | 530GXW 110               | 17 43 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 800 | America                             | 03-06 | 7692          | 525GXW 112               | 17 42 | 4057 K | 16-18  | 344 C              | 38,40-46,48          |                     |
|      | 800 | Bonneville, Bonneville T100         | 02-06 |               | 525GXW 104               | 17 42 | 4057 K | 16-18  | 2061 C             | 41-49                |                     |
|      | 800 | Speedmaster                         | 03-05 |               | 525GXW 112               | 17 42 | 4057 K | 16-18  | 344 C              | 38,40-46,48          |                     |
| 2013 | 800 | Tiger 800                           | 11-13 | 9778          | 525GXW 122               | 16 50 | 520 K  | 14-17  | 2116 THF           | 47                   | <i>Long Lasting</i> |
| 2013 | 800 | Tiger 800 XC                        | 11-13 | 9779          | 525GXW 124               | 16 50 | 520 K  | 14-17  | 2116 THF           | 47                   | <i>Long Lasting</i> |
|      | 865 | America                             | 07-12 | 9688          | 525GXW 112               | 17 42 | 4057 K | 16-18  | 344 C              | 38,40-46,48          |                     |
|      | 865 | America                             | 2013  |               | 525GXW 112               | 18 42 | 4057 K | 16-18  | 344 C              | 38,40-46,48          |                     |
| 2013 | 865 | Bonneville, Bonneville SE           | 07-13 | 9689          | 525GXW 104               | 18 43 | 4057 K | 16-18  | 2070 C<br>2070 ED  | 42-45<br>41-44       | Hard Anodized       |
| 2013 | 865 | Bonneville T100                     | 06-13 |               | 525GXW 106               | 18 43 | 4057 K | 16-18  | 2070 C             | 42-45                |                     |
| 2013 | 865 | Speedmaster                         | 06-13 | 9690          | 525GXW 112               | 18 42 | 4057 K | 16-18  | 344 C              | 38,40-46,48          |                     |
| 2013 | 865 | Scambler                            | 06-13 |               | 525GXW 112               | 18 42 | 4057 K | 16-18  | 2070 C<br>2070 ED  | 42-45<br>41-44       | Hard Anodized       |
| 2013 | 865 | Thruxton                            | 07-13 | 9689          | 525GXW 104               | 18 43 | 4057 K | 16-18  | 2070 C<br>2070 ED  | 42-45<br>41-44       | Hard Anodized       |
|      | 885 | Speed Triple T509                   | 97-98 |               | 530GXW 108               | 18 43 | 4016 K | 17-19  | 2046 THF<br>2046 C | 43<br>42             | <i>Long Lasting</i> |
|      | 900 | Adventurer                          | 96-98 | 7699          | 530GXW 112               | 17 43 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 900 | Adventurer                          | 99-01 |               | 530GXW 114               | 18 43 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 900 | Daytona                             | 94-97 |               | 530GXW 112               | 17 46 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 900 | Legend TT                           | 99-01 |               | 530GXW 114               | 17 43 | 4016 K | 17-19  | 334 THF<br>334 C   | 39-46,48<br>39-46,48 | <i>Long Lasting</i> |
|      | 900 | Speed Triple                        | 94-96 |               | 530GXW 110               | 17 43 | 4016 K | 17-19  | 334 THF            | 39-46,48             | <i>Long Lasting</i> |

| 廠牌與車型<br>Marca e Modello |                                        | 年份<br>anno    | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                  |
|--------------------------|----------------------------------------|---------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------------------------|
|                          |                                        |               |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                       |
| 900                      | Sprint                                 | 93-98         |                                                                                               | 530GXW 110                                                                                       | 17 46                                | 4016 K                                                                                             | 17-19      | 334 C<br>334 THF<br>334 C                                                                          | 39-46,48<br>39-46,48<br>39-46,48 |
| 900                      | Sprint                                 | 1999          |                                                                                               | 530GXW 110                                                                                       | 17 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Thruyton                               | 04-06         |                                                                                               | 525GXW 112                                                                                       | 18 43                                | 4057 K                                                                                             | 16-18      | 2061 THF<br>2061 C<br>2061 ED                                                                      | 41-49<br>41-49<br>42             |
| 900                      | Thunderbird                            | 95-03         |                                                                                               | 530GXW 110                                                                                       | 17 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Thunderbird Sport<br>Thunderbird Sport | 1998<br>01-04 |                                                                                               | 530GXW 110                                                                                       | 17 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Thunderbird Sport                      | 99-00         |                                                                                               | 530GXW 114                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Tiger                                  | 91-00         |                                                                                               | 530GXW 114                                                                                       | 18 48                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trident                                | 91-98         |                                                                                               | 530GXW 114                                                                                       | 17 46                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trophy                                 | 91-95         |                                                                                               | 530GXW 112                                                                                       | 17 46                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trophy                                 | 96-97         |                                                                                               | 530GXW 110                                                                                       | 17 42                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trophy                                 | 1998          |                                                                                               | 530GXW 110                                                                                       | 17 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trophy                                 | 1999          |                                                                                               | 530GXW 110                                                                                       | 17 44                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 900                      | Trophy                                 | 00-01         |                                                                                               | 530GXW 110                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 955                      | Daytona T595                           | 97-98         |                                                                                               | 530GXW 108                                                                                       | 19 42                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Daytona 955i                           | 99-01         |                                                                                               | 530GXW 106                                                                                       | 18 42                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Daytona 955i                           | 01-02         |                                                                                               | 530GXW 106                                                                                       | 19 44                                | 4016 K                                                                                             | 17-19      | 2079 THF<br>2079 C                                                                                 | 40-43,45,46<br>40-46             |
| 955                      | Daytona 955i (Centennial Edition)      | 2002          | 7694                                                                                          | 530GXW 106                                                                                       | 19 42                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Daytona 955i                           | 03-06         |                                                                                               | 530GXW 106                                                                                       | 18 42                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Speed Triple                           | 99-01         | 7696                                                                                          | 530GXW 108                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Speed Triple                           | 02-04         |                                                                                               | 530GXW                                                                                           | 18 42                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Sprint ST                              | 99-04         |                                                                                               | 530GXW 108                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 2046 THF<br>2046 C                                                                                 | 43<br>42                         |
| 955                      | Sprint RS                              | 00-03         |                                                                                               | 530GXW 108                                                                                       | 19 43                                | 4016 K                                                                                             | 17-19      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42       |
| 955                      | Tiger                                  | 93-99         | 7703                                                                                          | 530GXW 112                                                                                       | 18 48                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 955                      | Tiger                                  | 01-04         | 7705                                                                                          | 530GXW 114                                                                                       | 18 46                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 955                      | Tiger                                  | 05-06         |                                                                                               | 530GXW 114                                                                                       | 18 46                                | 4016 K                                                                                             | 17-19      | 2079 THF<br>2079 C<br>2079 ED                                                                      | 40-43,45,46<br>40-46<br>42       |
| 1000                     | Daytona                                | 91-95         |                                                                                               | 530GXW 112                                                                                       | 17 48                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
| 1050                     | Speed Triple                           | 05-11         | 9674                                                                                          | 530GXW 106                                                                                       | 18 42                                | 4016 K                                                                                             | 17-19      | 2046 C<br>2046 THF                                                                                 | 42<br>43                         |
| 2013                     | 1050 Speed Triple, Speed Triple R      | 12-13         | 9780                                                                                          | 530GXW 108                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 2046 C<br>2046 THF                                                                                 | 42<br>43                         |
|                          | 1050 Sprint ST                         | 05-10         | 7694                                                                                          | 530GXW 106                                                                                       | 19 42                                | 4016 K                                                                                             | 17-19      | 2046 C<br>2046 THF                                                                                 | 42<br>43                         |
| 2013                     | 1050 Sprint GT                         | 11-13         | 9798                                                                                          | 530GXW 106                                                                                       | 19 42                                | 4016 K                                                                                             | 17-19      | 2046 C<br>2046 THF                                                                                 | 42<br>43                         |
| 2013                     | 1050 Tiger, Tiger SE                   | 07-13         | 9692                                                                                          | 530GXW 114                                                                                       | 18 44                                | 4016 K                                                                                             | 17-19      | 2079 C<br>2079 THF<br>2079 ED                                                                      | 40-46<br>40-43,45,46<br>42       |
|                          | 1200 Daytona                           | 93-96         | 7710                                                                                          | 530GXW 110                                                                                       | 18 43                                | 4016 K                                                                                             | 17-19      | 334 THF                                                                                            | 39-46,48                         |
|                          | 1200 Daytona                           | 1997          |                                                                                               | 530GXW 110                                                                                       | 18 42                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
|                          | 1200 Trophy                            | 91-96         | 7714                                                                                          | 530GXW 114                                                                                       | 18 45                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
|                          | 1200 Trophy                            | 97-99         | 7712                                                                                          | 530GXW 110                                                                                       | 18 44                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
|                          | 1200 Trophy                            | 2000          |                                                                                               | 530GXW 110                                                                                       | 18 40                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
|                          | 1200 Trophy                            | 2001          |                                                                                               | 530GXW 108                                                                                       | 19 40                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |
|                          | 1200 Trophy                            | 02-03         |                                                                                               | 530GXW 108                                                                                       | 18 40                                | 4016 K                                                                                             | 17-19      | 334 THF<br>334 C                                                                                   | 39-46,48<br>39-46,48             |

## VOR

|     |        |      |  |            |       |        |        |                    |                      |
|-----|--------|------|--|------------|-------|--------|--------|--------------------|----------------------|
| 400 | EN 400 | 2002 |  | 520XSO 114 | 13 48 | 4056 K | 13, 14 | 2072 E<br>2072 ESM | 47,48,51,52<br>40-46 |
| 530 | EN 530 | 2002 |  | 520XSO 114 | 13 48 | 4056 K | 13, 14 | 2072 E<br>2072 ESM | 47,48,51,52<br>40-46 |

| 廠牌與車型<br>Marca e Modello |        | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                      |
|--------------------------|--------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|----------------------|
|                          |        |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti           |
| 530                      | MX 530 | 2002       |                                                                                               | 520XSO 114                                                                                       | 14 48                                | 4056 K                                                                                             | 13, 14     | 2072 E<br>2072 ESM                                                                                 | 47,48,51,52<br>40-46 |
| 530                      | SM 530 | 2002       |                                                                                               | 520XSO 114                                                                                       | 14 40                                | 4056 K                                                                                             | 13, 14     | 2072 ESM                                                                                           | 40-46                |

## Yamaha

|      |     |                     |       |               |                     |        |               |                  |                              |                               |
|------|-----|---------------------|-------|---------------|---------------------|--------|---------------|------------------|------------------------------|-------------------------------|
|      | 50  | DT 50 MX France     | 81-85 |               | 420M 106            | 13 42  | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 MX-MX-S       | 83-95 |               | 420M 112            | 11 48  | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 - R           | 03-06 |               | 420M 126            | 12 48  | 4038          | 10-15            | 2075 C                       | 45,48,50,52,53                |
|      | 50  | DT 50 #428          | 03-06 |               | 428 126             | 11 48  | 4035          | 11-15            | 2106 E                       | 48,50-52,54,56,58,60,62       |
|      | 50  | DT 50 - SM          | 03-06 |               | 420M 126            | 11 48  | 4038          | 10-15            | 2075 C                       | 45,48,50,52,53                |
|      | 50  | DT 50 SM #428       | 03-06 |               | 428 126             | 11 48  | 4035          | 11-15            | 2106 E                       | 48,50-52,54,56,58,60,62       |
|      | 50  | DT 50 R, DT 50 R SM | 03-05 |               | 420M                | 12 48  | 4038          | 10-15            | 2075 C                       | 45,48,50,52,53                |
|      | 50  | DT 50 R-MX-S        | 86-94 |               | 420M 122            | 10 48  | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 R             | 91-95 |               | 420M 116            | 13 38  | 560<br>560 KC | 12-16<br>13, 14  | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 R Vitesse     | 1996  |               | 420M 116            | 10 -52 | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 R X-Limit     | 97-   | 9399          | 420M 128            | 12 52  | 4038          | 10-15            | 832                          | 38,40,42-46,48,52             |
|      | 50  | DT 50 R             | 03-06 |               | 420M 116            | 11 50  | 4038          | 10-15            | 2075 C                       | 45,48,50,52,53                |
|      | 50  | LB 50 2M Chappy     | 85-95 |               | 420M 94             | 14 32  | 560<br>560 KC | 12-16<br>13, 14  | 834                          | 32,37,39,41,48                |
|      | 50  | RD 50 M-MX          | 79-88 |               | 420M 106            | 12 48  | 562           | 10-16            | 834                          | 32,37,39,41,48                |
| 2013 | 50  | TT-R 50 E           | 06-13 |               | 420M                | 13 37  | 546           | 14, 15           | 834                          | 32,37,39,41,48                |
|      | 50  | TY 50 M             | 78-81 |               | 420M 104            | 12 45  | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 50  | TZR 50 RR           | 03-04 | 7773          | 420M 130            | 11 47  | 4038          | 10-15            | 2051                         | 47                            |
|      | 50  | TZR 50 X-Power      | 96-09 | 9400          | 420M 130            | 12 47  | 4038          | 10-15            | 2051                         | 47                            |
|      | 50  | TZR 50 X-Power #428 | 96-09 | 9401          | 428 130             | 12 47  | 4035          | 11-15            | 835                          | 45,46,47,48,49,52             |
|      | 80  | DT 80 MX            | 81-83 |               | 420M 108            | 13 41  | 562           | 10-16            | 832                          | 38,40,42-46,48,52             |
|      | 80  | DT 80 LC2           | 85-94 | 9402          | 428 126             | 15 51  | 550           | 14, 15           | 843                          | 49-51,53                      |
|      | 80  | FZR 80 RR           | 92-94 |               | 428 428             | 14 45  | 555           | 14, 15           | 835                          | 45,46,47,48,49,52             |
|      | 80  | LB 80               | 85-89 |               | 420M 90             | 15 32  | 560<br>560 KC | 12-16<br>13, 14  | 834                          | 32,37,39,41,48                |
|      | 80  | PW 80               | 86-09 | 9403          | 420M 108            | 15 32  | 546           | 14, 15           | 834                          | 32,37,39,41,48                |
|      | 80  | RD 80 LC1           | 1982  |               | 420M 108            | 15 48  | 546           | 14, 15           | 834                          | 32,37,39,41,48                |
|      | 80  | RD 80 LC2           | 83-85 |               | 420M 108            | 14 48  | 555           | 14, 15           | 835                          | 45,46,47,48,49,52             |
|      | 80  | RD 80 MX            | 82-85 |               | 420M 108            | 13 41  | 562           | 10-16            | 834                          | 32,37,39,41,48                |
|      | 80  | TZR 80              | 92-95 | 9404          | 428 126             | 14 48  | 555           | 14, 15           | 835                          | 45,46,47,48,49,52             |
|      | 80  | TZR 80 RR           | 1996  | 9405          | 428 126             | 15 46  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 80  | YZ 80               | 93-02 | 9595          | 428MXZ 118          | 14 47  | 416 K         | 12-16            | 2066 E                       | 47-53                         |
| 2013 | 85  | YZ 85               | 02-13 | 9596          | 428H 118            | 14 47  | 558           | 13-18            | 2066 E                       | 47-53                         |
|      | 100 | RXS 100             | 85-95 |               | 428 110             | 15 36  | 416 K         | 12-16            | 838                          | 36,39,45                      |
| 2013 | 100 | TT-R 100 E          | 08-13 |               | 420M 90             | 14 35  | 546           | 14, 15           | 834                          | 32,37,39,41,48                |
|      | 100 | YB 100              | 79-92 |               | 420M 98             | 15 37  | 560<br>560 KC | 12-16<br>13, 14  | 834                          | 32,37,39,41,48                |
|      | 125 | DT 125 MX           | 76-82 |               | 428 118             | 15 49  | 416 K         | 12-16            | 843                          | 49-51,53                      |
|      | 125 | DT 125 LC1          | 84-87 |               | 428 118             | 15 49  | 263           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | DT 125 LC2-3/R      | 85-88 |               | 428 126             | 16 53  | 263           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | DT 125 LC           | 1988  | 9406          | 428 128             | 16 50  | 264           | 14-16            | 842                          | 45,50,52                      |
|      | 125 | DT 125 R1-2         | 89-92 |               | 428 134             | 17 55  | 558           | 13-18            | 839                          | 53,55,57                      |
|      | 125 | DT 125 R France     | 92-95 |               | 428 134             | 17 57  | 558           | 13-18            | 839                          | 53,55,57                      |
|      | 125 | DT 125 R3           | 93-01 | 9407          | 428 134             | 16 57  | 558           | 13-18            | 839                          | 53,55,57                      |
|      | 125 | DT 125 Ténéré       | 89-92 |               | 428 126             | 16 50  | 264           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | DT 125 X            | 2005  |               | 428 134             | 14 57  | 558           | 13-18            | 839                          | 53,55,57                      |
|      | 125 | RD 125 DX - 1E7     | 80-81 |               | 428 112             | 15 39  | 416 K         | 12-16            | 838                          | 36,39,45                      |
|      | 125 | RD 125 LC1          | 82-85 |               | 428 118             | 16 46  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 125 | RD 125 LC2/YPVS     | 85-87 |               | 428 118             | 16 45  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 125 | RDZ 125 LC          | 87-89 |               | 428 118             | 16 45  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 125 | RS 125 DX           | 76-84 |               | 428 110             | 15 36  | 416 K         | 12-16            | 838                          | 36,39,45                      |
|      | 125 | SR 125 SE           | 83-90 | 9408          | 428 120             | 14 49  | 263           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | SR 125 SE Custom    | 91-96 | 9597          | 428 120             | 14 49  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 125 | SR 125 Spain        | 82-97 | 7774          | 428H 120            | 13 49  | 4022 K        | 13               | 835                          | 45,46,47,48,49,52             |
|      | 125 | TDR 125 Italy       | 89-91 |               | 428H 132            | 16 52  | 558           | 13-18            | 839                          | 53,55,57                      |
|      | 125 | TDR 125 R           | 92-95 |               | 428H 130            | 16 51  | 558           | 13-18            | 2014                         | 47,51,55,57                   |
|      | 125 | TDR 125 R           | 93-99 | 7715          | 428H 136            | 16 57  | 558           | 13-18            | 2014                         | 47,51,55,57                   |
| 2013 | 125 | TT-R 125 E          | 05-13 |               | 428H 122            | 13 54  | 4100          | 14               |                              |                               |
|      | 125 | TW 125              | 99-04 | 7716          | 428H 122            | 14 50  | 4042          | 14               | 842                          | 45,50,52                      |
|      | 125 | TY 125              | 88-89 | 9409          | 428 120             | 13 52  | 416 K         | 12-16            | 842                          | 45,50,52                      |
|      | 125 | TZR 125             | 88-90 | 9410          | 428H 130            | 16 45  | 263           | 14-16            | 835                          | 45,46,47,48,49,52             |
|      | 125 | TZR 125 R           | 92-93 |               | 428H 136            | 17 47  | 558           | 13-18            | 2014                         | 47,51,55,57                   |
|      | 125 | TZR 125 R           | 93-97 | 9598          | 428H 140            | 16 46  | 558           | 13-18            | 2024                         | 46                            |
|      | 125 | TZR 125 RR          | 94-99 | 9599          | 428H 136            | 18 51  | 558           | 13-18            | 2014                         | 47,51,55,57                   |
|      | 125 | WR 125              | 99-00 | 9600          | 520MXZ4 112         | 13 48  | 564<br>564 KC | 13, 14<br>13, 14 | 2015 EC<br>2015 PX<br>2015 C | 47-53<br>48-52<br>46,48-50,52 |
|      | 125 | WR 125 R - WR 125 X | 09-10 |               | 428MXZ              | 14 53  | 4095 K        | 14, 15           | 839                          | 53,55,57                      |
|      | 125 | YBR125              | 05-06 |               | 428 118             | 14 45  | 263           | 14-16            | 838                          | 36,39,45                      |
|      | 125 | YBR125              | 07-12 | 9698          | 428 118             | 14 45  | 4100          | 13, 14           | 838                          | 36,39,45                      |
|      | 125 | YBR125 Custom       | 08-10 |               | 428 118             | 14 43  | 4022          | 13, 14           | 838                          | 36,39,45                      |
|      | 125 | XT 125 - 2YE        | 88-90 |               | 428H 120            | 14 53  | 263           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | XT 125 - 2YU        | 91-94 |               | 428H 118            | 14 50  | 263           | 14-16            | 843                          | 49-51,53                      |
|      | 125 | XT125 R             | 05-10 |               | 428H 128            | 14 50  | 263           | 14-16            | 2106 E                       | 48,50-52,54,56,58,60,62       |
|      | 125 | XT125 X             | 05-10 |               | 428H 126            | 14 48  | 263           | 14-16            | 2106 E                       | 48,50-52,54,56,58,60,62       |
|      | 125 | XV 125 Virago       | 97-00 | 9411<br>9411B | 520H 114<br>520 114 | 13 47  | 4033          | 13               | 857 C                        | 38-42,45-47,50                |
|      | 125 | XVS 125 Drag Star   | 00-05 |               | 428H 146            | 16 59  | 558           | 13-18            |                              |                               |

| 廠牌與車型<br>Marca e Modello |                   | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                          | <br>後齒<br>corona |                                                                           |
|--------------------------|-------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
|                          |                   |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti               | 料號                                                                                                 | 齒數 - denti                                                                |
| 125                      | YZ 125            | 87-88      |                                                                                               | 520MXZ4 112                                                                                      | 13 49                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
| 125                      | YZ 125            | 89-92      |                                                                                               | 520MXZ4 116                                                                                      | 13 51                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
| 125                      | YZ 125            | 93-96      |                                                                                               | 520MXZ4 114                                                                                      | 13 50                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
| 125                      | YZ 125            | 97-98      | 9601                                                                                          | 520MXZ4 112                                                                                      | 13 48                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
| 125                      | YZ 125            | 99-01      |                                                                                               | 520MXZ4 112                                                                                      | 13 48                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 125                      | YZ 125            | 02-04      | 9602                                                                                          | 520MXZ4 112                                                                                      | 13 49                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 2013                     | 125 YZ 125        | 05-13      | 9603                                                                                          | 520MXZ4 112                                                                                      | 13 48                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 125                      | YZF-R125          | 08-12      | 9693                                                                                          | 428H 132                                                                                         | 14 48                                | 4095 K                                                                                             | 14, 15                   | 2131 C<br>2131 E                                                                                   | 46,47,48,49<br>48                                                         |
| 175                      | DT 175 MX         | 80-85      |                                                                                               | 428SO 118                                                                                        | 15 49                                | 416 K                                                                                              | 12-16                    | 843                                                                                                | 49-51,53                                                                  |
| 200                      | DT 200 R          | 89-93      |                                                                                               | 520XMO 108                                                                                       | 13 43                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 2045 C                                                                                             | 40-42,44,46-48,50                                                         |
| 200                      | TW 200, TW 200 C  | 87-94      |                                                                                               | 428H 126                                                                                         | 14 50                                | 4042                                                                                               | 14                       | 842                                                                                                | 45,50,52                                                                  |
| 200                      | TW 200, TW 200 C  | 95-13      |                                                                                               | 428H 122                                                                                         | 14 50                                | 4042                                                                                               | 14                       | 842                                                                                                | 45,50,52                                                                  |
| 200                      | WR 200 R          | 92-96      |                                                                                               | 520XMO 116                                                                                       | 13 52                                | 564<br>564 KC                                                                                      | 13, 14<br>13, 14         | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
| 230                      | TT-R230           | 05-09      |                                                                                               | 520XMO 106                                                                                       | 13 49                                | 4078 K                                                                                             | 13                       | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 250                      | SR 250            | 86-96      | 7775                                                                                          | 520 100                                                                                          | 14 40                                | 572 K                                                                                              | 14-16                    | 845 C                                                                                              | 40,45,46                                                                  |
| 250                      | SR 250 SE         | 80-84      | 7779                                                                                          | 520SO 100                                                                                        | 16 45                                | 572 K                                                                                              | 14-16                    | 845 C                                                                                              | 40,45,46                                                                  |
|                          |                   |            | 7779B                                                                                         | 520H 100                                                                                         |                                      |                                                                                                    |                          |                                                                                                    |                                                                           |
| 250                      | SR 250            | 91-96      |                                                                                               | 520 100                                                                                          | 16 46                                | 572 K                                                                                              | 14-16                    | 845 C                                                                                              | 40,45,46                                                                  |
| 250                      | TDR 250           | 88-90      |                                                                                               | 520XMO 108                                                                                       | 14 45                                | 565 K<br>565 KC                                                                                    | 11-16<br>13-15           | 846 C                                                                                              | 37,39,41,45                                                               |
| 250                      | TT 250 R          | 95-98      | 9412                                                                                          | 520SO 106                                                                                        | 14 44                                | 4026 K                                                                                             | 14                       | 2045 C                                                                                             | 40-42,44,46-48,50                                                         |
| 250                      | TZR 250           | 87-92      | 9604                                                                                          | 520XMO 110                                                                                       | 14 41                                | 565 K                                                                                              | 11-16                    | 846 C                                                                                              | 37,39,41,45                                                               |
|                          |                   |            | 9604B                                                                                         | 520SO 110                                                                                        |                                      |                                                                                                    |                          |                                                                                                    |                                                                           |
| 250                      | WR 250 Z          | 97-98      | 9605                                                                                          | 520XMO 114                                                                                       | 14 48                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50                                          |
|                          |                   |            | 9605B                                                                                         | 520SO 114                                                                                        |                                      |                                                                                                    |                          |                                                                                                    |                                                                           |
| 250                      | WR 250            | 99-00      | 9493                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 C                                                                       | 47-53<br>48-52<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern          |
|                          |                   |            | 9493B                                                                                         | 520SO 114                                                                                        |                                      |                                                                                                    |                          |                                                                                                    |                                                                           |
| 250                      | WR 250 F          | 01-06      | 9490                                                                                          | 520XMO 114                                                                                       | 13 52                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 250                      | WR 250 F          | 2007       | 9491                                                                                          | 520XMO 112                                                                                       | 13 50                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 250                      | WR 250 F          | 08-09      | 9670                                                                                          | 520XMO 112                                                                                       | 14 47                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 2013                     | 250 WR 250 F      | 10-13      | 9799                                                                                          | 520XMO 114                                                                                       | 14 47                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52<br>Blue, Black 48-52<br>pro-Altern |
| 250                      | WR 250 R          | 08-12      | 9671                                                                                          | 520XMO 108                                                                                       | 13 43                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 ESM                                                                                           | 42-46                                                                     |
| 250                      | WR 250 X          | 08-12      | 9672                                                                                          | 520XMO 108                                                                                       | 13 42                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 ESM                                                                                           | 42-46                                                                     |
| 250                      | XT 250            | 80-90      |                                                                                               | 520XMO 98                                                                                        | 15 46                                | 572 K                                                                                              | 14-16                    | 845 C                                                                                              | 40,45,46                                                                  |
| 2013                     | 250 XT 250        | 08-13      |                                                                                               | 428H 128                                                                                         | 15 48                                | 4101 K                                                                                             | 15                       | 2014                                                                                               | 47,51,55,57                                                               |
| 250                      | XV 250 S Virago   | 89-09      | 7776                                                                                          | 520SO 114                                                                                        | 16 45                                | 572 K                                                                                              | 14-16                    | 857 C                                                                                              | 38-42,45-47,50                                                            |
| 2013                     | 250 XV 250 V-Star | 08-13      |                                                                                               | 520SO 114                                                                                        | 16 45                                | 569                                                                                                | 13-17                    | 857 C                                                                                              | 38-42,45-47,50                                                            |
| 250                      | YBR 250           | 07-11      | 9781                                                                                          | 428H 132                                                                                         | 15 44                                | 4101 K                                                                                             | 15                       | 857 C                                                                                              | 38-42,45-47,50                                                            |
| 250                      | YZ 250            | 85-86      |                                                                                               | 520MXZ4 114                                                                                      | 14 50                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>2045 C                                                                                   | 48-52<br>40-42,44,46-48,50                                                |
| 250                      | YZ 250            | 87-89      |                                                                                               | 520MXZ4 114                                                                                      | 14 49                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>2045 C                                                                                   | 48-52<br>40-42,44,46-48,50                                                |
| 250                      | YZ 250            | 90-93      |                                                                                               | 520MXZ4 114                                                                                      | 14 51                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>2045 C                                                                                   | 48-52<br>40-42,44,46-48,50                                                |
| 250                      | YZ 250            | 94-98      | 9606                                                                                          | 520MXZ4 114                                                                                      | 13 49                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>2045 C                                                                                   | 48-52<br>40-42,44,46-48,50                                                |
| 250                      | YZ 250            | 99-01      | 9607                                                                                          | 520MXZ4 114                                                                                      | 14 50                                | 565 K                                                                                              | 11-16                    | 2015 EC                                                                                            | 47-53<br>Blue, Black 48-52                                                |

| 廠牌與車型<br>Marca e Modello |                        | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                          | <br>後齒<br>corona |                                        |
|--------------------------|------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|--------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------|
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti               | 料號                                                                                                 | 齒數 - denti                             |
|                          |                        |            |                                                                                               |                                                                                                  |                                      | 565 KC<br>565 SM                                                                                   | 13-15<br>14, 15          | 2015 PX<br>2015 ESM<br>2015 C                                                                      | 48-52<br>42-46<br>46,48-50,52          |
| 250                      | YZ 250                 | 02-05      | 9608                                                                                          | 520MXZ4 114                                                                                      | 14 49                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 2013                     | 250                    | 06-13      | 9607                                                                                          | 520MXZ4 114                                                                                      | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 250                      | YZ 250 F               | 01-11      | 9610                                                                                          | 520MXZ4 112                                                                                      | 13 49                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
| 250                      | YZ 250 F               | 12-13      | 9800                                                                                          | 520MXZ4 114                                                                                      | 13 51                                | 4050 K<br>4050 KC                                                                                  | 12-15<br>13, 14          | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
| 350                      | RD 350 LC              | 80-82      |                                                                                               | 530XSO 102                                                                                       | 16 39                                | 567 K                                                                                              | 15, 16                   | 848 C                                                                                              | 39                                     |
| 350                      | RD 350 LC YPVS         | 83-94      | 9413                                                                                          | 520XSO 106                                                                                       | 17 39                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 846 C                                                                                              | 37,39,41,45                            |
| 350                      | TT 350                 | 86-95      | 7717                                                                                          | 520SO 108                                                                                        | 14 50                                | 575 K                                                                                              | 14-16                    | 2045 C                                                                                             | 40-42,44,46-48,50                      |
| 350                      | XT 350 H/N             | 85-98      | 7718                                                                                          | 428SO 130                                                                                        | 19 52                                | 576 K                                                                                              | 19                       | 842                                                                                                | 45,50,52                               |
| 400                      | FZR 400 Genesis        | 1988       |                                                                                               | 525XSO 104                                                                                       | 15 44                                | 574 K                                                                                              | 15                       | 844 C                                                                                              | 41                                     |
| 400                      | FZR 400 RR             | 88-94      |                                                                                               | 428GXW 130                                                                                       | 19 55                                | 582 K                                                                                              | 19, 20                   | 2014                                                                                               | 47,51,55,57                            |
| 400                      | FZR 400 RR Switzerland | 91-94      |                                                                                               | 428GXW 130                                                                                       | 2055                                 | 582 K                                                                                              | 19, 20                   | 2014                                                                                               | 47,51,55,57                            |
| 400                      | WR 400                 | 1998       | 9492                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50       |
| 400                      | WR 400                 | 99-00      | 9493                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 C                                                                       | 47-53<br>48-52<br>46,48-50,52          |
| 400                      | WR 400-426 F           | 01-02      | 9493                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 400                      | XJ 400                 | 1982       |                                                                                               | 530SO 104                                                                                        | 16 45                                | 571 K                                                                                              | 16, 17                   | 856 C                                                                                              | 44                                     |
| 400                      | XS 400                 | 78-79      |                                                                                               | 530SO 104                                                                                        | 16 39                                | 567 K                                                                                              | 15, 16                   | 854 C                                                                                              | 39                                     |
| 400                      | XS 400 SE              | 80-83      |                                                                                               | 530SO 102                                                                                        | 16 36                                | 567 K                                                                                              | 15, 16                   | 854 C                                                                                              | 39                                     |
| 400                      | XT 400                 | 83-89      |                                                                                               | 520SO 100                                                                                        | 15 45                                | 575 K                                                                                              | 14-16                    | 857 C                                                                                              | 38-42,45-47,50                         |
| 400                      | YZ 400 F               | 1998       | 9611                                                                                          | 520MXZ4 114                                                                                      | 14 49                                | 569 K<br>569 KC                                                                                    | 13-17<br>14              | 853 EC<br>853 C<br>2045 C                                                                          | 48-52<br>40<br>40-42,44,46-48,50       |
| 400                      | YZ 400                 | 1999       |                                                                                               | 520MXZ4 114                                                                                      | 14 49                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 C                                                                       | 47-53<br>48-52<br>46,48-50,52          |
| 426                      | WR 426 F               | 02-        | 9493                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 426                      | YZ 426                 | 2000       |                                                                                               | 520MXZ4 114                                                                                      | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 C                                                                       | 47-53<br>48-52<br>46,48-50,52          |
| 426                      | YZ 426 F               | 01-02      | 9612                                                                                          | 520MXZ4 114                                                                                      | 13 49                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 450                      | WR 450 F               | 03-04      | 9496                                                                                          | 520XMO 112                                                                                       | 14 47                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 450                      | WR 450 F               | 05-08      | 9493                                                                                          | 520XMO 114                                                                                       | 14 50                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 450                      | WR 450 F               | 2009       | 9694                                                                                          | 520XMO 114                                                                                       | 14 47                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 450                      | YZ 450 F               | 03-04      | 9613                                                                                          | 520MXZ4 112                                                                                      | 14 48                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |
|                          |                        |            |                                                                                               | 4mm Spacer -                                                                                     | Flangia corona 4mm                   |                                                                                                    |                          | 2015 SPE                                                                                           |                                        |
| 450                      | YZ 450 F               | 2005       | 9614                                                                                          | 520MXZ4 114                                                                                      | 14 51                                | 565 K<br>565 KC<br>565 SM                                                                          | 11-16<br>13-15<br>14, 15 | 2015 EC<br>2015 PX<br>2015 ESM<br>2015 C                                                           | 47-53<br>48-52<br>42-46<br>46,48-50,52 |

| 廠牌與車型<br>Marca e Modello |     | 年份<br>anno                               |  |  | 原廠齒數<br>numero<br>denti<br>originali |  |                           |  |                                                      |                                        |                                  |                               |
|--------------------------|-----|------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------|----------------------------------------|----------------------------------|-------------------------------|
|                          |     |                                          | KIT<br>料號                                                                        | 鏈條<br>catena                                                                     |                                      | 前齒                                                                               | pignone                   | 後齒<br>corona                                                                      |                                                      |                                        |                                  |                               |
|                          |     |                                          |                                                                                  |                                                                                  |                                      | 料號                                                                               | 齒數 - denti                | 料號                                                                                | 齒數 - denti                                           |                                        |                                  |                               |
| 3                        | 450 | YZ 450 F                                 | 06-13                                                                            | 9612                                                                             | 4mm Spacer - 520MXZ4 114             | Flangia corona 4mm 13 49                                                         | 565 K<br>565 KC<br>565 SM | 11-16<br>13-15<br>14, 15                                                          | 2015 SPE<br>2015 EC<br>2015 PX<br>2015 ESM<br>2015 C | 47-53<br>48-52<br>42-46<br>46,48-50,52 | Blue, Black 48-52<br>pro-Elite   |                               |
|                          |     |                                          |                                                                                  |                                                                                  | 4mm Spacer - 520MXZ4 114             | Flangia corona 4mm                                                               |                           |                                                                                   | 2015 SPE                                             |                                        |                                  |                               |
|                          | 490 | YZ 490                                   | 87-90                                                                            |                                                                                  |                                      | 520MXZ4 114                                                                      | 14 50                     | 569 K<br>569 KC                                                                   | 13-17<br>14                                          | 853 EC<br>853 C<br>2045 C              | 48-52<br>40<br>40-42,44,46-48,50 |                               |
|                          | 500 | RD 500 LC                                | 84-87                                                                            |                                                                                  |                                      | 530XSO 102                                                                       | 15 38                     | 579 K                                                                             | 15-18                                                | 862 C                                  | 38,44,45                         |                               |
|                          | 500 | SR 500                                   | 78-90                                                                            |                                                                                  |                                      | 530XSO 104                                                                       | 16 42                     | 566 K                                                                             | 14-18                                                | 841 C                                  | 42                               |                               |
|                          | 500 | SR 500                                   | 91-00                                                                            | 7719                                                                             |                                      | 428GXW 130                                                                       | 20 55                     | 582 K                                                                             | 19, 20                                               | 851                                    | 55                               |                               |
|                          | 500 | XT 500                                   | 76-89                                                                            | 7720                                                                             |                                      | 520SO 100                                                                        | 16 42                     | 565 K<br>565 KC                                                                   | 11-16<br>13-15                                       | 2045 C                                 | 40-42,44,46-48,50                |                               |
|                          | 500 | XT 500 #530                              | 76-89                                                                            |                                                                                  |                                      | 530XSO 100                                                                       | 16 42                     | 566 K                                                                             | 14-18                                                | 841 C                                  | 42                               |                               |
|                          | 550 | XJ 550 R                                 | 81-83                                                                            |                                                                                  |                                      | 530XSO 104                                                                       | 16 45                     | 571 K                                                                             | 16, 17                                               | 856 C                                  | 44                               |                               |
|                          | 550 | XT 550                                   | 82-83                                                                            |                                                                                  |                                      | 520XSO 98                                                                        | 15 39                     | 575 K                                                                             | 14-16                                                | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | FZ 600                                   | 86-88                                                                            |                                                                                  |                                      | 530SO 104                                                                        | 16 44                     | 571 K                                                                             | 16, 17                                               | 862 C                                  | 38,44,45                         |                               |
|                          | 600 | FZR 600 C                                | 89-90                                                                            | 9415                                                                             |                                      | 530XSO 108                                                                       | 15 46                     | 566 K                                                                             | 14-18                                                | 865 C                                  | 39,43-46,49                      |                               |
|                          |     |                                          |                                                                                  | 9415B                                                                            |                                      | 530SO 108                                                                        |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | FZR 600 R - 4JH                          | 94-97                                                                            |                                                                                  |                                      | 530SO 108                                                                        | 15 47                     | 566 K                                                                             | 14-18                                                | 859 THF<br>859 C                       | 38,39,41,42,47,48<br>38-42,47,48 | Long Lasting                  |
|                          | 600 | FZS 600 Fazer                            | 98-03                                                                            | 7722                                                                             |                                      | 530XSO 110                                                                       | 15 48                     | 566 K                                                                             | 14-18                                                | 859 THF<br>859 C                       | 38,39,41,42,47,48<br>38-42,47,48 | Long Lasting                  |
|                          |     |                                          |                                                                                  | 7722B                                                                            |                                      | 530SO 110                                                                        |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | FZS 600 Fazer #520                       | 98-03                                                                            |                                                                                  |                                      | 520GXW 110                                                                       | 15 48                     | 566 KM                                                                            | 14-17                                                | 859 EMD                                | 43-45,48-50                      | Hard Anodized                 |
|                          | 600 | FZ6 600 Fazer / N-NS                     | 04-12                                                                            | 9021                                                                             |                                      | 530XSO 118                                                                       | 16 46                     | 580 K                                                                             | 15-17                                                | 479 THF<br>479 C<br>479 ED             | 38-39,42-49<br>38,39,42-49<br>43 | Long Lasting<br>Hard Anodized |
|                          |     |                                          |                                                                                  | 9021B                                                                            |                                      | 530SO 118                                                                        |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | FZ6 600 Fazer N / NS #520                | 04-12                                                                            |                                                                                  |                                      | 520GXW 118                                                                       | 16 46                     | 584 KM                                                                            | 14-17                                                | 479 EMD<br>486 C                       | 40-52<br>38,40-42,44,45,47       | Hard Anodized                 |
|                          | 600 | FZ6 6R                                   | 09-12                                                                            | 9782                                                                             |                                      | 530XSO 118                                                                       | 16 46                     | 580 K                                                                             | 15-17                                                | 479 THF<br>479 C<br>479 ED             | 38-39,42-49<br>38,39,42-49<br>43 | Long Lasting<br>Hard Anodized |
|                          | 600 | FZ6 600 Fazer N / NS #520                | 09-12                                                                            |                                                                                  |                                      | 520GXW 118                                                                       | 16 46                     | 584 KM                                                                            | 14-17                                                | 479 EMD<br>486 C                       | 40-52<br>38,40-42,44,45,47       | Hard Anodized                 |
|                          | 600 | SRX 600 C                                | 86-90                                                                            | 9417                                                                             |                                      | 520XSO 104                                                                       | 15 37                     | 575 K                                                                             | 14-16                                                | 846 C                                  | 37,39,41,45                      |                               |
|                          | 600 | TT 600                                   | 83-92                                                                            | 7723                                                                             |                                      | 520XSO 112                                                                       | 14 50                     | 575 K                                                                             | 14-16                                                | 2045 C                                 | 40-42,44,46-48,50                |                               |
|                          | 600 | TT 600 E (96-00) - RE (2004)             |                                                                                  | 7724                                                                             |                                      | 520XSO 110                                                                       | 15 47                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | TT 600 R                                 | 97-01                                                                            | 7725                                                                             |                                      | 520XSO 112                                                                       | 15 44                     | 577 K                                                                             | 14, 15                                               | 2045 C                                 | 40-42,44,46-48,50                |                               |
|                          | 600 | TT 600 S                                 | 93-95                                                                            |                                                                                  |                                      | 520XSO 110                                                                       | 15 44                     | 577 K                                                                             | 14, 15                                               | 2045 C                                 | 40-42,44,46-48,50                |                               |
|                          | 600 | XJ 600                                   | 84-90                                                                            | 9418                                                                             |                                      | 530SO 106                                                                        | 16 44                     | 571 K                                                                             | 16, 17                                               | 862 C                                  | 38,44,45                         |                               |
|                          | 600 | XJ 600                                   | 91-92                                                                            | 7726                                                                             |                                      | 530SO 106                                                                        | 17 44                     | 571 K                                                                             | 16, 17                                               | 862 C                                  | 38,44,45                         |                               |
|                          | 600 | XJ 600 S/N Diversion                     | 92-01                                                                            | 7727                                                                             |                                      | 520XSO 110                                                                       | 16 48                     | 585 K                                                                             | 16                                                   | 855 C                                  | 45-46-47-48                      |                               |
|                          | 600 | XJ 600 N                                 | 96-00                                                                            | 9616                                                                             |                                      | 520XSO 108                                                                       | 16 46                     | 585 K                                                                             | 16                                                   | 855 C                                  | 45-46-47-48                      |                               |
| 3                        | 600 | XJ 600 Diversion, XJ6 Diversion F, XJ6 N | 09-13                                                                            | 9783                                                                             |                                      | 520GXW 118                                                                       | 16 46                     | 584 KM                                                                            | 14-17                                                | 305 C                                  | 42-48,50                         |                               |
|                          | 600 | XT 600                                   | 85-86                                                                            | 9419                                                                             |                                      | 520XSO 104                                                                       | 15 40                     | 575 K                                                                             | 14-16                                                | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | XT 600 E                                 | 90-02                                                                            | 7728                                                                             |                                      | 520XSO 106                                                                       | 15 45                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | XT 600                                   | 87-94                                                                            | 7729                                                                             |                                      | 520XSO 102                                                                       | 15 39                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | XT 600 Ténéré                            | 83-86                                                                            | 7729                                                                             |                                      | 520XSO 102                                                                       | 15 39                     | 575 K                                                                             | 14-16                                                | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | XT 600 Z E                               | 87-90                                                                            | 9124                                                                             |                                      | 520XSO 104                                                                       | 15 40                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 600 | YZF 600 R Thundercat                     | 96-03                                                                            | 7731                                                                             |                                      | 530XSO 108                                                                       | 15 47                     | 566 K                                                                             | 14-18                                                | 859 THF<br>859 C                       | 38,39,41,42,47,48<br>38-42,47,48 | Long Lasting                  |
|                          |     |                                          |                                                                                  | 7731B                                                                            |                                      | 530SO 108                                                                        |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | YZF 600 R6                               | 99-02                                                                            | 7732                                                                             |                                      | 532GSV 116                                                                       | 16 48                     | 584 K                                                                             | 15-17                                                | 2053 THF<br>2053 C<br>2053 ED          | 48<br>46,48,49<br>48             | Long Lasting<br>Hard Anodized |
|                          | 600 | YZF 600 R6 #530                          | 99-02                                                                            | 9126                                                                             |                                      | 530GXW 116                                                                       | 16 48                     | 580 K                                                                             | 15-17                                                | 2097 THF<br>2097 C                     | 48<br>48                         | Long Lasting                  |
|                          |     |                                          |                                                                                  | 9126B                                                                            |                                      | 530XSO 116                                                                       |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | YZF 600 R6 #520                          | 99-02                                                                            | 7777                                                                             |                                      | 520GXW 116                                                                       | 16 48                     | 584 KM                                                                            | 14-17                                                | 2053 EMD                               | 45-50                            | Hard Anodized                 |
|                          | 600 | YZF 600 R6                               | 03-05                                                                            | 7733                                                                             |                                      | 532GSV 116                                                                       | 16 48                     | 584 K                                                                             | 15-17                                                | 2090 THF<br>2090 C                     | 48<br>48                         | Long Lasting                  |
|                          | 600 | YZF 600 R6 #530                          | 03-05                                                                            | 9022                                                                             |                                      | 530GXW 116                                                                       | 16 48                     | 580 K                                                                             | 15-17                                                | 479 THF<br>479 C<br>479 ED             | 38-39,42-49<br>38,39,42-49<br>43 | Long Lasting<br>Hard Anodized |
|                          |     |                                          |                                                                                  | 9022B                                                                            |                                      | 530XSO 116                                                                       |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | YZF 600 R6 #525                          | 03-05                                                                            |                                                                                  |                                      | 525GXW 116                                                                       | 16 48                     | 4074 K                                                                            | 15, 16                                               | 2111 THF<br>2111 C<br>2111 ED          | 45<br>43-46<br>45                | Long Lasting<br>Hard Anodized |
|                          |     |                                          |                                                                                  |                                                                                  |                                      |                                                                                  |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | YZF 600 R6 #520                          | 03-05                                                                            | 7778                                                                             |                                      | 520GXW 116                                                                       | 16 48                     | 584 KM                                                                            | 14-17                                                | 479 EMD<br>486 C                       | 40-52<br>38,40-42,44,45,47       | Hard Anodized                 |
| 3                        | 600 | YZF 600 R6                               | 06-13                                                                            | 9422                                                                             |                                      | 525GXW 114                                                                       | 16 45                     | 4074 K                                                                            | 15, 16                                               | 2111 THF<br>2111 C<br>2111 ED          | 45<br>43-46<br>45                | Long Lasting<br>Hard Anodized |
|                          |     |                                          |                                                                                  |                                                                                  |                                      |                                                                                  |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | YZF 600 R6 #520                          | 06-13                                                                            |                                                                                  |                                      | 520GXW 114                                                                       | 16 45                     | 584 KM                                                                            | 14-17                                                | 479 EMD<br>486 C                       | 40-52<br>38,40-42,44,45,47       | Hard Anodized                 |
|                          | 600 | R46                                      | 2005                                                                             |                                                                                  |                                      | 532GSV 116                                                                       | 16 48                     | 584 K                                                                             | 15-17                                                | 2090 THF<br>2090 C                     | 48<br>48                         | Long Lasting                  |
|                          | 600 | R46 #530                                 | 2005                                                                             | 9022                                                                             |                                      | 530GXW 116                                                                       | 16 48                     | 580 K                                                                             | 15-17                                                | 479 THF<br>479 C<br>479 ED             | 38-39,42-49<br>38-39,42-49<br>43 | Long Lasting<br>Hard Anodized |
|                          |     |                                          |                                                                                  | 9022B                                                                            |                                      | 530XSO 116                                                                       |                           |                                                                                   |                                                      |                                        |                                  |                               |
|                          | 600 | R46 #520                                 | 2005                                                                             |                                                                                  |                                      | 520GXW 116                                                                       | 16 48                     | 584 KM                                                                            | 14-17                                                | 479 EMD                                | 40-52                            | Hard Anodized                 |
|                          | 650 | XJ 650                                   | 86-90                                                                            | 9617                                                                             |                                      | 530SO 104                                                                        | 17 33                     | 568 K                                                                             | 17                                                   | 850 C                                  | 33                               |                               |
|                          | 650 | XS 650                                   | 75-83                                                                            | 9617                                                                             |                                      | 530SO 104                                                                        | 17 33                     | 568 K                                                                             | 17                                                   | 850 C                                  | 33                               |                               |
|                          | 660 | MT-03                                    | 06-12                                                                            |                                                                                  |                                      | 520XSO 112                                                                       | 15 45                     | 308 K                                                                             | 14, 15                                               | 855 C                                  | 45-46-47-48                      |                               |
|                          | 660 | SZR 660                                  | 95-97                                                                            | 9426                                                                             |                                      | 520XSO 110                                                                       | 15 39                     | 577 K                                                                             | 14, 15                                               | 846 C                                  | 37,39,41,45                      |                               |
|                          | 660 | XTZ 660 Ténéré                           | 90-95                                                                            | 7734                                                                             |                                      | 520XSO 110                                                                       | 15 45                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 660 | XTZ 660 Ténéré                           | 96-00                                                                            | 7735                                                                             |                                      | 520XSO 110                                                                       | 15 46                     | 577 K                                                                             | 14, 15                                               | 857 C                                  | 38-42,45-47,50                   |                               |
|                          | 660 | XTZ 660 Ténéré                           | 08-12                                                                            | 9673                                                                             |                                      | 520XSO 110                                                                       | 15 45                     | 308 K                                                                             | 14, 15                                               | 855 C                                  | 45-46-47-48                      |                               |
|                          | 660 | XT 660 R - X                             | 04-12                                                                            | 9023                                                                             |                                      | 520XSO 110                                                                       | 15 45                     | 308 K                                                                             | 14, 15                                               | 855 C                                  | 45-46-47-48                      |                               |

| 廠牌與車型<br>Marca e Modello |                                       | 年份<br>anno | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |            | <br>後齒<br>corona |                                                                       |
|--------------------------|---------------------------------------|------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------|------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
|                          |                                       |            |                                                                                               |                                                                                                  |                                      | 料號                                                                                                 | 齒數 - denti | 料號                                                                                                 | 齒數 - denti                                                            |
| 750                      | FZ 750                                | 85-86      |                                                                                               | 530XSO 110                                                                                       | 16 44                                | 580 K                                                                                              | 15-17      | 865 C                                                                                              | 39,43-46,49                                                           |
| 750                      | FZ 750 Genesis                        | 87-91      | 9427                                                                                          | 530XSO 110                                                                                       | 16 43                                | 580 K                                                                                              | 15-17      | 865 C                                                                                              | 39,43-46,49                                                           |
|                          |                                       |            | 9427B                                                                                         | 530SO 110                                                                                        |                                      |                                                                                                    |            |                                                                                                    |                                                                       |
| 750                      | FZ 750                                | 91-93      |                                                                                               | 530XSO 110                                                                                       | 17 43                                | 580 K                                                                                              | 15-17      | 865 C                                                                                              | 39,43-46,49                                                           |
| 750                      | FZR 750 R Genesis                     | 88-89      |                                                                                               | 530XSO 110                                                                                       | 17 42                                | 580 K                                                                                              | 15-17      | 859 THF<br>859 C                                                                                   | 38,39,41,42,47,48<br>38-42,47,48 <b>Long Lasting</b>                  |
| 750                      | FZR 750 R OW-01                       | 89-92      |                                                                                               | 532GSV 108                                                                                       | 16 46                                | 584 K                                                                                              | 15-17      | 866 THF<br>866 C                                                                                   | 38,43,46<br>38,39,43,46,47 <b>Long Lasting</b>                        |
| 750                      | FZX 750                               | 86-97      | 7736                                                                                          | 530XSO 106                                                                                       | 17 39                                | 580 K                                                                                              | 15-17      | 865 C                                                                                              | 39,43-46,49                                                           |
|                          |                                       |            | 7736B                                                                                         | 530SO 106                                                                                        |                                      |                                                                                                    |            |                                                                                                    |                                                                       |
| 750                      | XTZ Super Ténéré                      | 89-00      | 7737                                                                                          | 520XSO 112                                                                                       | 16 46                                | 578 K                                                                                              | 16         | 855 C                                                                                              | 45-46-47-48                                                           |
| 750                      | YZF 750 R/RC                          | 93-99      |                                                                                               | 532GSV 106                                                                                       | 16 43                                | 584 K                                                                                              | 15-17      | 866 THF<br>866 C                                                                                   | 38,43,46<br>38,39,43,46,47 <b>Long Lasting</b>                        |
| 750                      | YZF 750 R SP                          | 93-97      |                                                                                               | 530SO 118                                                                                        | 17 42                                | 580 K                                                                                              | 15-17      | 859 THF<br>859 C                                                                                   | 38,39,41,42,47,48<br>38-42,47,48 <b>Long Lasting</b>                  |
| 750                      | YZF 750 R7                            | 99-00      | 9618                                                                                          | 530SO 118                                                                                        | 17 42                                | 580 K                                                                                              | 15-17      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 800                      | FZ8, FZ8N, FZ8NA, FZ8S, FZ8SA Fazer 8 | 10-12      | 9784                                                                                          | 525XSO 122                                                                                       | 16 46                                | 4055 K                                                                                             | 15, 16     | 300 C                                                                                              | 39,42,43,46-49                                                        |
| 850                      | TDM 850                               | 92-96      | 7740                                                                                          | 525XSO 114                                                                                       | 16 44                                | 520 K                                                                                              | 14-17      | 867 THF<br>867 C                                                                                   | 42-44<br>42-44 <b>Long Lasting</b>                                    |
| 850                      | TDM 850                               | 96-98      | 7741                                                                                          | 525XSO 114                                                                                       | 17 42                                | 4030 K                                                                                             | 17         | 867 THF<br>867 C                                                                                   | 42-44<br>42-44 <b>Long Lasting</b>                                    |
| 850                      | TDM 850                               | 99-01      | 7739                                                                                          | 525XSO 114                                                                                       | 16 43                                | 520 K                                                                                              | 14-17      | 867 THF<br>867 C                                                                                   | 42-44<br>42-44 <b>Long Lasting</b>                                    |
| 850                      | TRX 850                               | 96-00      | 7742                                                                                          | 525XSO 110                                                                                       | 17 39                                | 4030 K                                                                                             | 17         | 300 C                                                                                              | 39,42,43,46-49                                                        |
| 900                      | TDM 900, ABS                          | 02-12      | 7743                                                                                          | 525GXW 118                                                                                       | 16 42                                | 4055 K                                                                                             | 15, 16     | 300 C                                                                                              | 39,42,43,46-49                                                        |
| 1000                     | FZR 1000 Genesis                      | 87-88      | 7745                                                                                          | 532GSV 110                                                                                       | 16 46                                | 584 K                                                                                              | 15-17      | 866 THF<br>866 C                                                                                   | 38,43,46<br>38,39,43,46,47 <b>Long Lasting</b>                        |
| 1000                     | FZR 1000 EX-UP                        | 89-97      |                                                                                               | 532GSV 110                                                                                       | 17 47                                | 584 K                                                                                              | 15-17      | 866 THF                                                                                            | 38,43,46 <b>Long Lasting</b>                                          |
| 1000                     | FZR 1000 EX-UP #530                   | 89-97      | 7744                                                                                          | 530GXW 110                                                                                       | 17 47                                | 580 K                                                                                              | 15-17      | 859 THF<br>859 C                                                                                   | 38,39,41,42,47,48<br>38-42,47,48 <b>Long Lasting</b>                  |
| 1000                     | FZ1, FZS1000 Fazer                    | 00-05      | 7746<br>9722                                                                                  | 530GXW 116                                                                                       | 16 44                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | FZ1, FZS1000 Fazer #520               | 00-05      |                                                                                               | 520GXW 116                                                                                       | 16 44                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1000                     | FZ1, FZS1000 Fazer, FZ1 N             | 06-12      | 9434<br>9723                                                                                  | 530GXW 122                                                                                       | 17 45                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | FZ1, FZS1000 Fazer, FZ1 N #520        | 06-12      |                                                                                               | 520GXW 122                                                                                       | 17 45                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1000                     | GTS 1000                              | 93-99      |                                                                                               | 532GSV 118                                                                                       | 17 47                                | 584 K                                                                                              | 15-17      | 866 THF<br>866 C                                                                                   | 38,43,46<br>38,39,43,46,47 <b>Long Lasting</b>                        |
| 1000                     | GTS 1000 #530                         | 93-99      | 7747                                                                                          | 530GXW 118                                                                                       | 17 47                                | 580 K                                                                                              | 15-17      | 859 THF                                                                                            | 38,39,41,42,47,48 <b>Long Lasting</b>                                 |
| 1000                     | YZF1000R Thunderace                   | 96-97      | 7748                                                                                          | 532GSV 110                                                                                       | 17 46                                | 584 K                                                                                              | 15-17      | 866 THF                                                                                            | 38,43,46 <b>Long Lasting</b>                                          |
| 1000                     | YZF1000R Thunderace #530              | 96-97      |                                                                                               | 530GXW 110                                                                                       | 17 46                                | 580 K                                                                                              | 15-17      | 859 THF                                                                                            | 38,39,41,42,47,48 <b>Long Lasting</b>                                 |
| 1000                     | YZF 1000 R                            | 96-97      | 9437                                                                                          | 530GXW 114                                                                                       | 16 42                                | 580 K                                                                                              | 15-17      | 859 THF                                                                                            | 38,39,41,42,47,48 <b>Long Lasting</b>                                 |
| 1000                     | YZF 1000 R #520                       | 96-97      |                                                                                               | 520GXW 114                                                                                       | 16 42                                | 584 KM                                                                                             | 14-17      | 859 EMD                                                                                            | 43-45,48-50 <b>Hard Anodized</b>                                      |
| 1000                     | YZF 1000 R1                           | 98-03      | 7749                                                                                          | 530GXW 114                                                                                       | 16 43                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | YZF 1000 R1 #520                      | 98-03      |                                                                                               | 520GXW 116                                                                                       | 16 43                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1000                     | YZF 1000 R1                           | 04-06      | 9439                                                                                          | 530GXW 116                                                                                       | 17 45                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | YZF 1000 R1 #520                      | 04-06      |                                                                                               | 520GXW 118                                                                                       | 17 45                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1000                     | YZF 1000 R1                           | 07-08      | 9621                                                                                          | 530GXW 118                                                                                       | 17 45                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | YZF 1000 R1 #520                      | 07>08      |                                                                                               | 520GXW 118                                                                                       | 17 45                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 2013                     | YZF 1000 R1                           | 09-13      | 9691                                                                                          | 530GXW 120                                                                                       | 17 47                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1000                     | YZF 1000 R1 #520                      | 09-12      |                                                                                               | 520GXW 110                                                                                       | 17 47                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1100                     | FJ 1100 L/N                           | 84-85      | 9441                                                                                          | 530GXW 110                                                                                       | 17 41                                | 579 K                                                                                              | 15-18      | 859 C<br>859 THF                                                                                   | 38-42,47,48<br>38,39,41,42,47,48 <b>Long Lasting</b>                  |
| 1200                     | FJ 1200                               | 86-90      | 7750                                                                                          | 530GXW 110                                                                                       | 17 40                                | 579 K                                                                                              | 15-18      | 859 C<br>859 THF                                                                                   | 38-42,47,48<br>38,39,41,42,47,48 <b>Long Lasting</b>                  |
| 1200                     | FJ 1200 A-C                           | 91-95      | 7751                                                                                          | 530GXW 110                                                                                       | 17 39                                | 579 K                                                                                              | 15-18      | 859 THF<br>859 C                                                                                   | 38,39,41,42,47,48<br>38-42,47,48 <b>Long Lasting</b>                  |
| 1200                     | XJR 1200 SP                           | 95-98      | 7752                                                                                          | 532GSV 110                                                                                       | 17 38                                | 4025 K                                                                                             | 17         | 866 THF                                                                                            | 38,43,46 <b>Long Lasting</b>                                          |
| 1200                     | XJR 1200 SP #530                      | 95-98      | 7753                                                                                          | 530GXW 110                                                                                       | 17 38                                | 579 K                                                                                              | 14-17      | 859 THF                                                                                            | 38,39,41,42,47,48 <b>Long Lasting</b>                                 |
| 1300                     | XJR 1300                              | 99-03      |                                                                                               | 530GXW 110                                                                                       | 17 38                                | 579 K                                                                                              | 15-18      | 859 THF                                                                                            | 38,39,41,42,47,48 <b>Long Lasting</b>                                 |
| 1300                     | XJR 1300                              | 04-06      | 9129                                                                                          | 530GXW 112                                                                                       | 18 39                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1300                     | XJR 1300 #520                         | 04-06      |                                                                                               | 520GXW 120                                                                                       | 18 39                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 2013                     | XJR 1300                              | 07-13      | 9785                                                                                          | 530GXW 120                                                                                       | 17 38                                | 579 K                                                                                              | 15-18      | 479 THF<br>479 C<br>479 ED                                                                         | 38-39,42-49<br>38,39,42-49<br>43 <b>Long Lasting</b><br>Hard Anodized |
| 1300                     | XJR 1300 #520                         | 07-13      |                                                                                               | 520GXW 114                                                                                       | 17 38                                | 579 KM                                                                                             | 14-17      | 479 EMD                                                                                            | 40-52 <b>Hard Anodized</b>                                            |
| 1670                     | MT01                                  | 05-10      | 9445                                                                                          | 530GXW 114                                                                                       | 17 39                                | 579 K                                                                                              | 15-18      | 479 THF                                                                                            | 39,42-49 <b>Long Lasting</b>                                          |

## Yamaha Quads

|      |     |                  |       |  |             |       |  |       |                |
|------|-----|------------------|-------|--|-------------|-------|--|-------|----------------|
| 2013 | 250 | YFM 250 R Raptor | 08-13 |  | GB520EXW 92 | 14 38 |  | 857 C | 38-42,45-47,50 |
|------|-----|------------------|-------|--|-------------|-------|--|-------|----------------|

| 廠牌與車型<br>Marca e Modello |     | 年份<br>anno      | <br>KIT<br>料號 | <br>鏈條<br>catena | 原廠齒數<br>numero<br>denti<br>originali | <br>前齒<br>pignone |                                   | <br>後齒<br>corona |                   |
|--------------------------|-----|-----------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------------|-------------------|
|                          |     |                 |                                                                                               |                                                                                                  |                                      | 料號                                                                                                | 齒數 - denti                        | 料號                                                                                                | 齒數 - denti        |
| 2013                     | 350 | YFM 350 Warrior | 89-05                                                                                         |                                                                                                  | GB520EXW 98                          | 13 40                                                                                             | 569 K<br>569 KC<br>14             | 2045 C                                                                                            | 40-42,44,46-48,50 |
|                          | 350 | YFM 350 Raptor  | 04-13                                                                                         |                                                                                                  | GB520EXW 98                          | 13 38                                                                                             | 569 K<br>569 KC<br>14             | 2045 C                                                                                            | 40-42,44,46-48,50 |
|                          | 350 | YZF 350 Banshee | 87-88                                                                                         |                                                                                                  | GB520EXW 104                         | 13 42                                                                                             | 569 K<br>569 KC<br>14             | 857 C                                                                                             | 38-42,45-47,50    |
|                          | 350 | YZF 350 Banshee | 89-07                                                                                         |                                                                                                  | GB520EXW 104                         | 14 41                                                                                             | 569 K<br>569 KC<br>14             | 2045 C                                                                                            | 40-42,44,46-48,50 |
|                          | 350 | YZF 350 Warrior | 87-88                                                                                         |                                                                                                  | GB520EXW 100                         | 13 40                                                                                             | 569 K<br>569 KC<br>14             | 857 C                                                                                             | 38-42,45-47,50    |
| 2013                     | 450 | YFZ 450 S       | 04-13                                                                                         |                                                                                                  | GB520EXW 96                          | 14 38                                                                                             | 565 K<br>565 KC<br>11-16<br>13-15 | 857 C                                                                                             | 38-42,45-47,50    |
| 2013                     | 450 | YFZ 450 R, X    | 09-13                                                                                         |                                                                                                  | GB520EXW 96                          | 14 38                                                                                             | 565 K<br>565 KC<br>11-16<br>13-15 | 857 C                                                                                             | 38-42,45-47,50    |
|                          | 660 | YFM 660 Raptor  | 00-05                                                                                         |                                                                                                  | GB520EXW 92                          | 13 40                                                                                             | 565 K<br>565 KC<br>11-16<br>13-15 | 2045 C                                                                                            | 40-42,44,46-48,50 |
| 2013                     | 700 | YFM Raptor R    | 06-13                                                                                         |                                                                                                  | GB520EXW 98                          | 15 38                                                                                             | 4080 K<br>15-17                   | 857 C                                                                                             | 38-42,45-47,50    |

Light Alloy blanks - *Corone in lega semilavorate*

|  |            |                             |  |  |     |  |  |  |        |       |
|--|------------|-----------------------------|--|--|-----|--|--|--|--------|-------|
|  | 1/2 x 1/4  | <b>roller</b> - rullo 8,51  |  |  | 420 |  |  |  | 1000 E | 44-56 |
|  | 1/2 x 5/16 | <b>roller</b> - rullo 8,51  |  |  | 428 |  |  |  | 1001 E | 34-60 |
|  | 5/8 x 1/4  | <b>roller</b> - rullo 10,16 |  |  | 520 |  |  |  | 1002 E | 34-58 |
|  | 5/8 x 5/16 | <b>roller</b> - rullo 10,16 |  |  | 525 |  |  |  | 1004 E | 35-49 |
|  | 5/8 x 3/8  | <b>roller</b> - rullo 10,16 |  |  | 530 |  |  |  | 1003 E | 34-52 |

Updated and corrections in red  
Aggiornamenti e correzioni in rosso

2013 Model Year 2013

Chain conversion  
Modifica catena

Basic Series Kit and related chain (a grade down than the OE one)  
Kit serie Basic e relativa catena (di un grado inferiore a quella OE)

Optional front and rear sprockets in italics  
Pignoni e corone in alternativa in corsivo

The number of links of the chain is given according to the OE sprocket number of teeth  
La lunghezza della catena è sempre riferita alla rapportatura di serie

|           |                                 |
|-----------|---------------------------------|
| <i>K</i>  | 14CrNi4                         |
| <i>KC</i> | 14CrNi4 scarico fango           |
| <i>KA</i> | 14CrNi4 alleggerito             |
| <i>KM</i> | 14CrNi4 alleggerito, catena 520 |

|           |                              |
|-----------|------------------------------|
| <i>K</i>  | 14CrNi4                      |
| <i>KC</i> | 14CrNi4 mud grooves          |
| <i>KA</i> | 14CrNi4 lightened            |
| <i>KM</i> | 14CrNi4 lightened, 520 chain |

|              |                                                                      |
|--------------|----------------------------------------------------------------------|
| <i>C</i>     | acciaio C45                                                          |
| <i>THF</i>   | <b>Long Lasting</b> acciaio C45 denti temprati a induzione           |
| <i>E</i>     | 7075T6 silver                                                        |
| <i>ESM</i>   | 7075T6 per supermoto                                                 |
| <i>EC</i>    | 7075T6 silver, scarico fango (anche colorate)                        |
| <i>EM</i>    | 7075T6 silver, catena 520                                            |
| <i>ED</i>    | 7075T6 anodizzazione dura                                            |
| <i>EMD</i>   | 7075T6 anodizzazione dura, catena 520                                |
| <i>EDU-L</i> | <b>Ultralite</b> 7075T6 anodizzazione dura, catena 520, ultraleggera |
| <i>PX</i>    | 7075T6 & acciaio al carbonio                                         |

|              |                                                                                                                     |
|--------------|---------------------------------------------------------------------------------------------------------------------|
| <i>C</i>     | C45 steel                                                                                                           |
| <i>THF</i>   | <b>Long Lasting</b> C45 steel with induction hardened teeth                                                         |
| <i>E</i>     | 7075T6 silver                                                                                                       |
| <i>ESM</i>   | 7075T6 silver for supermoto                                                                                         |
| <i>EC</i>    | 7075T6 silver, mud grooves (and coloured)                                                                           |
| <i>EM</i>    | 7075T6 silver, 520 chain                                                                                            |
| <i>ED</i>    | 7075T6 hard anodised                                                                                                |
| <i>EMD</i>   | 7075T6 hard anodised, 520 chain                                                                                     |
| <i>EDU-L</i> | <b>Ultralite</b> 7075T6 hard anodised, 520 chain, ultralight                                                        |
| <i>PX</i>    | 7075T6 alloy and carbon steel  |